

Assignment -4

Docker and Kubernetes

Student Name	dhayanithi.T
Student Roll Number	712219205008
Maximum Marks	2 Marks

1.Pull an image from docker hub and run it in docker Playground.

The screenshot shows the Docker Playground interface. On the left, there's a sidebar with a timer at 03:58:45, a 'CLOSE SESSION' button, and an 'Instances' section showing a single instance named 'node1' with IP 192.168.0.18. The main area displays the details of the 'cdhtqrm3_cdhtqte3tccg00fmtje0' instance, including its IP (192.168.0.18), memory usage (1.63%), and CPU usage (0.16%). Below this, there's a terminal window showing the following commands and output:

```
wait Block until one or more containers stop, then print their exit codes
Run 'docker COMMAND --help' for more information on a command.

To get more help with docker, check out our guides at https://docs.docker.com/go/guides/
[node1] (local) root@192.168.0.18 ~
$ docker pull uifd/ui-for-docker
Using default tag: latest
latest: Pulling from uifd/ui-for-docker
841194d080c8: Pull complete
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbadf244870572150b1cb749
Status: Downloaded newer image for uifd/ui-for-docker:latest
docker.io/uifd/ui-for-docker:latest
[node1] (local) root@192.168.0.18 ~
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker
1c759ed73863a957fad6fba18edbe6388eed7ad0b867b0eacb15e722e10e4bb9
[node1] (local) root@192.168.0.18 ~
$
```


The screenshot shows the 'UI For Docker' dashboard. At the top, there's a navigation bar with tabs for 'Dashboard', 'Containers', 'Containers Network', 'Images', 'Networks', 'Volumes', and 'Info'. The 'Containers' tab is selected. Below the navigation bar, there's a 'Running Containers' section showing a single container named 'hungry_fermat' which is 'Up 14 seconds'. To the right of this, there's a 'Status' section with a donut chart showing the status of containers: 'Running' (green), 'Stopped' (red), and 'Ghost' (grey). The chart shows that all containers are in the 'Running' state. Below the status section, there's a 'Containers created' section with a line graph showing the number of containers created over time. The graph shows a single data point at 11/3/2022 with a value of 1. Below the graph, there's an 'Images created' section with a line graph showing the number of images created over time. The graph shows a single data point at 11/3/2022 with a value of 1.

2. Create a docker file for the job portal application and deploy it in Docker desktop application

```
Command Prompt
=> => transferring context: 28
=> [internal] load metadata for docker.io/library/python:3.6
=> [auth] library/python:pull token for registry-1.docker.io
=> [1/6] FROM docker.io/library/python:3.6@sha256:f8652afaf88c25f0d22354d547d892591067aa4026a7fa9a6819df9f300af6fc
=> => resolve docker.io/library/python:3.6@sha256:f8652afaf88c25f0d22354d547d892591067aa4026a7fa9a6819df9f300af6fc
=> => sha256:d097a4907a8ec079df5ac31872359c2de510f82214c0448e926393b376d3b60d 2.22kB / 2.22kB
=> => sha256:cb5b7ae361722f070eca53f35823ed21baa85d61d5d95cd5a95ab53d740cdd56 10.87MB / 10.87MB
=> => sha256:f8652afaf88c25f0d22354d547d892591067aa4026a7fa9a6819df9f300af6fc 1.86kB / 1.86kB
=> => sha256:54260638d07c5e3ad24c6e21fc889abb8486a27634c0892086ff7f1f3f44b104 9.27kB / 9.27kB
=> => sha256:0e29546d541cbbd389281d21a73a9d1db78665c1b95b74f32b009e0b77a6e1e3 54.92MB / 54.92MB
=> => sha256:9b829c73b52b92b97d5c07a54fb0f3e921995a296c714b53a32ae67d19231fcd 5.15MB / 5.15MB
=> => sha256:6494e4811622b31c027ccac322ca463937fd805f569a93e6f15c01aade718793 54.57MB / 54.57MB
=> => sha256:6f9f74896df93fe0172f594faba85e0b4e8a0481a0fef9112efc7e4d3c78f7 196.51MB / 196.51MB
=> => sha256:5e3b1213efc56598e78bd602983945c164de2a37205e06a62dada823124dc743 6.29MB / 6.29MB
=> => sha256:9fddfdc56334f2e6efad7e241bf5e7459c40ed105c5478676f41c1244bd96752 14.21MB / 14.21MB
=> => sha256:404f02044bac0432ca522cbb9f254b1c91fcea6806bfeef0be0b243b2f31bab7 2358 / 2358
=> => sha256:c4f42be2be53b900ebffc040c1df13de538434ccc5f5d954a56848a6169a3a3f 2.21MB / 2.21MB
=> => extracting sha256:0e29546d541cbbd389281d21a73a9d1db78665c1b95b74f32b009e0b77a6e1e3
=> => extracting sha256:9b829c73b52b92b97d5c07a54fb0f3e921995a296c714b53a32ae67d19231fcd
=> => extracting sha256:cb5b7ae361722f070eca53f35823ed21baa85d61d5d95cd5a95ab53d740cdd56
=> => extracting sha256:6494e4811622b31c027ccac322ca463937fd805f569a93e6f15c01aade718793
=> => extracting sha256:6f9f74896df93fe0172f594faba85e0b4e8a0481a0fef9112efc7e4d3c78f7
=> => extracting sha256:5e3b1213efc56598e78bd602983945c164de2a37205e06a62dada823124dc743
=> => extracting sha256:9fddfdc56334f2e6efad7e241bf5e7459c40ed105c5478676f41c1244bd96752
=> => extracting sha256:404f02044bac0432ca522cbb9f254b1c91fcea6806bfeef0be0b243b2f31bab7
=> => extracting sha256:c4f42be2be53b900ebffc040c1df13de538434ccc5f5d954a56848a6169a3a3f
=> [internal] load build context
=> => transferring context: 6258
=> [auth] library/python:pull token for registry-1.docker.io
=> [2/6] WORKDIR /app
=> [3/6] ADD . /app
=> [4/6] COPY requirements.txt /app
=> [5/6] RUN python3 -m pip install -r requirements.txt
=> [6/6] RUN python3 -m pip install ibm_db
=> => exporting to image
=> => exporting layers
=> => writing image sha256:fea53fe3294f2f702eba74475f589b629df42a18ed0e87bbddacffefc58bf00c
=> => naming to docker.io/library/job-portal-main

C:\Users\user\Desktop\job-portal-main>docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
job-portal-main latest fea53fe3294f 29 minutes ago 1.08GB

C:\Users\user\Desktop\job-portal-main>
```



3. Create a IBM container registry and deploy helloworld app

The screenshot shows the IBM Cloud Container Registry interface. The left sidebar has a 'Quick start' section with 'Namespaces' highlighted, showing a count of 2. The main content area is titled 'Namespaces' and shows a table of existing namespaces. The table has columns for Name, Resource group, Repository count, Image count, and Retention policy. Two namespaces are listed: 'jobportalap' and 'jobportalapplication', both in the 'Default' resource group. The 'jobportalap' namespace has 1 repository and 1 image, while 'jobportalapplication' has 0 repositories and 0 images. Both have a retention policy of 'Retain all images'. A 'Create' button is visible in the top right of the table area.

Name	Resource group	Repository count	Image count	Retention policy
jobportalap	Default	1	1	Retain all images
jobportalapplication	Default	0	0	Retain all images

The screenshot shows the IBM Cloud Container Registry interface, now displaying the 'Repositories' page. The left sidebar has 'Repositories' highlighted, showing a count of 1. The main content area is titled 'Repositories' and shows a table of existing repositories. The table has columns for Name, Image count, Namespace, and Last updated. One repository is listed: 'testrepo' in the 'jobportalap' namespace, with 1 image and updated 3 days ago. The repository path is 'icr.io/jobportalap/testrepo'. A 'Create' button is visible in the top right of the table area.

Name	Image count	Namespace	Last updated
testrepo icr.io/jobportalap/testrepo	1	jobportalap	3 days ago

```
Command Prompt - docker run -p 4000:4000 icr.io/jobportalap/testrepo@sha256:ef3608d0cf4c21ce5e9c5e42caa10349538d25697a6e8660476a5b5558c89898
11936051f93b: Layer already exists
jobportaltest: digest: sha256:ef3608d0cf4c21ce5e9c5e42caa10349538d25697a6e8660476a5b5558c89898 size: 3259

C:\Users\user> ibmcloud cr image-list
Listing images...

Repository      Tag      Digest      Namespace      Created      Size      Security status
icr.io/jobportalap/testrepo  jobportaltest  ef3608d0cf4c  jobportalap  3 days ago  435 MB  -

OK

C:\Users\user> docker run -p 5070:5070 icr.io/jobportalap/testrepo
Unable to find image 'icr.io/jobportalap/testrepo:latest' locally
docker: Error response from daemon: manifest for icr.io/jobportalap/testrepo:latest not found: manifest unknown: manifest unknown.
See 'docker run --help'.

C:\Users\user> docker pull icr.io/jobportalap/testrepo
Using default tag: latest
Error response from daemon: manifest for icr.io/jobportalap/testrepo:latest not found: manifest unknown: manifest unknown

C:\Users\user> docker run -p 4000:4000 icr.io/jobportalap/testrepo@sha256:ef3608d0cf4c21ce5e9c5e42caa10349538d25697a6e8660476a5b5558c89898
* Serving Flask app 'app' (lazy loading)
* Environment: production
  WARNING: This is a development server. Do not use it in a production deployment.
  Use a production WSGI server instead.
* Debug mode: off
* Running on all addresses.
  WARNING: This is a development server. Do not use it in a production deployment.
* Running on http://172.17.0.2:5000/ (Press CTRL+C to quit)
```

4. Create a Kubernetes cluster in IBM cloud and deploy hello world image and also expose the same app to run in node port.

The screenshot displays the IBM Cloud Kubernetes Dashboard for a cluster named 'mycluster-free'. The interface includes a sidebar with navigation options like Overview, Worker nodes, Worker pools, and DevOps. The main content area shows the cluster's status, including a warning that the cluster will expire in 30 days. Key status metrics are displayed: 1 of 1 Node status (Pending), 0 of 0 Add-on status (Normal), Unknown Master status, and Pending Ingress status. A 'Details' section provides information about the Cluster ID, Version (1.24.7_1542), Infrastructure (Classic), Zones (Milan 01), Created time (11/7/2022, 3:00 AM), Resource group, and Image security enforcement (with an 'Enable' button).

Node status	Add-on status	Master status	Ingress status
1 of 1 Pending	0 of 0 Normal	Unknown	Pending

Cluster ID	Version	Infrastructure	Zones
cdk2eopf0u0ekek	1.24.7_1542	Classic	Milan 01

Created	Resource group	Image security enforcement
11/7/2022, 3:00 AM		Enable

The screenshot shows the IBM Cloud console interface for a Kubernetes cluster named 'mycluster-free'. The 'Worker nodes' tab is active, showing a table with one node. The right sidebar contains a 'Help' menu with various options.

Name	Status	Worker pool	Zone	Private IP	Public IP
000000d9	Normal	default	Milan 01	10.144.194.66	169.51.205.176

Items per page: 25 | 1-1 of 1 item | 1 | 1 of 1 page

Help menu options:

- Log in to your cluster
- Deploy your app
- Expose your app
- Add storage to your app
- Connect integrations
- Install add-ons
- Troubleshoot