Project Development - Delivery Of Sprint-1

NT2022TMID19127
oject-IoT Based Safety Gadget For
nild Safety Monitoring & otification
1

DASHBORAD

```
HTML CODE:
!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible"</pre>
content="IE=edge">
  <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
  <link rel="stylesheet" href="./DASHBOARD.css">
  <title>Dashboard</title>
  <script src="./LOCALFORAGE.js"></script>
</head>
<body>
  <div class="wrapper">
```

```
<div class="header">
      <span class="heading">Dashboard</span>
      <span class="right">
        <span class="username">Hello User</span>
        <span>
          <img class="profilePic"
src="https://avatars.dicebear.com/api/avataaars/asdfasdfd
s.svg" alt="User Profile" height="30" width="30">
        </span>
      </span>
    </div>
    <div class="actionCenter">
      <div class="action">
        <span>Create Child Card</span>
      </div>
      <div class="action">
        <span class="logout">Log out</span>
      </div>
    </div>
    <div class="childCardContainer">
      <div class="childCard">
```

```
<div class="childCardHeader">
          <span>Gowsa</span>
          <span>Age 10</span>
        </div>
        <div class="actions">
          <span>View</span>
          <span>GeoFence</span>
        </div>
      </div>
    </div>
  </div>
  <script> async function main() { let userData = await
    localforage.getItem('userData') if(userData == null) {
        window.location.href = "/login"
      }
      document.querySelector(".username").innerHTML =
`Hello ${userData.firstName}`
document.querySelector(".profilePic").src =
userData.profilePic
    }
    main()
```

```
document.querySelector(".logout").addEventListener("click
", async () => { await
      localforage.setItem('userData', null)
      window.location.href = "/login"
    })
  </script>
</body>
</html>
CSS CODE:
html, body {
margin: 0;
padding: 0;
  font-family: system-ui, -apple-system,
BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu,
Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
}
.wrapper { display: flex;
  flex-direction: column;
  height: 100vh; margin:
  0 auto;
```

```
}
.header { display: flex; justify-
  content: space-between; align-
  items: center; padding: 1rem;
  background-color: #f1f1f1;
}
.heading { font-size:
  1.3rem;
.right { display: flex;
  align-items: center;
  gap: 0.5rem;
}
.actionCenter {
  display: flex; justify-
  content: flex-end; align-
  items: center; gap:
  1rem; padding: 0.5rem
  0;
}
```

```
.actionCenter .action {
  padding: 0.5rem 0.8rem;
  border: 1px solid #4444444;
  border-radius: 12px; margin-
  right: 0.5rem; cursor:
  pointer;
.actionCenter .action:hover {
  background-color: #0070f3;
  color: white;
}
.childCardContainer {
  display: flex; flex-wrap:
  wrap; padding: 0.5rem
  1rem;
}
.childCardContainer .childCard {
  display: flex; flex-direction:
```

```
column; border: 1px solid
  #4444444; border-radius:
  12px; max-width: 300px;
  font-size: 1.4rem;
}
.childCardContainer .childCard .childCardHeader {
  display: flex; gap: 3rem; margin: 0.1rem 0.1rem
  0.8rem; padding: 1rem 0.8rem 0;
}
.childCardContainer .childCard .actions { background-
  color: #0070f3;
  padding: 2rem 0.5rem 1rem;
  color: white; display: flex;
  justify-content: space-
  around; border-radius: 12px;
  border-top-left-radius: 0;
  border-top-right-radius: 0;
}
```

.childCardContainer .childCard .actions span {

border: 1px solid #0070f3; background-

color: white; color: #0070f3; padding:

0.3rem 0.9rem; border-radius: 12px;

cursor: pointer;

}

OUTPUT:

