A PROJECT REPORT ON

Al-powered Nutrition Analyzer for Fitness Enthusiasts

DOMAIN: ARTIFICIAL INTELLIGENCE

DONE BY

TEAM ID: PNT2022TMID24576

TEAM SIZE: 4

TEAM LEADER: ARUN S V

TEAM MEMBER: AJAY S

TEAM MEMBER: GANAPATHY P T

TEAM MEMBER: SUBASHCHANDRABOSE S

TABLE OF CONTENTS

1.6 ABSTRACT

2. INTRODUCTION

- 2.1 Project Overview
- 2.2 Purpose

3. LITERATURE SURVEY

- 3.1 Existing Problem
- 3.2 References
- 3.3 Problem Statement Definition

4. IDEATION AND PROPOSED SOLUTION

- 4.1 Empathy Map Canvas
- 4.2 Ideation & Brainstorming
- 4.3 Proposed Solution
- 4.4 Problem Solution Fit

5. PROJECT DESIGN

- 5.1 Data Flow Diagrams
- 5.2 Solution & Technical Architecture
- 5.3 Users Stories

6. PROJECT PLANNING & SCHEDULING

- 6.1 Sprint Planning & Estimation
- 6.2 Sprint Delivery Schedule

7. CODING

- 7.1 Model Code
- 7.2 Database Schema (If Applicable)
- 8. RESULT
- 9.CONCLUSION
- 10. APPENDIX

GitHub & Project Demo Link

1.ABSTRACT

Artificial intelligence (AI) as a branch of computer science, the purpose of which is to imitate thought processes, learning abilities and knowledge management, finds more and more applications in experimental and clinical medicine. In recent decades, there has been an expansion of AI applications in biomedical sciences. The possibilities of artificial intelligence in the field of medical diagnostics, risk prediction and support of therapeutic techniques are growing rapidly. The aim of the article is to analyze the current use of AI in nutrition science research. The literature review was conducted in PubMed. A total of 399 records published between 1987 and 2020 were obtained, of which, after analyzing the titles and abstracts, 261 were rejected. In the next stages, the remaining records were analyzed using the full-text versions and, finally, 55 papers were selected. These papers were divided into three areas: AI in biomedical nutrients research (20 studies), AI in clinical nutrients research (22 studies) and AI in nutritional epidemiology (13 studies). It was found that the artificial neural network (ANN) methodology was dominant in the group of research on food composition study and production of nutrients. However, machine learning (ML) algorithms were widely used in studies on the influence of nutrients on the functioning of the human body in health and disease and in studies on the gut microbiota. Deep learning (DL) algorithms prevailed in a group of research works on clinical nutrients intake. The development of dietary systems using AI technology may lead to the creation of a global network that will be able to both actively support and monitor the personalized supply of nutrients.

2. INTRODUCTION

2.1 PROJECT DESCRIPTION

Food is essential for human life and has been the concern of many healthcare conventions. Nowadays new dietary assessment and nutrition analysis tools enable more opportunities to help people understand their daily eating habits, exploring nutrition patterns and maintaining a healthy diet. Nutritional analysis is the process of determining the nutritional content of food. It is a vital part of analytical chemistry that provides information about the chemical composition, processing, quality control and contamination of food.

The main aim of the project is to build a model which is used for classifying the fruit depending on the different characteristics like color, shape, texture etc. Here the user can capture the images of different fruits and then the image will be sent to the trained model. The model analyzes the image and detects the nutrition based on the fruits like (Sugar, Fibre, Protein, Calories, etc.).

2.2 Purposes

The AI model can be used as a reference for nutrition surveys and personal nutrition analysis. Nutritional intake is the basis for human growth and health, and the intake of different types of nutrients and micronutrients can affect health. Most diseases are inextricably linked to diet.

3. LITERATURE SURVEY

3.1 References

- [1] Oscar Beijbom, Neel Joshi, Dan Morris, Scott Saponas, and Siddharth Khullar.2015. Menu-match: Restaurant-specic Food Logging from Images. In Proceedingsof the 2015 IEEE Winter Conference on Applications of Computer Vision. IEEE, 844–851.
- [2] Yin Bi, Mingsong Lv, Chen Song, Wenyao Xu, Nan Guan, and Wang Yi. 2016. Autodietary: A Wearable Acoustic Sensor System for Food Intake Recognition in Daily Life. IEEE Sensors Journal 16, 3 (2016), 806–816.
- [3] Jens Blechert, Adrian Meule, Niko A Busch, and Kathrin Ohla. 2014. Food-pics:An Image Database for Experimental Research on Eating and Appetite. Frontiersin Psychology 5 (2014), 617.
- [4] Lukas Bossard, Matthieu Guillaumin, and Luc Van Gool. 2014. Food-101–MiningDiscriminative Components with Random Forests. In Proceedings of the 2014European Conference on Computer Vision. Springer, 446–461.
- [5] Steven Cadavid, Mohamed Abdel-Mottaleb, and Abdelsalam Helal. 2012. Ex-ploiting Visual Quasi-periodicity for Real-time Chewing Event Detection UsingActive Appearance Models and Support Vector Machines. Personal and UbiquitousComputing 16, 6 (2012), 729–739.
- [6] Micael Carvalho, Rémi Cadène, David Picard, Laure Soulier, Nicolas Thome, and Matthieu Cord. 2018. Cross-modal Retrieval in

the Cooking Context: LearningSemantic Text-image Embeddings. In Proceedings of the 41st International ACMSIGIR Conference on Research & Development in Information Retrieval. ACM, 35–44.

[7] Keng-hao Chang, Shih-yen Liu, Hao-hua Chu, Jane Yung-jen Hsu, Cheryl Chen, Tung-yun Lin, Chieh-yu Chen, and Polly Huang. 2006. The Diet-aware DiningTable: Observing Dietary Behaviors Over a Tabletop Surface. In Proceedings of the 2006 International Conference on Pervasive Computing. Springer, 366–382.

[8] Jingjing Chen and Chong-Wah Ngo. 2016. Deep-based Ingredient Recognition for Cooking Recipe Retrieval. In Proceedings of the 24th ACM International Conferenceon Multimedia. ACM, 32–41.


[9] Jing-jing Chen, Chong-Wah Ngo, and Tat-Seng Chua. 2017. Cross-modal RecipeRetrieval with Rich Food Attributes. In Proceedings of the 25th ACM InternationalConference on Multimedia. ACM, 1771–1779.

[10]Mei Chen, Kapil Dhingra, Wen Wu, Lei Yang, Rahul Sukthankar, and Jie Yang.2009. PFID: Pittsburgh Fast-food Image Dataset. In Proceedings of the 2009 IEEEInternational Conference on Image Processing (ICIP). IEEE, 289–292.

3.2 Problem Statement







Problem Statement (PS)	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Sportsperson	stay fit	it is difficult to track calories in food	lack of knowledge on nutrients in food	helpless
PS-2	Commoner	intake nutritious food	cannot find a balanced diet	no quick access to nutritional information	dissatisfied
PS-3	Obesse Person	intake food with low calories	struggles to find food on low calories	could not find a way to calculate calories	dissatisfied


4. IDEATION & PROPOSED SOLUTION

4.1 Empathy Map Canvas

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes.

It is a useful tool to help teams better understand their users.

Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.



4.2 Ideation & Brainstorming

Arun S V

Create a catalogue of food and its nutrients A feature to search and find the food

Maintain a personal profile to track a person's calorie intake Suggest healthy food based on the pattern of food intake

Ganapathy P T

Food suggestion based on location Track user's calories intake and provide statistical analysis

Personalized food content based on the person's habit Calorie calculator to find a balanced diet

Ajay S

Use of artificial intelligence to help identify healthy food Recommender Engine to suggest quality food to customers and food habits

Monthly report feedback to customer A goal mechanism to motivate customers to help achieve health foals.


Subashchandrabose S

Get suggestions from pediatricians by arranging special meeting on weekends


Connect with smart devices to track calories

Recommend food based on pediatrician advice and calorie tracker readings

Daily remainder for the nutrition intake




Idea Prioritization:



4.3 Proposed Solution


S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	Find a way to identify and calculate the nutrients present in food items through computer vision.
2.	Idea / Solution description	Leveraging the advantage of transfer learning, use YOLO as a model to identify food with the image and with the help of an API get the nutritional content of food like calories, protein, fat, etc.
3.	Novelty / Uniqueness	Use of cutting edge technologies like artificial intelligence and computer vision leveraging the transfer learning technique.
4.	Social Impact / Customer Satisfaction	Aids people to consume healthy food. Enriches the life of people and also improves the lifestyle of the general public.
5.	Business Model (Revenue Model)	Can be monetized by providing this as a feature to other fitness organizations as an API.
6.	Scalability of the Solution	Can be extended by providing more personalized fitness assessment and recommendation to people on their food habits.

4.4 Problem Solution Fit





5. PROJECT DESIGN

5.1 Data Flow Diagram



5.2 Solution Architecture





5.3 Customer Journey Map

Journey Steps Which step of the experience are you describing?	Discovery Why do they even start the journey?	Registration Why would they trust us?	Onboarding and First Use How can they feel successful?	Sharing Why would they invite others?
Actions What does the customer do? What information do they look for? What is their context?	Search for a superior of the search for a superior of the search	Signup for a present personal profile of design to sep their own	Upload a pic of a food and food and food and food and food and food the food food food food food food food foo	Share the Recommend applies access ago to media family/friend
Needs and Pains What does the customer want to achieve or avoid? Tip: Reduce ambiguity, e.g. by using the first person narrator.	Get the right Annie sering flood window flood window security me suggestions colores	Personative Avoid to segment of segment of segment of segment of segmentation of the activity	Able to Audit referring a catalogue to calculate the calculate the calculate the calculate catalogue content content.	Easy to share via a link
Touchpoint What part of the service do they interact with?	Installation of the app	Sign Up form Log in Form	Search bar in image picker the app	Link to share
Customer Feeling What is the customer feeling? Tip: Use the <i>emoji app</i> to express more emotions	50	©	•	e miro

6. PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation

Sprint	Functional Requiremen t (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Member s
Sprint-1	Food Vision	USN-1	As a user, I can upload a picture of a fruit/vegetable and find the name of it.	10	High	Ajay, Arun
Sprint-2	Nutritional Analyzer	USN-2	Map the identified food to the nutrients present in it.	5	Medium	Arun, Ganapat hy
Sprint-2	Food Search	USN-3	As a user, I can search for a particular fruit/vegetable and find the nutrients in it	5	Medium	Ganapat hy, Subash

Sprint-3	Registration	USN-4	As a user, I can register for the application by entering my email, password, and confirming my password.	5	Medium	Ganapat hy, Subash
Sprint-3	Login	USN-5	As a user, I can log into the application by entering email & password	5	Medium	Ganapat hy, Subash
Sprint-4	History	USN-6	As a user, I can see the food I took previously.	5	Low	Ajay, Subash
Sprint-4	Store	USN-7	As a user, I can store the fruits I uploaded a picture of.	5	Low	Arun, Ajay

6.2 Sprint Delivery Schedule

Sprint	Total Story Points	Duratio n	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	10	6 Days	24 Oct 2022	29 Oct 2022		
Sprint-2	10	6 Days	31 Oct 2022	05 Nov 2022		
Sprint-3	10	6 Days	07 Nov 2022	12 Nov 2022		
Sprint-4	10	6 Days	14 Nov 2022	19 Nov 2022		

Velocity:

Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

7. MODEL CODE

Import Required Packages

```
In [1]:
    import numpy as np
    import pandas as pd
    from keras.preprocessing.image import ImageDataGenerator
```

Loading The Data

```
In [2]:
    train_directory = 'Dataset/TRAIN_SET'
    test_directory = 'Dataset/TEST_SET'
```

Data Agumentation

```
In [4]:
    train_datagen = ImageDataGenerator(rescale=1./255,shear_range = 0.2,zoom_range=0.2,horizontal_flip=True)
    test_datagen = ImageDataGenerator(rescale=1./255)
```

Performing the Data Generation

```
In [5]:
         #performing the data agumentation to training data
         x_train = train_datagen.flow_from_directory(
         train_directory,
         target size=(64,64),
         color_mode='rgb',
         batch_size=5,
         class_mode='sparse',
        Found 4118 images belonging to 5 classes.
In [6]:
         #performing the data agumentation to testing data
         x_test = train_datagen.flow_from_directory(
         test directory,
         target_size=(64,64),
         color_mode='rgb',
         batch size=5,
         class_mode='sparse',
        Found 929 images belonging to 5 classes.
In [7]:
         print(x_train.class_indices)
        {'APPLES': 0, 'BANANA': 1, 'ORANGE': 2, 'PINEAPPLE': 3, 'WATERMELON': 4}
In [8]:
         print(x_test.class_indices)
        {'APPLES': 0, 'BANANA': 1, 'ORANGE': 2, 'PINEAPPLE': 3, 'WATERMELON': 4}
         Number of images for each class
In [11]:
         from collections import Counter as c
         print("Number of images in Training data : ", c(x_train.labels))
        Number of images in Training data: Counter({1: 1354, 2: 1019, 0: 995, 4: 475, 3: 275})
In [12]:
         print("Number of images in Training data : ", c(x_test.labels))
```

Number of images in Training data : Counter({1: 415, 0: 266, 2: 248})

In []:

8. RESULT

The main aim of the project is to build a model which is used for classifying the fruit depending on the different characteristics like color, shape, texture etc. Here the user can capture the images of different fruits and then the image will be sent to the trained model. The model analyzes the image and detects the nutrition based on the fruits like (Sugar, Fibre, Protein, Calories, etc.).

9. CONCLUSION

Based on evaluation metrics, the proposed model may outperform other algorithms used to predict nutritional status. The results of this study may direct patients to eat particular types of food to reduce the possibility of becoming infected with the diseases.

10. Appendix

In the Dietary Reference Intake (DRI) nutrient reports, the Adequate Intake (AI) has been estimated in a number of different ways. Because of this, the exact meanings and interpretations of the AIs differ. Some AIs have been based on the observed mean intake of groups or subpopulations that are maintaining health and nutritional status consistent with meeting the criteria for adequacy. However, where reliable information about these intakes was not available, or where there were conflicting data, other approaches were used. As a

result, the definition of an AI is broad and includes experimentally estimated desirable intakes.

These varying methods of setting an AI make using the AI for assessing intakes of groups difficult. When the AI is based directly on intakes of apparently healthy populations, it is correct to assume that other populations (with similar distributions of intakes) have a low prevalence of inadequate intakes if the mean intake is at or above the AI. For nutrients for which the AI was not based on intakes of apparently healthy populations, a group mean intake at or above the AI would still indicate a low prevalence of inadequate intakes for that group but there is less confidence in this assessment.