### **ASSIGNMENT -4**

# IOT BASED SAFETY GADGET FOR CHILD SAFETY MONITORING AND NOTIFICATION

TEAM ID: PNT2022TMID47272

ROLL NO: 822719106019

NAME: Kalaimukilan S

#### **OUESTION:**

Write code and connections in wokwi for ultrasonic sensor. Whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events. Upload document with wokwi share link and images of ibm cloud.

## **CODE:**


```
#include <WiFi.h>
#include <PubSubClient.h>
#include <ArduinoJson.h>
WiFiClient wifiClient;
#define ORG "9v4yiu"
#defineDEVICE_TYPE"Mydev
ice Mahesh"
#define DEVICE_ID"47272"
#define TOKEN
"4MI0KofLVtcGBbSkqW"
#define speed 0.034
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/abcd_1/fmt/json"; char topic[]
= "iot-2/cmd/home/fmt/String"; char authMethod[] = "use-token-
auth"; char token[] = TOKEN; char clientId[] = "d:" ORG ":"
DEVICE_TYPE ":" DEVICE_ID; PubSubClient client(server, 1883,
wifiClient); void publishData();
 const int trigpin=5;
const int echopin=18;
String command;
String data="";
String lat="14.167589";
String lon="80.248510";
String name="point2";
```

String icon=""; longduration;

```
int dist;
void setup()
   Serial.begin(115200);
   pinMode(trigpin,
   OUTPUT);
   pinMode(echopin, INPUT);
   wifiConnect();
   mqttConnect();
}
 void loop()
 {
   publishData();
   delay(500);
 if (!client.loop()) {
     mqttConnect();
   }
 }
 void wifiConnect()
   Serial.print("Connecting to "); Serial.print("Wifi");
   WiFi.begin("Wokwi-GUEST", "",6); while
   (WiFi.status() != WL_CONNECTED) {
     delay(500);
     Serial.print(".");
   Serial.print("WiFi connected, IP address: ");
Serial.println(WiFi.localIP());
 }
void mqttConnect() {
   if (!client.connected()) {
     Serial.print("Reconnecting MQTT client to "); Serial.println(server); while
     (!client.connect(clientId, authMethod,token)) { Serial.print(".");
     delay(1000);
     initManagedDevice();
     Serial.println();
 }
 void initManagedDevice()
 {
```

```
if (client.subscribe(topic)) { Serial.println(client.subscribe(topic));
      Serial.println("subscribe to cmd OK");
    } else {
      Serial.println("subscribe to cmd FAILED");
    } }
  void publishData()
  { digitalWrite(trigpin,LOW);
    digitalWrite(trigpin,HIGH);
    delayMicroseconds(10);
digitalWrite(trigpin,LOW);
duration=pulseIn(echopin,HIGH);dist=duration*speed/2;
  if(dist<100){
      dist=100-dist; icon="fa-
      trash";
    }else{ dist=0;
      icon="fa-trash-
      o";
    DynamicJsonDocument
    doc(1024);String payload;
    doc["Name"]=name;
    doc["Latitude"]=lat;
    doc["Longitude"]=lon;
    doc["Icon"]=icon;
    doc["FillPercent"]=dist;
    serializeJson(doc, payload);
    delay(3000); Serial.print("\n");
    Serial.print("Sending payload: ");
    Serial.println(payload);
    if (client.publish(publishTopic, (char*) payload.c_str())) {
      Serial.println("Publish OK");
    } else {
      Serial.println("Publish FAILED");
  }
```

# **CONNECTIONS:**



### **OUTPUT:**

