Project Development Sprint -4

TEAM ID: PNT2022TMID47272

IoT based safety gadget for child safety monitoring and notification

Aim:


To write a code and connections in Wokwi for temperature sensor and to display in device recent events in IBM IoT Watson

Code:


```
#include <WiFi.h>//library for wifi
#include <PubSubClient.h>//library for MQtt
#include "DHT.h"// Library for dht11
#define DHTPIN 4
                   // what pin we're connected to
#define DHTTYPE DHT11 // define type of sensor DHT 11
#define LED 5
DHT dht (DHTPIN, DHTTYPE);// creating the instance by passing pin and typr of
dht connected
void callback(char* subscribetopic, byte* payload, unsigned int
payloadLength);
//----credentials of IBM Accounts-----
#define ORG "IOT"//IBM ORGANITION ID
#define DEVICE TYPE "MyDevice Mahesh"//Device type mentioned in ibm watson
IOT Platform
#define DEVICE_ID "47272"//Device ID mentioned in ibm watson IOT
Platform
#define TOKEN "12345678"
                                     //Token
String data3;
float h, t;
//----- Customise the above values ------
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";// Server Name
char publishTopic[] = "iot-2/evt/Data/fmt/json";// topic name and type of
event perform and format in which data to be send
char subscribetopic[] = "iot-2/cmd/test/fmt/String";// cmd REPRESENT command
type AND COMMAND IS TEST OF FORMAT STRING
char authMethod[] = "use-token-auth";// authentication method
char token[] = TOKEN;
```

```
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;//client id
WiFiClient wifiClient; // creating the instance for wificlient
PubSubClient client(server, 1883, callback ,wifiClient); //calling the
predefined client id by passing parameter like server id, portand
wificredential
void setup()// configureing the ESP32
  Serial.begin(115200);
  dht.begin();
  pinMode(LED,OUTPUT);
  delay(10);
  Serial.println();
 wificonnect();
  mqttconnect();
}
void loop()// Recursive Function
{
  t = dht.readTemperature();
  Serial.print("temperature:");
  Serial.println(t);
  PublishData(t);
  delay(1000);
  if (!client.loop()) {
   mqttconnect();
  }
}
```

Connections:



OUTPUT (WOKWI):



Output(IBM cloud):

