Ouestion:

Write a code and connections in wokwi for the ultrasonic sensor. Whenever the distance is less than 100cms send an "Alert" to IBM cloud and display in the device recent events.

Code:

```
#include <WiFi.h>
 #include <PubSubClient.h> void callback(char* subscribetopic.
 byte* payload, unsigned int payloadLength);
 //----credentials of IBM Accounts-----
 #define ORG "kotoq5"//IBM ORGANITION ID
 #define DEVICE TYPE "ESP32"//Device type mentioned in ibm watson IOT Platform
 #define DEVICE ID "12345"//Device ID mentioned in ibm watson IOT Platform
 #define TOKEN "12345678" //Token String data3; char server[] =
 ORG ".messaging.internetofthings.ibmcloud.com"; char
 publishTopic[] = "iot-2/evt/Data/fmt/json"; char
 subscribetopic[] = "iot-2/cmd/test/fmt/String"; char
 authMethod[] = "use-token-auth";
char token[] = TOKEN;
 char clientId[] = "d:" ORG ":" DEVICE TYPE ":" DEVICE ID;
 WiFiClient wifiClient:
 PubSubClient client(server, 1883, callback ,wifiClient);
 const int trigPin = 5; const int echoPin = 18; #define
 SOUND SPEED 0.034 long duration; float distance; void
 setup() { Serial.begin(115200); pinMode(trigPin,
 OUTPUT); pinMode(echoPin, INPUT); wificonnect();
 mqttconnect(); } void loop() { digitalWrite(trigPin,
 LOW); delayMicroseconds(2); digitalWrite(trigPin, HIGH);
 delayMicroseconds(10); digitalWrite(trigPin, LOW);
 duration = pulseIn(echoPin, HIGH); distance = duration *
 SOUND SPEED/2;
```

```
Serial.print("Distance (cm): "):
    Serial.println(distance);
    if(distance<100)</pre>
    Serial.println("ALERT!!"); delay(1000);
    PublishData(distance) ; delay(1000);
    if (!client.loop()) { mqttconnect();
    } } delay(1000); } void
    PublishData(float dist) {
    mattconnect():
    String payload = "{\"Distance\":"; payload += dist;
    payload += ",\"ALERT!!\":""\"Distance less than 100cms\"";
    payload += "}";
    Serial.print("Sending payload: ");
    Serial.println(payload);
    if (client.publish(publishTopic, (char*) payload.c str())) {
    Serial.println("Publish ok");
    } else {
    Serial.println("Publish failed");
    } } void mqttconnect() {
    if (!client.connected())
    Serial.print("Reconnecting client to ");
    Serial.println(server);
    while (!!!client.connect(clientId, authMethod, token)) {
    Serial.print(".")
    ; delay(500);
initManagedDevice();
Serial.println();
void wificonnect()
```


}

```
Serial.println(); Serial.print("Connecting to ");
WiFi.begin("Wokwi-GUEST", "", 6); while (WiFi.status() !=
WL CONNECTED) { delay(500);
Serial.print("."):
Serial.println(""): Serial.println("WiFi
connected"); Serial.println("IP address: ");
Serial.println(WiFi.localIP());
}
void initManagedDevice() { if
(client.subscribe(subscribetopic)) {
Serial.println((subscribetopic)); Serial.println("subscribe
to cmd OK");
} else {
Serial.println("subscribe to cmd FAILED");
} } void callback(char* subscribetopic, byte* payload, unsigned int
payloadLength)
Serial.print("callback invoked for topic: ");
Serial.println(subscribetopic); for (int i =
0; i < payloadLength; i++) {</pre>
//Serial.print((char)payload[i])
    ; data3 += (char)payload[i];
    }
    Serial.println("data: "+ data3); data3="";
    }
```

Diagram.json:

```
"version": 1.
  "author":
  "sweetysharon",
 "editor": "wokwi".
  "parts": [
   { "type": "wokwi-esp32-devkit-v1", "id": "esp", "top": -4.67, "left": -114.67, "attrs": {} },
   { "type": "wokwi-hc-sr04", "id": "ultrasonic1", "top": 15.96, "left": 89.17, "attrs": {} }
  1,
  "connections": [
   [ "esp:TX0", "$serialMonitor:RX", "", [] ], [
    "esp:RX0", "$serialMonitor:TX", "", [] ],
      "esp:VIN",
      "ultrasonic1:VCC"
     . "red".
     [ "h-37.16", "v-178.79", "h200", "v173.33", "h100.67" ]
   [ "esp:GND.1", "ultrasonic1:GND", "black", [ "h39.87", "v44.04", "h170" ] ],
   [ "esp:D5", "ultrasonic1:TRIG", "green", [ "h54.54", "v85.07", "h130.67" ] ],
    [ "esp:D18", "ultrasonic1:ECHO", "green", [ "h77.87", "v80.01", "h110" ] ]
}
```

Circuit Diagram:



Output:

Wokwi output:

```
Connecting to ....
WiFi connected
IP address:
10.10.0.2
Reconnecting client to ytluse.messaging.internetofthings.ibmcloud.com
iot-2/cmd/test/fmt/String
subscribe to cmd OK

Distance (cm): 399.92
Distance (cm): 399.96
Distance (cm): 399.94
Distance (cm): 399.98
Distance (cm): 399.94
Distance (cm): 399.94
Distance (cm): 399.92
Distance (cm): 399.92
Distance (cm): 399.94
```

IBM cloud output:

