


Train Model On IBM

Date	18 November 2022
Team ID	PNT2022TMID37845
Project Name	AI-Powered Nutrition Analyzer for Fitness Enthusiasts



Manage

Plan

Connections



Watson Machine Learning in Cloud Pak for Data

Use Watson Machine Learning on Cloud Pak for Data to put AI models to work. Deploy, monitor, and update models to get the insights you need from your data modeling.

Launch in IBM Cloud Pak for Data

IBM Watson Machine Learning in Cloud Pak for Data



IBM Cloud Pak for Data underlying platform

IBM Cloud Base cloud infrastructure

IBM Watson Machine Learning is part of IBM Cloud Pak for Data and serves as the data science capability of the data fabric architecture.

Helpful links

Projects / IMAGE_CLASSIFICATION

Launch IDE

Jobs Manage

Find assets

Import assets

New asset

About this project

Name

2 assets

Notebooks

S

Asset types



Model Building

Python 3.9

42 minutes ago

69.2 MB used

1D-e877a29d96dc2a8d759a1d02cc02





Applying Image DataGenerator Functionality To Trainset And Testset

```
import os, types
import pandas as pd
```

```
# @hidden_cell
# The following code accesses a file in your IBM Cloud Object Storage. It includes your credentials
# You might want to remove those credentials before you share the notebook.
cos_client = ibm_boto3.client(service_name='s3',
                              ibm_api_key_id='gau27L_57syPXTlQiss7A25E16m9chJ532640U0YD2Hi',
                              ibm_auth_endpoint='https://iam.cloud.ibm.com/oidc/token',
                              config=Config(signature_version='oauth'),
                              endpoint_url='https://s3.private.us.cloud-object-storage.appdomain.cloud')

bucket = 'imageclassification-donotdelete-pr-v1604oqevxtyin'
object_key = 'Dataset.zip'
```

Upload one file at a time. All file uploads are capped at 50B max file size.

Drag and drop file here or upload.

Insert code



Insert code

IBM Watson Studio interface showing the installation of Keras and h5py packages in a Jupyter Notebook cell.

```
In [69]: !pip install keras==2.0.8
!pip install h5py==2.10.0

Collecting keras==2.0.8
  Downloading Keras-2.0.8-py2.py3-none-any.whl (276 kB)
    Requirement already satisfied: numpy>=1.9.1 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.0.8) (1.20.3)
    Requirement already satisfied: pyyaml in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.0.8) (5.4.1)
    Requirement already satisfied: scipy>=0.14 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.0.8) (1.7.3)
    Requirement already satisfied: six>=1.9.0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.0.8) (1.15.0)
Installing collected packages: keras
Successfully installed keras-2.0.8
Collecting h5py==2.10.0
  Downloading h5py-2.10.0.tar.gz (301 kB)
    Requirement already satisfied: numpy>=1.7 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from h5py==2.10.0) (1.20.3)
    Requirement already satisfied: six in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from h5py==2.10.0) (1.15.0)
Building wheels for collected packages: h5py
  Building wheel for h5py (setup.py) ... done
  Created wheel for h5py: filename=h5py-2.10.0-cp39-cp39-linux_x86_64.whl size=1298125 sha256=d5165b1d61c7f8750fe235eb9603b11b9a567cc95af905c7693b48bf647ed420
  Stored in directory: /tmp/psuser/.cache/pip/wheels/91/57/54/aa5901c840e69c1e931141d848b27421f68ad98bd285cc4036
Successfully built h5py
Installing collected packages: h5py
Successfully installed h5py-2.10.0
```

The interface includes a top navigation bar with tabs for WhatsApp, Cloud Pak for Data - IBM Cloud, Model_Building - IBM Watson Studio, and Service Details - IBM Cloud. The main workspace shows the Jupyter Notebook with a code cell being executed. The right sidebar contains a 'Data' panel with 'Files' and 'Connections' tabs, and a 'Dataset.zip' section with an 'Insert to code' dropdown.

IBM Watson Studio interface showing the training and testing of a Keras model in a Jupyter Notebook cell.

```
In [70]: x_train = train_datagen.flow_from_directory(
        '/home/psuser/work/Dataset/TRAIN_SET',
        target_size=(64, 64), batch_size=5, color_mode='rgb', class_mode='sparse')

x_test = test_datagen.flow_from_directory(
        '/home/psuser/work/Dataset/TEST_SET',
        target_size=(64, 64), batch_size=5, color_mode='rgb', class_mode='sparse')

Found 4118 images belonging to 5 classes.
Found 929 images belonging to 5 classes.


In [ ]:

In [71]: print(x_train.class_indices)
{'APPLES': 0, 'BANANA': 1, 'ORANGE': 2, 'PINEAPPLE': 3, 'WATERMELON': 4}

In [ ]:
print(x_test.class_indices)
{'APPLES': 0, 'BANANA': 1, 'ORANGE': 2, 'PINEAPPLE': 3, 'WATERMELON': 4}

In [ ]: from collections import Counter as c
c(x_train.labels)
```

The interface is similar to the first screenshot, showing the Jupyter Notebook with a code cell being executed. The right sidebar contains the 'Data' panel with 'Files' and 'Connections' tabs, and the 'Dataset.zip' section with an 'Insert to code' dropdown.



Model Building


```
In [75]: import numpy as np
import tensorflow as tf
from tensorflow.keras.models import Sequential
from tensorflow.keras import layers
from tensorflow.keras.layers import Dense, Flatten
from tensorflow.keras.layers import Conv2D, MaxPooling2D, Dropout
```

Upload one file at a time. All files are accepted. 50 MB max file size.

Drag and drop file here or upload it.

Insert code





IBM Watson Studio interface showing a Jupyter Notebook titled "Model_Building". The notebook is in the "IMAGE_CLASSIFICATION" project. The code in the notebook is:

```
In [80]: classifier.add(Dense(units=128, activation='relu'))
classifier.add(Dense(units=5, activation='softmax'))

In [ ]:

In [81]: classifier.summary()
```

The output of the code is a summary of the model structure:

Layer (type)	Output Shape	Param #
conv2d (Conv2D)	(None, 62, 62, 32)	896
max_pooling2d (MaxPooling2D)	(None, 31, 31, 32)	0
conv2d_1 (Conv2D)	(None, 29, 29, 32)	9248
max_pooling2d_1 (MaxPooling2D)	(None, 14, 14, 32)	0
flatten (Flatten)	(None, 6272)	0
dense (Dense)	(None, 128)	802944

The right sidebar shows the "Data" panel with a "Files" tab. It contains a message: "Upload one file at a time. All file types accepted. 5 GB max file size." and a "Dataset.zip" button.

IBM Watson Studio interface showing a Jupyter Notebook titled "Model_Building". The notebook is in the "IMAGE_CLASSIFICATION" project. The code in the notebook is:

```
In [82]: classifier.compile(optimizer='adam', loss='sparse_categorical_crossentropy', metrics=['accuracy'])

In [83]: classifier.fit_generator(generator=x_train, steps_per_epoch = len(x_train), epochs=20, validation_data=x_test, validation_steps = len(x_test))
```

The output of the code is a warning message:

```
Epoch 1/20
WARNING:tensorflow:AutoGraph could not transform <function Model.make_train_function.<locals>.train_function at 0x7f06d4f7cdc0> and will run it as-is.
Please report this to the TensorFlow team. When filing the bug, set the verbosity to 10 (on Linux, 'export AUTOGRAPH_VERBOSITY=10') and attach the full output.
Cause: closure mismatch, requested ('self', 'step_function'), but source function had ().
To silence this warning, decorate the function with @tf.autograph.experimental.do_not_convert
WARNING: AutoGraph could not transform <function Model.make_train_function.<locals>.train_function at 0x7f06d4f7cdc0> and will run it as-is.
```



ray | MAO | AOI FI CATI | Model Building

File Edit View Insert Cell Kernel Help

No Trusted Python 3.9.0

824/824 [=====] - 51s 62ms/step - loss: 0.4291 - accuracy: 0.8407 - val_loss: 0.4409 - val_accuracy: 0.8202
Epoch 3/20

Upload one file at a time. All file types accepted. 50B max file size.

Drag and drop files here or click to add.

824/824 [=====] - 48s 58ms/step - loss: 0.3269 - accuracy: 0.8820 - val_loss: 0.4273 - val_accuracy:

Insert code



Jobs Manage

Find assets

2 assets

Data assets

Import assets



New asset


About this project

Name

89.2 MB used

ID: e877a29d96dc2a8d759a1df2cc02





```
wml_credentials={
  "url": "https://us-south.ml.cloud.ibm.com",
  "apikey": "Y8ioAQxuJpdmjRCFur8Q6N4VnKtsAhGQHRQZbwIHyoXj"
}
```

Upload one file at a time. All file types
accepted. 50 B max file size.

Drag and drop file here or upload.

```
def guid_from_space_name(client, space_name):
    space=client.spaces.get_details()
    return (next(item for item in space['resources'] if item['entity']['name']==space_name)['metadata']['id'])
```

Insert code



IBM Watson Studio

Search in your workspaces

Buy

ARUNKUMAR S's Account

Dallas

imageclassification

Drop files here or browse for files to upload.

Stay on the page until upload completes. Do not refresh or close the browser.

General

Environment

Space Details

Name

imageclassification

No description provided

du d 87 f7 696 9 d 90d 91 a2 0d d697b 5...

Cloud Object Storage

Storage used

0 Bytes used

0 laud 0 b jec 1 0 l a rage c f

0 4 a2u128 b6 dc d 61 f 807

ud162 f6 4 c 86 d

Manage

IBM Watson Studio

Projects / IMAGE_CLASSIFICATION / Model_Building

File Edit View Insert Cell Kernel Help

Not Trusted | Python 3.9

NAME	ASSET_ID	TYPE
default_py3.6	0062b8c9-8b7d-44a0-a9b9-46c416adcb9	base
kernel-spark3.2-scala2.12	020469ce-7a41-5e68-ac1a-31189867356a	base
pytorch-onnx_1.3-py3.7-edt	069ea134-3346-5748-b513-49120e15d288	base
scikit-learn_0.20-py3.6	09c5a1d0-9c1e-4473-a344-eb7b665ff687	base
spark-mllib_3.0-scala_2.12	09f4cffe-90a7-5899-b9ed-1ef348aebdee	base
pytorch-onnx_rt22.1-py3.9	0b848d44-e081-9599-be41-b5f6fccc6471	base
ai-function_0.1-py3.6	0cb071e1-5376-4f4d-92dd-da3b69a9bda	base
shiny-r3.6	0e6e73df-875e-4f24-8ae9-62d4c2148306	base
tensorflow_2.4-py3.7-horovod	1092590a-307d-563d-9b62-4eb7d64b3f22	base
pytorch_1.1-py3.6	10ac12d6-6b30-4ccd-8392-3e922c096a92	base
tensorflow_1.15-py3.6-ddl	111e41b3-de2d-5422-a4d6-bf776828c4b7	base
autos1-kb_rt22.2-py3.10	125b609a-5b1f-5e8d-972a-b251688ccf40	base
runtime_22.1-py3.9	12b83a17-2448-5082-900f-0ab31bf45cb	base
scikit-learn_0.22-py3.6	154010fa-5b3b-43c1-82af-4d5ee5abbc85	base
default_r3.6	1b70aec3-ab34-4b87-8aa0-a4a3c8296a36	base
pytorch-onnx_1.3-py3.6	1bc6029a-cc97-56da-b8e0-39c3880dbbe7	base
kernel-spark3.3-r3.6	1c9e5454-f216-59dd-a20e-474a5cd5988	base
pytorch-onnx_rt22.1-py3.9-edt	1d362186-7a5d-5b59-8b6c-9d08680ae37f	base
tensorflow_2.1-py3.6	1ab25b84-d6ed-5dde-b6a5-3fbd1f665666	base
spark-mllib_3.2	20047f72-0a98-58c7-9ff5-a77b012ebf5	base
tensorflow_2.4-py3.8-horovod	217c16f6-178f-56bf-824a-b19f20504c49	base
runtime_22.1-py3.9-cuda	26215f05-08c3-5441-a1b0-da66306cee58	base
do_py3.8	299addb5-9ef9-547e-9b04-92ae3563e720	base
autos1-ts_3.8-py3.8	2aa0c932-798f-5ae9-abd6-15e0c2407b5	base
tensorflow_1.15-py3.6	2b73a275-7cbf-420b-a912-eae7f436e0bc	base
kernel-spark3.3-py3.9	2b7961e2-e3b1-5a8c-a912-482c8368839a	base

Data

Files

Upload one file at a time. All file types accepted. 5 GB max file size.

Drag and drop files here or upload.

Dataset.zip

Insert to code

IBM Watson Studio

Projects / IMAGE_CLASSIFICATION / Model_Building

File Edit View Insert Cell Kernel Help

Not Trusted | Python 3.9

Note: Only first 50 records were displayed. To display more use 'limit' parameter.

```
In [220]: software_spec_uid = client.software_specifications.get_uid_by_name("default_py3.6")
software_spec_uid

Out[220]: '0062b8c9-8b7d-44a0-a9b9-46c416adcb9'
```

```
In [ ]:

In [ ]:
```

```
In [222]: pip install ibm_watson_machine_learning

Requirement already satisfied: ibm_watson_machine_learning in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (1.0.257)
Requirement already satisfied: importlib-metadata in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (4.8.2)
Requirement already satisfied: tabulate in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (0.8.9)
Requirement already satisfied: lmonad in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (0.3.3)
Requirement already satisfied: packaging in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (21.3)
Requirement already satisfied: ibm-cos-sdk==2.11.* in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (2.11.0)
Requirement already satisfied: urllib3 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (1.26.7)
Requirement already satisfied: requests in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (2.26.0)
```

Data


Files

Upload one file at a time. All file types accepted. 5 GB max file size.

Drag and drop files here or upload.

Dataset.zip

Insert to code



```
from keras.models import load_model
from keras.preprocessing import image
```

Upload one file at a time. All file types accepted. 50 MB max file size.

Drag and drop file here or upload.

Insert code



Insert code

Cloud Pak for Data services

Launch Cloud Pak for Data

Name	Group	Location	Product	Status	Tags
Cloud Object Storage-of	Default	Global	Cloud Object Storage	Active	
Watson Studio-ot	Default	Dallas	Watson Studio	Active	
Watson Machine Learning-ju	Default	Dallas	Watson Machine Learning	Active	

Items per page: 25 1-3 of 3 items 1 1 of 1 page

Buckets

Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.

Create bucket +

Name	Public access	Location	Storage class	Created
04a25128-b6dc-461f-8071-5d162f64c86d	No	us-south	Standard	2022-11-11 6:21 PM
b093cbb8-2293-4e6b-b5c1-e47c74f2a51e	No	us-south	Standard	2022-11-11 9:18 PM
imageclassification-donotdelete-pr-v1604oqevxatyn	No	us-geo	Standard	2022-11-11 3:44 PM
model-donotdelete-pr-wkmi3rbetzs49	No	us-geo	Standard	2022-11-11 9:12 PM