Upload Image to the container Registry

Date	16 November 2022
Team ID	PNT2022TMID28689
Project Name	Skills/Job Recommender Application

Push the image to the IBM Cloud Registry

- 1. From your account dashboard, go to **IBM Cloud Kubernetes Service**.
- 2. From the left navigation menu, select **Private Repositories**.



- 3. Install the Container Registry plug-in.
- 4. ibmcloud plugin install container-registry -r "IBM Cloud"

- 5. Log in to your IBM Cloud account.
- 6. ibmcloud login -a <cloud_foundary_end_point_for_the_region>
- 7. Name and create your namespace. Use this namespace for the rest of the Quick Start.

- 8. ibmcloud cr namespace-add <namespace>
 - 9. Log your local Docker daemon into the IBM Cloud Container Registry.
 - 10. ibmcloud cr login
 - 11. Choose a repository and tag by which you can identify the image.
 - 12. docker tag <image_name> <region_url>/<namespace>/<image_name>:<tag>
 - 13. Push the image.
 - 14. docker push <region_url>/<namespace>/<image_name>:<tag>

```
kunals-mbp;web kunalmalhotra$ docker push registry.ng.bluemix.net/flask-node/app:latest
The push refers to repository [registry.ng.bluemix.net/flask-node/app]
a995440b;27c; Pushed
b96dea950728; Pushed
b96dea950728; Pushed
b988de36644; Pushed
b988de36644; Pushed
b988de36644; Pushed
b988de36644; Pushed
b988de36644; Pushed
b988de36644; Pushed
b988de36645; Layer already exists
172bcd1177f; Layer already exists
1172bcd1177f; Layer already exists
1172bcd1177f; Layer already exists
600637992cbd; Layer already exists
f90637992cbd; Layer already exists
719d45669b35; Layer already exists
719d45669b35; Layer already exists
118d4569b35; Layer already exists
```

- 15. Verify that your image is in your private registry.
- 16. ibmcloud cr image-list