
ASSIGNMENT 3

DATE	13th September 2022
ROLL NUMBER	2019503015
NAME	GUHAN B
TEAM ID	PNT2022TMID35662

1. Create a Bucket in IBM Object Storage.





2. Upload 5 images to IBM Object Storage Bucket and make it public. Create a HTML page and display these 5 images.

SOURCE CODE

```
<img src="https://assignment-files.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/1.jpg" alt="Image 1">
            <img src="https://assignment-files.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/2.jpg" alt="Image 2">
             <img src="https://assignment-files.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/3.jpg" alt="Image 3">
            <img src="https://assignment-files.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/4.jpg" alt="Image 4">
            <img src="https://assignment-files.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/5.jpg" alt="Image 5">
            <img src="https://assignment-files.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/6.jpg" alt="Image 6">
        </div>
    </div>
</body>
</html>
```

OUTPUT





3. Upload a CSS file to IBM Object Storage Bucket and use it on a HTML page.

SOURCE CODE

index.html


```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Gallary</title>
    <link rel="stylesheet" href="https://assignment-files.s3.jp-tok.cloud-</pre>
object-storage.appdomain.cloud/style.css">
</head>
    <div class="container">
        <h1>Image Gallary</h1>
        <div class="wrapper">
            <img src="https://assignment-files.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/1.jpg" alt="Image 1">
            <img src="https://assignment-files.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/2.jpg" alt="Image 2">
            <img src="https://assignment-files.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/3.jpg" alt="Image 3">
            <img src="https://assignment-files.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/4.jpg" alt="Image 4">
            <img src="https://assignment-files.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/5.jpg" alt="Image 5">
            <img src="https://assignment-files.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/6.jpg" alt="Image 6">
        </div>
    </div>
</html>
```


style.css (https://assignment-files.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css)

```
* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}
.container {
```

```
width: 70%;
  margin: 2rem auto;
}
.container h1 {
  margin-bottom: 2rem;
}
.container .wrapper {
  display: grid;
  grid-template-columns: 1fr 1fr 1fr;
  gap: 2rem;
}
.container .wrapper img {
  width: 100%;
}
```

OUTPUT





4. Design a chat bot using IBM Watson for hospital

 $\frac{https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?background}{ImageURL=https%3A%2F%2Fus-south.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-f372cc5f-9aed-455f-809d-962d192b73d2%3A%3A3a8c0257-5c59-40e2-8a73-c8974baba469&integrationID=b1eca765-abeb-4e6b-ba55-9eda9f873503®ion=us-south&serviceInstanceID=f372cc5f-9aed-455f-809d-962d192b73d2}$

5. Create a Watson assistant with 10 steps and 3 conditions and load that in HTML page

SOURCE CODE

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
   <script>
        window.watsonAssistantChatOptions = {
          integrationID: "b34df728-95c8-42f2-b5a0-70259637d699",
          region: "eu-gb",
          serviceInstanceID: "f5f1c292-4028-42f8-bc3b-84c649de4cfa",
          onLoad: function(instance) { instance.render(); }
        };
        setTimeout(function(){
          const t=document.createElement('script');
          t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | 'latest') +
"/WatsonAssistantChatEntry.js";
          document.head.appendChild(t);
        });
    </script>
</body>
</html>
```

OUTPUT Watson Assistant what are the suits? Sir owned 49 suits, each unique in its own way. Listing the first 20(Insufficient processing power, power redirected to (classified)) Accessing suit archives: Mark I First Appearance: Iron Man Status: Destroyed by the Mandarin The first Iron Man suit, the Mark I was created from Jericho missile parts while Tony Stark was being held captive in a cave in Afghanistan. The original Hall of Armors created by Tony after the first Iron Man firm contained the armors Mark I to Mark IV, before being upgraded to house Mark I through Mark VIII. Mark II First Appearance: Iron Man Status: Destroyed by the Mandarin Designed as a prototype, this suit was used to explore flight potential and had almost no weapons, before quickly giving way to the Mark III. It was temporarily confiscated by the U Malchine Mark I heldon Tony soft it bark and Type something... Built with IBM Watson® (1)