## SMART HOME (AUTOMATIC DOOR OPENER)

## **SOURCE CODE:**

```
#define PIR sensor 14
#define m11 0
#define m12 1void setup()
 lcd.begin(16, 2);
 pinMode(m11, OUTPUT);
 pinMode(m12, OUTPUT);
 pinMode(PIR sensor, INPUT);
 lcd.print(" Automatic ");
 lcd.setCursor(0,1);
 lcd.print(" Door Opener ");
 delay(3000);
 lcd.clear();
 lcd.print("Python for fun");
 delay(2000);
}void loop()
 if(digitalRead(PIR sensor))
  lcd.setCursor(0,0);
  lcd.print("Movement Detected");
  lcd.setCursor(0, 1);
  lcd.print(" Gate Opened ");
  digitalWrite(m11, HIGH);
                               // gate opening
  digitalWrite(m12, LOW);
  delay(1000);
  digitalWrite(m11, LOW);
                               // gate stop for a while
  digitalWrite(m12, LOW);
 delay(1000);
  lcd.clear();
  lcd.print(" Gate Closed
  digitalWrite(m11, LOW);
                                // gate closing
  digitalWrite(m12, HIGH);
  delay(1000);
  digitalWrite(m11, LOW);
                                // gate closed
  digitalWrite(m12, LOW);
  delay(1000);
```

```
else
{
    Icd.setCursor(0,0);
    Icd.print(" No Movement ");
    Icd.setCursor(0,1);
    Icd.print(" Gate Closed ");
    digitalWrite(m11, LOW);
    digitalWrite(m12, LOW);
}
```

## OUTPUT:

