## **ASSIGNMENT 4**

Date	24 Oct 22
Name	Prakash Raj M
Team ID	PNT2022TMID24735
Project Name	Smart Waste Management For Metropolitan
	Cities

Write code and connections in wokwi for ultrasonic sensor.

Whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events.

Upload document with wokwi share link and images of ibm cloud


## **CODE:**

```
#include <WiFi.h>
#include <PubSubClient.h>
WiFiClient;
#define ORG "nhpwjc"
#define DEVICE_TYPE "NodeMCU"
#define DEVICE_ID "USE YOUR ID"
#define TOKEN "USE YOUR TOKEN"
#define speed 0.034
char server[] = ORG
".messaging.internetofthings.ibmcloud.com"; char
publishTopic[] = "iot-2/evt/Data/fmt/json"; char topic[] =
"iot-2/cmd/home/fmt/String"; char authMethod[] = "use-
token- auth"; char token[] = TOKEN; char clientId[] = "d:"
ORG ":" DEVICE_TYPE ":" DEVICE_ID; PubSubClient
client(server, 1883, wifiClient); void publishData();
const int trigpin=5; const
int echopin=18;
String command;
String data="";
duration; float
dist;
setup()
  Serial.begin(115200);
  pinMode(trigpin, OUTPUT);
```

```
pinMode(echopin, INPUT); wifiConnect();
 mqttConnect();
} void loop() { publishData();
  delay(500);
 if (!client.loop()) {
mqttConnect(); } }
void wifiConnect() {
 Serial.print("Connecting to "); Serial.print("Wifi");
 WiFi.begin("Wokwi-GUEST", "", 6); while (WiFi.status() !=
 WL_CONNECTED) { delay(500);
   Serial.print(".");
  Serial.print("WiFi connected, IP address: "); Serial.println(WiFi.localIP());
void mqttConnect() { if
 (!client.connected()) {
    Serial.print("Reconnecting MQTT client to "); Serial.println(server);
   while (!client.connect(clientId, authMethod, token)) { Serial.print(".");
    delay(500);
    } initManagedDevice();
  Serial.println(); } }
void initManagedDevice() { if
  (client.subscribe(topic)) {
   // Serial.println(client.subscribe(topic)); Serial.println("subscribe to cmd
   OK");
 } else {
   Serial.println("subscribe to cmd FAILED"); } }
void publishData()
{ digitalWrite(trigpin,LOW);
 digitalWrite(trigpin, HIGH);
```

```
delayMicroseconds(10); digitalWrite(trigpin,LOW);
duration=pulseIn(echopin,HIGH);
dist=duration*speed/2; if(dist<100){
   String payload = "{\"Alert distance\":"; payload +=
        dist; payload += "}";
   Serial.print("\n");
   Serial.print("Sending payload: "); Serial.println(payload);
   if (client.publish(publishTopic, (char*) payload.c_str())) {
        Serial.println("Publish OK");
   } else {
        Serial.println("Publish FAILED"); }
}</pre>
```

## **CONNECTIONS:**



## **OUTPUT:**

