

#### Assignment -4

Assignment Date	08 October 2022
Student Name	S. Gobika
Student Roll Number	820319106007
Maximum Marks	2 Marks

#### Question:

Write code and connections in wokwi for the ultrasonic sensor.

Whenever the distance is less than 100 cms send an "alert" to the IBM cloud and display in the device recent events.

#### Code:

```
#define trigPin 12
#define echoPin 13
int Buzzer = 8; // Connect buzzer pin to 8
int ledPin= 6; //Connect LED pin to 6
int duration, distance; //to measure the distance and time taken

void setup() {
    Serial.begin (9600);
    //Define the output and input objects(devices)
    pinMode(trigPin, OUTPUT);
    pinMode(echoPin, INPUT);
    pinMode(Buzzer, OUTPUT);
    pinMode(ledPin, OUTPUT);
}

void loop() {

    digitalWrite(trigPin, HIGH);
    delayMicroseconds(10);
    digitalWrite(trigPin, LOW);
    duration = pulseIn(echoPin, HIGH);
    distance = (duration/2) / 29.1;
    //when distance is greater than or equal to 200 OR less than or equal to 0,the buzzer
    and LED are off
    if (distance >= 200 || distance <= 0)
    {
        Serial.println("no object detected");
        digitalWrite(Buzzer,LOW);
    }
}
```

```

        digitalWrite(ledPin,LOW);
    }
    else {
        Serial.println("object detected \n");
        Serial.print("distance= ");
        Serial.print(distance);    //prints the distance if it is between the range 0 to 200
        tone(Buzzer,400);          // play tone of 400Hz for 500 ms
        digitalWrite(ledPin,HIGH);
    }
}
}

```

## Output:


Library Manager ▾

```

1  #define trigPin 12
2  #define echoPin 13
3  int Buzzer = 8; // Connect buzzer pin to 8
4  int ledPin= 6;  //Connect LED pin to 6
5  int duration, distance; //to measure the distance and time taken
6
7  void setup() {
8      Serial.begin (9600);
9      //Define the output and input objects(devices)
10     pinMode(trigPin, OUTPUT);
11     pinMode(echoPin, INPUT);
12     pinMode(Buzzer, OUTPUT);
13     pinMode(ledPin, OUTPUT);
14 }
15
16 void loop() {
17
18     digitalWrite(trigPin, HIGH);
19     delayMicroseconds(10);
20     digitalWrite(trigPin, LOW);
21     duration = pulseIn(echoPin, HIGH);
22     distance = (duration/2) / 29.1;
23     //when distance is greater than or equal to 200 OR less than or equal to 0
24     if (distance >= 200 || distance <= 0)
25     {
26         Serial.println("no object detected");

```

00:47.666



```

distance= 99object detected
distance= 99object detected
distance= 99object detected

```