Date	12 November 2022
Team ID	PNT2022TMID46648
Project Name	Real-Time Communication System Powered by AI for Specially Abled
Marks	8

IMPORTING LIBRARIES

import os import cv2 import numpy as np import matplotlib.pyplot as plt from keras.preprocessing.image import ImageDataGenerator **Define DATA FILES** def rename_imgs(file_name): folder_path = r'test_dataset/'+file_name


SAMPLE IMAGES FROM DATASET

```
train_data_path = 'train_dataset/' test_data_path = 'test_dataset/' def display(img,sign=None):
```


```
img = cv2.cvtColor(img,cv2.COLOR_BGR2RGB)
fig = plt.figure(figsize=(7,7))
    ax = fig.add_subplot(111)
plt.title(sign)
    ax.imshow(img) Training
```

Data Set


sign_img = cv2.imread(train_data_path+'A/A_204.jpeg') display(sign_img,'A')




 $sign_img = cv2.imread(train_data_path+'3/3_340.jpeg') \ display(sign_img,'3')$



 $sign_img = cv2.imread(train_data_path + 'S/S_10.jpeg') \ display(sign_img, 'Space')$



Test Data Set sign_img = cv2.imread(test_data_path+'S/S_15.jpeg') display(sign_img,'S')



 $sign_img = cv2.imread(test_data_path + 'Z/Z_1.jpeg') \ display(sign_img, 'Z')$





Image Data Generator image_gen = ImageDataGenerator(rotation_range=30,
width_shift_range=0.1,
height_shift_range=0.1,
shear_range=0.2,
zoom_range=0.2, rescale=1/255,
horizontal_flip=True,
fill_mode='nearest',
validation_split=0.25)


Original Image

sign_img = cv2.imread(train_data_path+'3/3_100.jpeg') display(sign_img,'3')



Augmented Images

display(image_gen.random_transform(sign_img))



Split into Test & Validation dataset Train Data Generator

train_data_gen = image_gen.flow_from_directory(train_data_path,

target_size=(250,250), batch_size=16, class_mode='binary', subset='training')

shuffle=True,

```
Found 41625 images belonging to 37 classes. Validation
Data Generator
                                          validation_data_gen = image_gen.flow_from_directory(train_data_path,
                           target_size=(250,250),
batch_size=16,
                                           shuffle=True,
class_mode='binary',
subset='validation')
Found 13875 images belonging to 37 classes. Test
Data Generator
                                                  test_data_gen = image_gen.flow_from_directory(test_data_path,
target_size=(250,250),
batch_size=8,
                                          shuffle=True,
                           class_mode='categorical',
)
Found 2586 images belonging to 37 classes.
train_data_gen.class_indices
{'0': 0,
'1': 1,
'2': 2,
'3': 3,
'4': 4,
'5': 5,
'6': 6, '7':
7,
'8': 8,
'9': 9,
'A': 10,
'B': 11, 'C':
12,
'D': 13,
'E': 14,
'F': 15,
'G': 16,
'H': 17,
'I': 18,
'J': 19,
'K': 20,
'L': 21,
'M': 22,
'N': 23,
'O': 24,
'P': 25,
'Q': 26,
'R': 27,
'S': 28,
'Space': 29,
'T': 30,
'U': 31,
'V': 32,
'W': 33,
'X': 34,
```

'Y': 35,

'Z': 36}

test_data_gen.classes

array([0, 0, 0, ..., 36, 36, 36])

len(train_data_gen.classes)

41625