Team Id:PNT2022TMID46656 Model Building

Adding The Dense Layers

```
In []:
from tensorflow.keras.preprocessing.image import ImageDataGenerator
In []:
model.add(Dense(units=512, activation='relu')) model.add(Dense(units=9,
activation='softmax'))
In []:
print("Adding dense layer on top")
model.add(layers.Flatten()) model.add(layers.Dense(64,
activation='relu')) model.add(layers.Dense(10))
In []:
print("Complete architecture of the model") model.summary()
In []:
# Training Datagen train datagen
ImageDataGenerator(rescale=1/255, zoom range=0.2, horizontal flip=True, vertica
1 flip=False) # Testing Datagen
test datagen = ImageDataGenerator(rescale=1/255)
In []:
# Training Dataset
x train=train datagen.flow from directory(r'/content/drive/MyDrive/Dataset/t
raining set', target size=(64,64), class mode='categorical', batch size=900)
 # Testing Dataset
x test=test datagen.flow from directory(r'/content/drive/MyDrive/Dataset/tes
t set', target size=(64,64), class mode='categorical', batch size=900)
Found 15760 images belonging to 9 classes.
Found 2250 images belonging to 9 classes.
In []:
print("Len x-train : ", len(x train)) print("Len
x-test : ", len(x test))
Len x-train : 18 Len
x-test: 3
In []:
# The Class Indices in Training Dataset
x train.class indices
Out[]:
```

```
{'A': 0, 'B': 1, 'C': 2, 'D': 3, 'E': 4, 'F': 5, 'G': 6, 'H': 7, 'I': 8}
Model Creation
In []:
# Importing Libraries from
tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Convolution2D, MaxPooling2D, Flatten, Dense
In []:
# Creating Model model=Sequential()
In []:
# Adding Layers
model.add(Convolution2D(32,(3,3),activation='relu',input shape=(64,64,3)))
In []:
model.add(MaxPooling2D(pool_size=(2,2)))
In []:
# Adding Dense Layers model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
model.add(Dense(9,activation='softmax'))
In []:
# Compiling the Model model.compile(loss='
```