


Project Development Phase

Sprint – 1 code

Date	18 November 2022
Team ID	PNT2022TMID47227
Project Name	Emerging Methods for Early Detection of Forest Fires
Maximum Marks	8 Marks

Index.php



```
1 <?php
2 session_start(); if
3 (isset($_SESSION['SESSION_EMAIL'])) {
4 header("Location: welcome.php");
5 die();
6 }
7 include 'config.php';
8 $msg = "";
9 if (isset($_GET['verification'])) {
10 if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE
11 code='{$_GET['verification']}'") > 0) {
12 $query = mysqli_query($conn, "UPDATE users SET code='' WHERE
13 code='{$_GET['verification']}'");
14 if ($query) {
15 $msg = "<div class='alert alert-success'>Account verification has been successfully
16 completed.</div>";
17 }
18 } else {
19 header("Location: index.php");
20 }
21 }
22 if (isset($_POST['submit'])) {
23 $email = mysqli_real_escape_string($conn, $_POST['email']);
24 $password = mysqli_real_escape_string($conn, md5($_POST['password']));
25 $sql = "SELECT * FROM users WHERE email='{$_email}' AND password='{$_password}'";
26 $result = mysqli_query($conn, $sql);
27 if (mysqli_num_rows($result) == 1) {
28 $row = mysqli_fetch_assoc($result);
29 if (empty($row['code'])) {
30 $_SESSION['SESSION_EMAIL'] = $email;
31 header("Location: welcome.php");
32 } else {
33 $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
```

```
30 $SESSION['SESSION_EMAIL'] = $email;
31 header("Location: welcome.php");
32 } else {
33     $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
34 }
35 } else {
36     $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";
37 }
38 }
39 }
40 <!DOCTYPE html>
41 <html lang="zxx">
42 <head>
43 <title>Forest fire detection</title>
44 <!-- Meta tag Keywords -->
45 <meta name="viewport" content="width=device-width, initial-scale=1">
46 <meta charset="UTF-8" />
47 <meta name="keywords">
48 content="Login Form" /> <!--
49 //Meta tag Keywords -->
50 <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
51 rel="stylesheet">
52 <!--/Style-CSS -->
53 <link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--/StyleCSS -->
54 <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
55 </head>
56 <body>
57 <!-- form section start -->
58 <section class="w3l-mockup-form">
59 <div class="container">
60 <!-- /form -->
61 <div class="workinghny-form-grid">
```

```
59 <div class="container">
60 <!-- /form -->
61 <div class="workinghny-form-grid">
62 <div class="main-mockup">
63 <div class="alert-close">
64 <span class="fa fa-close"></span>
65 </div>
66 <div class="w3l-form align-self">
67 <div class="left_grid_info">
68 
69 </div>
70 </div>
71 <div class="content-wthree">
72 <h2>Login Now</h2>
73 <?php echo $msg; ?>
74 <form action="" method="post">
75 <input type="email" class="email" name="email" placeholder="Enter Your Email"
76 required>
77 <input type="password" class="password" name="password" placeholder="Enter
78 Your Password" style="margin-bottom: 2px;" required>
79 <p><a href="forgot-password.php" style="margin-bottom: 15px; display: block;
80 text-align: right;">Forgot Password?</a></p>
81 <button name="submit" name="submit" class="btn" type="submit">Login</button>
82 </form>
83 <div class="social-icons">
84 <p>Create Account! <a href="register.php">Register</a></p>
85 </div>
86 </div>
87 </div>
88 </div>
89 <!-- /form -->
90 </div>
91 </section>
```

```
82 </form>
83 <div class="social-icons">
84 <p>Create Account! <a href="register.php">Register</a>.</p>
85 </div>
86 </div>
87 </div>
88 </div>
89 <!-- //form -->
90 </div>
91 </section>
92 <!-- //form section start -->
93 <script src="js/jquery.min.js"></script>
94 <script>
95 $(document).ready(function (c) {
96 $('.alert-close').on('click', function (c) {
97 $('.main-mockup').fadeOut('slow', function (c) {
98 $('.main-mockup').remove();
99 });
100 });
101 });
102 </script>
103 </body>
104
```

Register.php

```
1 <?php
2 //Import PHPMailer classes into the global namespace
3 //These must be at the top of your script, not inside a function use
4 PHPMailer\PHPMailer\PHPMailer; use PHPMailer\PHPMailer\SMTP; use PHPMailer\PHPMailer\Exception;
5 session_start();
6 if (isset($_SESSION['SESSION_EMAIL'])) {
7 header("Location: welcome.php");
8 die();
9 }
10 //Load Composer's autoloader require 'vendor/autoload.php';
11 include 'config.php';
12 $msg = "";
13 if (isset($_POST['submit'])) {
14 $name = mysqli_real_escape_string($conn, $_POST['name']);
15 $email = mysqli_real_escape_string($conn, $_POST['email']);
16 $password = mysqli_real_escape_string($conn, md5($_POST['password']));
17 $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
18 $code = mysqli_real_escape_string($conn, md5(rand()));
19 if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{$_email}'")) > 0)
20 {
21 $msg = "<div class='alert alert-danger'>{$email} - This email address has been already
22 exists.</div>";
23 } else {
24 if ($password === $confirm_password) {
25 $sql = "INSERT INTO users (name, email, password, code) VALUES ('{$name}', '{$email}',
26 '{$password}', '{$code}')";
27 $result = mysqli_query($conn, $sql); if ($result) { echo "<div
28 style='display: none;'>";
29 //Create an instance; passing 'true' enables exceptions
30 $mail = new PHPMailer(true);
31 try {
32 //Server settings
33 $mail->SMTPDebug = SMTP::DEBUG_SERVER; //Enable verbose debug
```

```
File Edit Selection View Go Run Terminal Help
register.php - IBM - Visual Studio Code

EXPLORER
  OPEN EDITORS
    Get Started
    Welcome to Sett...
    index.php
    register.php
    welcome.php
    forgetpwd.php
    logout.php
  IBM
    forgetpwd.php
    index.php
    logout.php
    register.php
    # styles.css
    welcome.php

register.php
27 $result = mysqli_query($conn, $sql); if ($result) { echo <div
28 style="display: none;">;
29 //Create an instance; passing "true" enables exceptions
30 $mail = new PHPMailer(true);
31 try {
32 //Server settings
33 $mail->SMTPDebug = SMTP::DEBUG_SERVER; //Enable verbose debug
34 //output
35 $mail->isSMTP(); //Send using SMTP
36 $mail->Host = 'smtp.gmail.com'; //Set the SMTP server to send through
37 $mail->SMTPAuth = true; //Enable SMTP authentication
38 $mail->Username = 'forestfiredetection13@gmail.com'; //SMTP username
39 $mail->Password = 'nolubeunltmkypfl'; //SMTP password
40 $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS; //Enable implicit TLS
41 //encryption
42 $mail->Port = 465; //TCP port to connect to; use 587 if you have set "SMTPSecure =PHPMailer::ENCRYPTION_STARTTLS"
43 //Recipients
44 $mail->setFrom('smartroadsafety247@gmail.com'); $mail->addAddress($email);
45 //Content
46 $mail->isHTML(true); //Set email format to HTML
47 $mail->Subject = 'forestfiredetection13 register form';
48 $mail->Body = ' click here to login <b><a href="http://localhost/login/?verification='.$code.'">http://localhost/login/?verification='.$code.'"</a></b>';
49 $mail->send(); echo 'Message has been sent';
50 } catch (Exception $e) { echo "Message could not be sent. Mailer Error: ($mail->ErrorInfo)";
51 }
52 }
53 echo "</div>";
54 $msg = "<div class='alert alert-info'>We've send a verification link on your email
55 address.</div>";
56 } else {
57 $msg = "<div class='alert alert-danger'>Something wrong went.</div>";
58 }
59 } else {
```

```
File Edit Selection View Go Run Terminal Help
register.php - IBM - Visual Studio Code


EXPLORER
  OPEN EDITORS
    Get Started
    Welcome to Sett...
    index.php
    register.php
    welcome.php
    forgetpwd.php
    logout.php
  IBM
    forgetpwd.php
    index.php
    logout.php
    register.php
    # styles.css
    welcome.php

register.php
53 echo <div> ;
54 $msg = "<div class='alert alert-info'>We've send a verification link on your email
55 address.</div>";
56 } else {
57 $msg = "<div class='alert alert-danger'>Something wrong went.</div>";
58 }
59 } else {
60 $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match</div>";
61 }
62 }
63 }
64 ?>
65 <!DOCTYPE html>
66 <html lang="zxx">
67 <head>
68 <title>Forest fire detection</title>
69 <!-- Meta tag Keywords -->
70 <meta name="viewport" content="width=device-width, initial-scale=1">
71 <meta charset="UTF-8" />
72 <meta name="keywords" content="Login Form" />
73 <!-- //Meta tag Keywords -->
74 <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
75 rel="stylesheet">
76 <!-- //Style-CSS -->
77 <link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!-- //Style- CSS -->
78 <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
79 </head>
80 <body>
81 <!-- form section start -->
82 <section class="w3l-mockup-form">
83 <div class="container">
84 <!-- //form -->
85 <div class="workinghny-form-grid">
```

```
81 <!-- form section start -->
82 <section class="w3l-mockup-form">
83 <div class="container">
84 <!-- /form -->
85 <div class="workinghny-form-grid">
86 <div class="main-mockup">
87 <div class="alert-close">
88 <span class="fa fa-close"></span>
89 </div>
90 <div class="w3l_form align-self">
91 <div class="left_grid_info">
92 
93 </div>
94 </div>
95 <div class="content-wthree">
96 <h2>Register Now</h2>
97 <?php echo $msg; ?>
98 <form action="" method="post">
99 <input type="text" class="name" name="name" placeholder="Enter Your Name" value="<?php if
100 (isset($_POST['submit'])) { echo $name; } ?>" required>
101 <input type="email" class="email" name="email" placeholder="Enter Your Email" value="<?php if
102 (isset($_POST['submit'])) { echo $email; } ?>" required>
103 <input type="password" class="password" name="password" placeholder="Enter Your Password"
104 required>
105 <input type="password" class="confirm-password" name="confirm-password" placeholder="Enter Your
106 Confirm Password" required>
107 <button name="submit" class="btn" type="submit">Register</button>
108 </form>
109 <div class="social-icons">
110 <p>Have an account! <a href="index.php">Login</a></p>
111 </div>
112 </div>
113 </div>
```


```
107 <button name="submit" class="btn" type="submit">Register</button>
108 </form>
109 <div class="social-icons">
110 <p>Have an account! <a href="index.php">Login</a></p>
111 </div>
112 </div>
113 </div>
114 </div>
115 <!-- //form -->
116 </div>
117 </section>
118 <!-- //form section start -->
119 <script src="js/jquery.min.js"></script>
120 <script>
121 $(document).ready(function (c) {
122 $('alert-close').on('click', function (c) {
123 $('main-mockup').fadeOut('slow', function (c) {
124 | $('main-mockup').remove();
125 |});
126 |});
127 |});
128 </script>
129 </body>
130 </html>
```

welcome.php




```
1 <?php
2 session_start();
3 if(!isset($_SESSION['SESSION_EMAIL'])) {
4     header("Location: index.php");
5     die();
6 }
7 include 'config.php';
8 $query = mysqli_query($conn, "SELECT * FROM users WHERE
9     email='{$_SESSION['SESSION_EMAIL']}'");
10 if (mysqli_num_rows($query) > 0) {
11     $row = mysqli_fetch_assoc($query);
12     echo "Welcome " . $row['name'] . " <a href='logout.php'>Logout</a>";
13 }
14 ?>
```


Forgetpwd.php



```
1 <?php
2 session_start(); if (isset($_SESSION['SESSION_EMAIL'])) {
3     header("Location: welcome.php");
4     die();
5 }
6 //Import PHPMailer classes into the global namespace
7 //These must be at the top of your script, not inside a function use
8 PHPMailer\PHPMailer\PHPMailer; use PHPMailer\PHPMailer\SMTP; use
9 PHPMailer\PHPMailer\Exception;
10 //Load Composer's autoloader require 'vendor/autoload.php';
11 include 'config.php';
12 $msg = "";
13 if (isset($_POST['submit'])) {
14     $email = mysqli_real_escape_string($conn, $_POST['email']);
15     $code = mysqli_real_escape_string($conn, md5(rand()));
16     if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE
17         email='{$_POST['email']}'") > 0) {
18         $query = mysqli_query($conn, "UPDATE users SET code='{$code}' WHERE
19             email='{$_POST['email']}'");
20         if ($query) { echo "<div style='display: none;'>";
21             //Create an instance; passing 'true' enables exceptions
22             $mail = new PHPMailer(true);
23             try {
24                 //Server settings
25                 $mail->SMTPDebug = SMTP::DEBUG_SERVER; //Enable verbose debug output
26                 $mail->isSMTP(); //Send using SMTP
27                 $mail->Host = 'smtp.gmail.com'; //Set the SMTP server to send through
28                 $mail->SMTPAuth = true; //Enable SMTP authentication
29                 $mail->Username = 'forestfiredetection13@gmail.com'; //SMTP username
30                 $mail->Password = 'nolubeunltmkypfl'; //SMTP password
31                 $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS; //Enable implicit TLS encryption
32                 $mail->Port = 465; //TCP port to connect to; use 587 if you have set
33                 //SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS;
```



```
11 forgetpwd.php
12 $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS; //Enable implicit TLS encryption
13 $mail->Port = 465; //TCP port to connect to; use 587 if you have set
14 //SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS
15 //Recipients
16 $mail->setFrom('forestfiredetection13@gmail.com');
17 $mail->addAddress($email);
18 //Content
19 $mail->isHTML(true); //Set email format to HTML
20 $mail->Subject = 'smartroadsafety247 reset password';
21 $mail->Body = 'reset link <b>a
22 href="http://localhost/login/changepassword.php?reset='.$code.'">http://localhost/login/changepassword.php?reset='.$code.'"</b>';
23 $mail->send(); echo 'Message has been sent';
24 } catch (Exception $e) { echo "Message could not be sent.
25 Mailer Error: {$mail->ErrorInfo}";
26 }
27 echo "</div>";
28 $msg = "<div class='alert alert-info'>We've send a verification link on your email
29 address.</div>";
30 }
31 } else {
32 $msg = "<div class='alert alert-danger'>$email - This email address do not
33 found.</div>";
34 }
35 }
36 }
37 <!DOCTYPE html>
38 <html lang="zxx">
39 <head>
40 <title>Forest fire detection</title>
41 <!-- Meta tag Keywords -->
42 <meta name="viewport" content="width=device-width, initial-scale=1">
43 <meta charset="UTF-8" />
```




```
62 <meta name="viewport" content="width=device-width, initial-scale=1">
63 <meta charset="UTF-8" />
64 <meta name="keywords" content="Login Form" />
65 <!-- //Meta tag Keywords -->
66 <link
67 href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
68 rel="stylesheet">
69 <!--/Style-CSS -->
70 <link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--
71 //Style- CSS -->
72 <script src="https://kit.fontawesome.com/af562a2a63.js"
73 crossorigin="anonymous"></script>
74 </head>
75 <body>
76 <!-- form section start -->
77 <section class="w3l-mockup-form">
78 <div class="container">
79 <!-- //form -->
80 <div class="workinghny-form-grid">
81 <div class="main-mockup">
82 <div class="alert-close">
83 <span class="fa fa-close"></span>
84 </div>
85 <div class="w3l_form align-self">
86 <div class="left_grid_info">
87 
88 </div>
89 </div>
90 <div class="content-wthree">
91 <h2>Forgot Password</h2>
92 <?php echo $msg; >
93 <form action="" method="post">
94 <input type="email" class="email" name="email" placeholder="Enter Your Email"
```

```
92 <?php echo $msg; ?>
93 <form action="" method="post">
94 <input type="email" class="email" name="email" placeholder="Enter Your Email"
95 required>
96 <button name="submit" class="btn" type="submit">Send Reset Link</button>
97 </form>
98 <div class="social-icons">
99 <p>Back to! <a href="index.php">Login</a>.</p>
100 </div>
101 </div>
102 </div>
103 </div>
104 <!-- //form -->
105 </div>
106 </section>
107 <!-- //form section start -->
108 <script src="js/jquery.min.js"></script>
109 <script>
110 $(document).ready(function (c) {
111 $('.alert-close').on('click', function (c) {
112 $('.main-mockup').fadeOut('slow', function (c) {
113 $('.main-mockup').remove();
114 });
115 });
116 });
117 </script>
118 </body>
119 </html>
120
```

Logout.php

```
1 <?php
2 session_start(); session_unset(); session_destroy();
3 header("location: index.php");
```



Styles.css



The screenshot shows the Visual Studio Code editor with the 'styles.css' file open. The Explorer sidebar on the left shows the project structure with files like 'index.php', 'register.php', 'welcome.php', 'forgetpwd.php', 'logout.php', and 'styles.css'. The main editor area displays the following CSS code:

```
# styles.css > {} @media (max-width:384px)
1  html {
2      scroll-behavior: smooth;
3  }
4  body, html {
5      margin: 0;
6      padding: 0;
7      font-family: 'Poppins', sans-serif;
8  }
9  * {
10     box-sizing: border-box;
11 }
12 .d-grid { display: grid;
13 }
14 .d-flex { display: flex;
15     display: -webkit-flex;
16 }
17 .text-center {
18     text-align: center;
19 }
20 .text-left {
21     text-align: left;
22 }
23 .text-right {
24     text-align: right;
25 }
26 button, input, select {
27     -webkit-appearance: none;
28     outline: none;
29     font-family: 'Poppins', sans-serif;
30 }
31 button,
32 .btn, select {
33     cursor: pointer;
```

The status bar at the bottom indicates the cursor is at line 258, column 17, with 4 spaces, UTF-8 encoding, CRLF line endings, and CSS syntax. The system tray shows the date and time as 10:27 PM on 11/18/2022.



The screenshot shows the Visual Studio Code editor with the 'styles.css' file open. The Explorer sidebar on the left shows the project structure with files like 'index.php', 'register.php', 'welcome.php', 'forgetpwd.php', 'logout.php', and 'styles.css'. The main editor area displays the following CSS code:

```
# styles.css > {} @media (max-width:384px)
40 button, input, select {
41     -webkit-appearance: none;
42     outline: none;
43     font-family: 'Poppins', sans-serif;
44 }
45 button,
46 .btn, select {
47     cursor: pointer;
48 }
49 a {
50     text-decoration: none;
51 }
52 img {
53     max-width: 100%;
54 }
55 ul {
56     margin: 0;
57     padding: 0
58 }
59 h1,
60 h2,
61 h3,
62 h4,
63 h5,
64 h6,
65 p {
66     margin: 0;
67     padding: 0
68 }
69 p {
70     color: #666; font-size: 16px;
71     line-height: 25px; opacity: .6;
72 }
```

The status bar at the bottom indicates the cursor is at line 258, column 17, with 4 spaces, UTF-8 encoding, CRLF line endings, and CSS syntax. The system tray shows the date and time as 10:27 PM on 11/18/2022.

```
# styles.css > {} @media (max-width:384px)
{
  p {
    color: #666; font-size: 16px;
    line-height: 25px; opacity: .6;
  }
  .p-relative { position: relative; }
  .p-absolute { position: absolute; }
  .p-fixed { position: fixed; }
  .p-sticky { position: sticky; }
  .btn, button,
  .actionbg, input {
    border-radius: 4px;
    -webkit-border-radius:
    4px;
    -moz-border-radius: 4px;
    -o-border-radius: 4px;
    -ms-border-radius: 4px;
  }
  .btn:hover, button:hover {
    transition: 0.5s ease;
    -webkit-transition: 0.5s ease;
    -o-transition: 0.5s ease;
    -ms-transition: 0.5s ease;
    -moz-transition: 0.5s ease;
  }
  /*-- wrapper start --*/
  .wrapper { width: 100%;
    padding-right: 15px; padding-left: 15px; margin-right: auto; margin-left: auto;
  }
```

```
# styles.css > {} @media (min-width: 768px) {
  .wrapper {
    max-width: 540px;
  }
  @media (min-width: 768px) {
    .wrapper {
      max-width: 720px;
    }
    @media (min-width: 992px) {
      .wrapper {
        max-width: 960px;
      }
    }
    @media (min-width: 1200px) {
      .wrapper {
        max-width: 1140px;
      }
    }
    .wrapper-full { width: 100%;
      padding-right: 15px; padding-left: 15px; margin-right: auto; margin-left: auto;
    }
    /*-- //wrapper start --*/
    /*-- form styling --*/
    .w3l-mockup-form { position: relative; min-height: 100vh; z-index: 0;
      background: rgba(99, 194, 110, 0.1);
      padding: 40px 40px;
    }
    .container {
      max-width: 890px; margin: 0 auto;
    }
  }
```

```
# styles.css > {} @media (max-width:384px)
{
  .container {
    max-width: 890px; margin: 0 auto;
  }

  .w3l-workinghny-form
  .logo {
    text-align: center;
  }

  .w3l-mockup-form .main- mockup {
    position: relative; display: -webkit-box; display: -moz-box; display: -msflexbox; display: -webkit-flex; display: flex;
    margin: 40px 0;
  }

  .w3l-mockup-form .alert- close {
    cursor: pointer; height: 35px; width: 35px;
    line-height: 35px; position: absolute;
    right: -5px;
    top: -5px; background: #e6a134; border-radius: 50px; color: #fff;
    text-align: center;
  }

  .w3l-mockup-form form { margin-top: 30px; margin-bottom: 30px;
  }

  .social-icons {
    text-align: center;
  }

  .w3l-mockup-form h1 { text-align: center; font-size: 40px;
    font-weight: 500; color: #3b3663;
  }

  .w3l-mockup-form h2 { display: inline-block; font-size: 25px;
    line-height: 35px; margin-bottom: 5px; font-weight: 600; color: #3b3663;
  }

  .w3l-mockup-form input { outline: none;
```

```
# styles.css > {} @media (max-width:384px)
{
  .w3l-mockup-form input { outline: none;
    margin-bottom: 15px; font-size: 16px;
    color: #999; text-align: left;
    padding: 14px 20px; width: 100%; display: inline-block;
    box-sizing: border-box; border: none;
    outline: none;
    background: transparent;
    border: 1px solid #e5e5e5;
    transition: 0.3s all ease;
  }

  .w3l-mockup-form input:focus {
    border-color: #e6a134;
  }

  .w3l-mockup-form button { font-size: 18px;
    color: #fff; width: 100%;
    background: #e6a134; border: none; padding: 14px 15px; font-weight: 500;
    transition: .3s ease;
    -webkit-transition: .3s ease;
    -moz-transition: .3s ease;
    -ms-transition: .3s ease;
    -o-transition: .3s ease;
  }

  .w3l-mockup-form button:hover {
    background: #FF8C00;
  }

  .w3l-mockup-form .social- icons ul li {
    list-style: none; display: inline-block;
  }

  .w3l-mockup-form .social- icons ul li a {
    padding: 8px;
  }

  .w3l-mockup-form .social- icons ul li a:hover {
```

```
# styles.css > {} @media (max-width:384px)
173 list-style: none; display: inline-block;
174 }
175 .w3l-mockup-form .social- icons ul li a {
176 padding: 8px;
177 }
178 .w3l-mockup-form .social- icons ul li a: hover {
179 opacity: 0.8; transition: 0.5s ease;
180 -webkit-transition: 0.5s ease;
181 -o-transition: 0.5s ease;
182 -ms-transition: 0.5s ease;
183 -moz-transition: 0.5s ease;
184 }
185 .w3l-mockup-form .social- icons ul span.fa {
186 color: #696687; font-size: 18px; opacity: .8;
187 }
188 .w3l-mockup-form .social- icons ul li a.facebook span
189 {
190 color: #3b5998;
191 }
192 .w3l-mockup-form .social- icons ul li a.twitter span {
193 color: #1da1f2;
194 }
195 .w3l-mockup-form .social- icons ul li a.pinterest span
196 {
197 color: #e60023;
198 }
199 .copyright p {
200 text-align: center; font-size: 17px; line-height: 26px; color: #607863;
201 opacity: 1;
202 }
203 p.copy-footer-29 a { color: #517856;
204 }
205 p.copy-footer-29 a: hover { color: #eba134;
```

```
# styles.css > {} @media (max-width:384px)
202 }
203 p.copy-footer-29 a { color: #517856;
204 }
205 p.copy-footer-29 a: hover { color: #eba134;
206 transition: 0.5s ease;
207 -webkit-transition: 0.5s ease;
208 -o-transition: 0.5s ease;
209 -ms-transition: 0.5s ease;
210 -moz-transition: 0.5s ease;
211 }
212 .alert {
213 padding: 1rem; border-radius: 5px; color: white; margin: 1rem 0;
214 }
215 .alert-success { background-color:
216 #eba134;
217 }
218 .alert-danger {
219 background-color: #fc5555;
220 }
221 .alert-info { background-color:
222 #2E9AFE;
223 }
224 .alert-warning { background-color:
225 #ff9966;
226 }
227 /*-- responsive design --*/
228 @media (max-width:736px) {
229 .w3l-mockup-form
230 .main-mockup {
231 flex-direction: column;
232 }
233 .w3l-form {
234 padding: 10px; border-radius: 5px;
```

```
# styles.css > {} @media (max-width:384px)
231 flex-direction: column;
232 }
233 .w3l_form {
234   order: 2; padding: 50px; border-radius: 0;
235   border-bottom-left-radius: 8px;
236   border-bottom-right-radius: 8px;
237 }
238 .content-wthree { order: 1;
239   border-radius: 0;
240   border-top-left-radius:
241     8px;
242   border-top-right-radius: 8px;
243 }
244 }
245 @media (max-width:560px) {
246   .w3l-mockup-form h1 { font-size: 30px;
247 }
248 .w3l-mockup-form
249 .main-mockup { margin: 30px 0;
250 }
251 .content-wthree { padding: 2.5em;
252 }
253 }
254 @media (max-width: 415px) {
255   .w3l-mockup-form { padding: 40px 30px;
256 }
257 }
258 @media [(max-width:384px)] {
259   .w3l-mockup-form { padding: 30px 15px;
260 }
261 .content-wthree { padding: 2em;
262 }
263 .w3l-mockup-form h1 { font-size: 28px;
```

```
264 }
265 .w3l-mockup-form h2 { font-size: 22px;
266   line-height: 32px;
267 }
268 .copyright p { font-size: 16px;
269 }
270 }
```

