## Personal Assistance for Seniors Who are Self Reliant

DOMAIN NAME : INTERNET OF THINGS TEAM LEADER : Bovilla Thejaswini TEAM MEMBERS : K.S.V. Sai Mrudula

> Vemula Susmitha Yaddalpudi Prathyusha

MENTOR : L. Padmanabam

#### 1.Introduction

#### 1.1. Project overview:

Sometimes elderlypeople forget to take theirmedicine at the correct time. They alsoforget which medicine He / She should take at that particular time. And it is difficult for doctors/caretakers to monitor the patients around the clock. To avoid this problem, thismedicine reminder system is developed. An app is built for the user (caretaker) which enables him to set the desired time and medicine. These details will be stored in the IBM Cloudant Data Base. If the medicine time arrives the web application will send the medicine name to the Internet of Things Device through the IBM Internet of Things platform. The device will receive the medicine name and notify the user with voice commands

### 1.2.Purpose:

This is an Android-based application in which an automatic voice command system isimplemented. Patients need not remember their medicine dosage timings as they can set an alarmon their dosage timings. The alarm can be set for multiple medicines and timings including date, time and medicine description. A notification will be sent to them through message inside the system preferably chosen by the patients.

- i. Easy-to-use and time-saving. ...
- ii. Extra safetymeasure around childrenand pets. ...
- iii. Reminds the patient to takethe right dose, of the right medication, at the right time. ...
- iv. Independence

#### 1. LITERATURE SURVEY:

#### a. EXISTING SYSTEM

**Fernandes A [1)** Considered as elderly people suffer from an increasing number of problems, mainly due to social isolation and loneliness, requiring support from social agents. These problems, related to loneliness, social isolation, and reduced social activity are linked tothe person's mental health, depression, and social bonds. Promoting the social engagement motivates persons to have more complex interactions, mobilizing the cognitive faculties and helping to maintain a good mental health.] **(2001** 

Reis A, Reis C, Morgado [2] (2016) Proposed a model for the design of an autonomous system, based on the paradigm of the intelligent personal assistant, in order to support the elderly people in maintain their social bonds with the family, friends and colleagues' groups. This proposal is focused tailoring the digital assistant for the specific group of elderlies and for their specific life contexts, which has good perspectives, as the intelligent personal assistants are equipment's that are becoming more interactive and with a more natural language.

**Palmer D [3] (2016)** Assess the possibility of using the intelligent personal assistants, currently available to the consumer public, accordingly to the previously proposed model. The intelligent personal assistants chosen were: Google Assistant, Amazon Alexa, Apple Siri and Microsoft Cortana. These are the most popular and readily available from the large, world class, technology companies.

**Stefan Kopp & Karola Pitsch [5]** Analyze the people with cognitive impairments have problems organizing their daily life autonomously. A virtual agent as daily calendar assistant could provide valuable support, but this requires that these special user groups accept such a system and can interact with it successfully. In this paper we present studies to elucidate these questions

for elderly users as well as cognitively impaired intelligent personal assistants, with the objective oevaluate how well these services would fulfil the proposed model, based on previous work

These services have many features in common, such as, playing music, search online, or playing games. Although it is important to know what are the features that each serviceprovides it is also important to understand the extent of how much an third party developer can use and customize these services to accomplish the proposed objectives.

#### 2.2.REFERENCES:

https://developer.amazon.com/public/solutions/alexa/alexa- c https://developer.microsoft.com/en-us/cortana


#### 2.3. PROBLEM STATEMENTDEFINITION

Good health has been a major concern since the inception of mankind whilst for some people attaining good health requires taking prescribed medicines or pills routinely. However, many patients find it very difficult to keep track of taking their medication in the right time and proportion. This happens especially if it involves takingpills or medication on daily basis due to several reasons such as heavy work load, forgetfulness, old age and alterations in day-today behavior can have a significant result on whether patients recall to take their prescribed medications which can be termed as medicine adherence, which is a serious problem because it may affect the total well-being of the patient ,medical cost of the patient and can be a matter of life and death .The medicine reminder application could impact positively on the life of the patient as it will help the patient by remembering the intake of these prescribed medications could be a matter of life and death

PROBLEM STATEMENT	I AM (Customer)	I AM TRYING TO	BUT	BECAUSE	WHICH MAKES ME FEEL
Problem for the user	Senior citizen who are self reliant	Eat medicines at correct time.	Fails to eat	There is no one to remind about medicne.	Anxious and feeling of being alone.

## 3.Ideation and Proposed Solution:


#### **Empathy Map:**




### **Step-1: Team Gathering, Collaboration and Select the Problem Statement:**



## **Step-2: Brainstorm, Idea Listing and Group:**



### **Step-3: Idea Prioritization:**



## 3.1.proposed solution:


### **Proposed Solution Template:**

Project team shall fill the following information in proposed solution template.

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	In the modern era people may difficult to spend time with the older people in their house and also they don't find the time to take care and monitor the elderly people in the house. the aged people are mostly suffer from memory impairment issue, they are forget to remember to take their medicine. to overcome this problem and came up with a solution of developing the web applications for automated medicine remainder which assists the elderly people by remaining them to take their medicine at right time.
2.	Idea / Solution description	To avoid this problem, the medicine remainder system is developed the app build for the user which enables to set desire time and medicine and also the how much amount of medicine they should taken in that time. if the medicine arrives the web application it will send the medicine name and amount of the medicine to the IOT through IBM IOT platform.
3.	Novelty / Uniqueness	Our proposed system we will provide voice remainder to remain the patient to take the medicine and amount of the medicine at right time.

4.	Social Impact / Customer Satisfaction	With the help if IOT based voice Assistance Suppose one patient is suffered from any of the disease or they met an accident they can't able to remain to take their medicine in correct time. with the help of this web application they can easily remember their daily routine with just a simple device.it has the capacity to store data's in the memory .it also affordable and can be used for a long term by making their life easily without depending other they can lead a independent life.
5.	Business Model (Revenue Model)	With improvement in technology, there have been attempts to utilize the new technology in various areas to improve the quality of human life. In the fast-changing environment and of its increasing need for healthcare and assistance, ubiquitous usage of Internet of Things(IOT) based smart applications can mitigate the consequential social burden.so this is a much needed device that can be helpful to the People whose memory fades in their old age
6.	Salability of the Solution	It's a simple device and compactable. It reduces the complexity and it can also be self-repaired. It provides voice remainder, data privacy and security. And the one important thing is no one user can be handle this. Further updates can be done very easily in our project.

# 3.3.problem solutionfit:



## 4. Requriment Analysis:

## 4.1Functional Requirements:

# **Functional Requirements:**

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration has been done through the form in our Application
FR-2	User Confirmation	Confirmation has been done within our Application.
FR-3	Data management	All the data's are stored in the cloud and retrived when it is needed.
FR-4	Internet Connectivity	Users should have a stable internet connection to access the Application.
FR-5	User Input management	All the user's data are gotten with the help of a text field in the dashboard in the app.
FR-6	Acknowledgement	All the data are stored in the cloud via the app and acknowledgment will be given to the user.

## **Non-Functional Requirements:**


### Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	Smart medicine box usability is the characteristics of the user that facilitate .Use, to make it easier for the user to perceive the information presented by the user interface, to understand and decide based on that information.
NFR-2	Security	Smart medicine box, like other computer systems, can be vulnerable to security breaches, potentially, impacting the safety and effectiveness of the device.
NFR-3	Reliability	The probability of medicine box will perform a required function without failure under stated conditions for a specific period.
NFR-4	Performance	Medical device testing is the process of demonstrating that the device will reliably and safely perform in use.
NFR-5	Availability	Medicine box is availability over all the conditions of weather and atmosphere pressure and be carried out with us.


NFR-6	Scalability	In feature we can upgrade the smart medicine
		box to the health care assistant to monitor our health care and book appointments to doctor.

## **5.Project Design:**

## 5.1.Data Flow Diagram:



## **5.2. Solution and Technical Architecture:**



5.3.User Stories:

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Senior user)	caretaker	USN-1	As a user, I want to take Medicines on time and monitor my health	I want to take medicines on time	High	Sprint-1
Customer (Diabetes Patient)	Smart medicine box	USN-2	As a user, I want to take my tablets on time by voice command	I want to take my tablets on time by voice command	High	Sprint-1
Customer (Thyroid Patient)	Smart medicine box	USN-3	As a user, my patient needs to take medicines on time and monitoring the activity	My patient needs to take medicines on time	Medium	Sprint-2
Customer (Coma Patient )	Caretaker	USN-4	As a user, my patient needs medication time and prescription should load indatabase for upcoming week	My patient medication time and prescription should be in database list	low	Sprint-4
Customer (Disabled People's)	Smart medicinebox	USN-5	As a user ,i need to take my medicine in nearby places with light notification	I need to take my medicine in nearby places with light notification	Medium	Sprint-3

## 6. Project Planning & Scheduling:

## **6.1.Sprint Planning&Estimation:**

#### Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration.  Creation of IBM services like NodeRED, Cloudant DB, TTS Service and design of IoT system	USN-1	As a user, I must be able to login to the IBM platform	2	High	Kannappan Banumithra Guna Divya
Sprint-2	Web UI.  Creation of Web UI using NodeRED service	USN-2	As a user, I must be able to update the medicine details in the web UI	2	High	Kannappan Banumithra Guna Divya
Sprint-3	Software implementation.  Developing Python code to retrieve data from cloudant db to send that data to IoT device	USN-3	As a user, I must be push the details to the IoT device	2	High	Kannappan Banumithra Guna Divya
Sprint-4	Final demonstration and user testing.  Generating voice commands using IBM Text to Speech service	USN-4	As a user, I must be able hear the medicine name which is to be taken at the appropriate time and check its accuracy	2	High	Kannappan Banumithra Guna Divya


### Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022		
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022		
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022		
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022		

## 6.2. Sprint DeliverySchedule:

Sprint	Sprint Topic	Start Date	Expected Delivery
Sprint 1	Set alarm	29-10-2022	5-11-2022
Sprint 2	Notification	7-11-2022	14-11-2022
Sprint 3	Medication details	16-11-2022	23-11-2022
Sprint 4	Over all coding	23-11-2022	30-11-2022

# 6.3.Reports from JIRA:




## **7.CODING & SOLUTION:**

### 7.1.Feature 1:

← → C a node-red-djeig-2022-11-15.eu-gb.mybluemic	xnet/ui/#1/0?socketid=NxZXv8LZIISSdsAKAAAF	e x □ 😤 :
Form		
	Form	
	Name *	
	Date	
	Time	
	SUBMIT CANCEL	
	1 4	

#### Feature 2:





#### CODE:

```
{
    "_id": "2022-11-13 10:15",

"_rev":"1-09a338da0c9bfff41a1c92b85b25311",

"medicine": "acetaminophen
}
```

## 8.Testing:

### 8.1.Test Cases:

,										
2										
3	S.No	Project Name	Scope/feature	Functional Changes	Hardware Changes	Software Changes	Impact of Downtime	Load/Voluem Changes	Risk Score	Justification
4	1	Personal Assistance	New	Low	Moderate	Moderate	Low	>10 to 30%	GREEN	As we had made this project in
5		for Seniors Who Are								MERN stack With industry Mentor Aprova
6		Self-Reliant								
7										
9										
10	50 n tz									
11				S.No	Project Overview	NFT Test approach	Assumptions/Dependencies/Risks	Approvals/SignOff		
12				1	Medicine Reminder Web -UI	Stress	App Crash/ Developer team/ Site Down	Approved		
13	13			2	Medicine Reminder Web -UI	Load	Server Crash/ Developer team/ Server Dow	Approved		
16	м			End Of Test Report						
								Identified Defects		I
15	S.No	Project Overview	NFT Test approach	NFR - Met	Test Outcome	GO/NO-GO decision	Recommendations	(Detected/Closed/Open)	Approvals/SignOff	J
16	1	Medicine Reminder Web -UI	Stress	Performance	CPU -01	GO	High Performance Netlify Cloud server	Closed	Approved	
17	2	Medicine Reminder Web -UI	Load	Scalability	DB Storage - 01	NO-GO	One MongoDB Instance for free	Closed	Approved	
15										

### **8.2.user Acceptance Testing:**

1	A	В	С	D	E	F	G	Н
1					Date	18-Nov-22		
2					Team ID	PNT2022TMID4332		
3					Project Name	Personal assistant for senior who		
4					Maximum Marks	4 marks		
5	Test case ID	Feature Type	Component	Test Scenario	Pre-Requisite	Steps To Execute	Test Data	Expected Result
	SplashScreen_TC_O	-1.7	Home Page	Verify the splash screen is working good		1.Enter URL and click go	https://drive.google.com/file/d/13vcj8LGrt4_f	Splash screen should display
6	01	Functional				The splash screen will open     Sclick the image in splash screen	gnGKDyyosiMQbrMZFvS2/view?usp=share link	
0			Home Page	Verify the UI elements in Home		Screen     The image in spiash screen     The image in spiash screen		Application should show belo
						2.Enter the medicine details to store		elements:
						data:		a.Name of Medicine text bo
						a.Enter the medicine name	(A)	
	HomePage_TC_OO	UI					https://drive.google.com/file/d/13vcj8LGrt4_f	
	2			screen		b.Enter the Date	gnGKDyyosiMQbrMZFvS2/view?usp=share_link	
						c.Enter the Time		d.Next button
						3. click next button to move to the		
7						next page		

Test case ID	Feature Type	Component	Test Scenario	Pre-Requisite	Steps To Execute	Test Data	Expected Result
RemainderPage_TC _OO3	Functional	Home page	Verify user is able to get the remainder alarm with medicine name displayed		Enter URL and click go     automatically diplay the medicine data in the text box     The alarm should ring at the user entered time	It' Time to Take Medicine Glipizide	Get the remainder alarm
RemainderPage_TC _OO4	Functional	Login page	verify user is able the get the alarm at the correct time		Enter URL and click go     Alarm remainder should display	It' Time to Take Medicine Glipizide	Application should Remaind time
DB_TC_004	Functional	Login page	verify the data is stored in cloudant DB		1.Enter URL and click go 2.go to cloudant DB 3.Verify the data	{ "id": 2022-11-18 21:23, "medicine":Glipizide}	The Medicine data should st- the DB
Simulation_TC_005	Functional	Login page	Verify the simulation is Working Good		1.Enter URL and click go 2.Run the simulation 3.The LED should Blink 4.The Alarm should ring	Glipizide	The Alarm should come thro buzzer and the LED also Blini Medicine name should displa LED

#### 9.Result:

The results of this personal assistance for senior who are self reliantshowed that there was asignificant reduction in the levels of medication remaining in the system. The system after goingthrough the IOT using node-red efficient and organized system that helps track and manage data more effectively. This also allows for easier and faster integration of data into other systems, as well as easier management of devices and data.

The system was able to successfully remain operational throughout the duration of the test. There were no issues with disconnection or data loss. From the Node-RED dashboard, you can see that the system has successfully received data from the sensor and has displayed it accordingly. The result of the self-remaining system through IOT using Node-RED for documentation is a detailed and organized guide on how to operate and maintain the system. It also provides information on the various benefits that the system provides and how it can be used to improve the efficiency of operations. First, the system needs to be connected to the internet after that, the following flows need to be created:

- 1. A flow that reads data from a sensor and sends it to the cloud
- 2. A flow that reads data from the cloudand displays it on a dashboard.
- 3. A flow that allows the user to control the system
- 4. A flow that sends notifications to the user (SMS) if something goes wrong.

#### 9.1 Performance Metrics

There are main performance metricsfor the self-remaining system which are as follows:

#### i.Overall system performance

- i. Individual component performance
- ii. User satisfaction
- iii. Maintenance and support costs
- iv. Response time
- v. Throughput
- vi. Resource utilization
- vii. Reliability

#### 10.Advantages:

It can help to improve patientcompliance with taking their medication as prescribed. Second, it can help to reduce the risk of medication errors. It will provide the information about the medicine timing. The personal phone notifications and

reminders are a strong supporting tool in improving medication adherence strategies.

 Increased accuracy: One of the main advantages of medicine reminder system is the

increased accuracy. This is due to the fact that the system can recognize the user's messageandcan therefore provide a more accurate reminder.

- Increased convenience: Another advantage of medicine reminder systemis the increased convenience. This is because the system can be used anywhere and at any time.
- 3. Reducedcosts: A medicinereminder system can also help to reduce the costsassociated withmissed appointments and prescription refill requests This is because the system can help to remind the user of their medicine schedule and can also provide information on where to get themedicine.
- Increased efficiency: IoT systemscan automate many tasks
  related to medicine management, such as ordering and reordering,
  which can save time and improve efficiency.
- 5. Improved patient safety: IoT systems can help to improve patient safety by providing real- time alerts if a patient misses a dose or if their medication is running low. The New EnglandHealthcare Institute estimates that \$290 billion of healthcare expenditures could be avoided if medication adherencewere improved. It supports an easy implementation as it is less expensive, reliable, scalable, accessible to anyone with smartphones, and do not require separate devices, packaging or extra hardware.

### **Disadvantage:**

Need a reliable internet or telecommunication service provider to make the system operates optimally. Need additional skill to operate the monitoring and

remaing the system. One-third of patients gave incorrect contact details when booking the appointment. A potential disadvantage of the systemwas that 2–3% of people failed to receive theirtext reminder as a resultof incorrectdata entry. It is possible that this value was higher but the recipients did not take any action. The system may be expensive to implement and maintain. Finally, the system may be vulnerable to hacking and other security threats and if the system is not properly maintained, it could become outdatedor stop working properly.

#### 11. Conclusion:

Self-reminding systems through IoT can be used to manage a variety of tasks and activities. these systems can detect when an activity needs to be completed and remind the user accordingly. This can be useful for remembering to take medication, complete chores, or perform other important tasks. Many Medication Reminder Systems have been developed on different platforms. Many of these systems require special hardware devices to remind the patients about the medicine intake timings. Purchasing new hardware devices becomes costly and more time and money consuming. So in the given work an attempt has been made to implementa system which is economical, easily accessible and improves medication adherence. Medication non-adherence reduces the effectiveness of a treatment and imposes a financial burden on health care systems. The patients will get the schedule of medicine in-take time with medicine description, starting and ending date of medicine, notification through message or voice command, automatic voice commands system. The scheduled reminder will not suggest any kind of medicine which is not prescribed by the doctor that will assure the safety of the patient and also will avoid wrong dosages. The patients can also search doctors' disease wise (depending upon the specialization of the doctor), which provides easy searching facility to the users and saves the time.

## 12. Future scope:

We plan to focus on improving the overall performance of the system. Also, interaction between patients and doctors through video calling and secure prescription will be focused upon.

Some more ways to achievemedication adherence will be focused. And, also a facility of reminding the doctor's next appointment in the system has been focused. The patients will getthe contact details of doctors as per their availability. Also the users can see different articles related to medical fields and health care tips. The system focuses on easy navigation and gooduser interface. Many such Medical Reminder Systems have been developed where a new hardware is required but in our work, we have made an attempt to develop a system which is economical, time-saving and supports medication adherence.

- Automating the collection and analysis of patient data: Medicine remainder systems can be used to automatically collect and analyze data from patients. This information can then be used to improve the quality of care and make better decisions about treatmentoptions.
- Enhancing patient safety: Medicine remainder systems can be used to enhance patient safety by providing alerts to providers when a patient is at risk for a medication error. This canhelpto prevent potential adverseevents.
- 3. Reducing the cost of healthcare: Medicine remainder systems can be used to reduce the cost of healthcare by helping to improve the efficiency of care delivery. This can lead to savingsfor both patients and healthcare organizations.

#### 13.Appendix:

#include <WiFi.h>//library for wifi #include
<PubSubClient.h>//library for MQtt#include
<LiquidCrystal\_I2C.h>
#include "DHT.h"// Library for dht11

```
#define DHTPIN 15
                              // what pin we're connected to
 #define DHTTYPE DHT11
                                                // define
 type of sensorDHT 11#define LED 2
 DHT dht (DHTPIN, DHTTYPE);// creating the instance by passing pin and typr ofdht
 void callback(char* subscribetopic, byte* payload, unsigned int
 payloadLength);
 //----credentials of IBM Accounts-----
 #define ORG "64yf7x"//IBM ORGANITION ID
 #define DEVICE TYPE "b11m3edevicetype"//Device type mentionedin ibm watsonIOTPlatform
 #define DEVICE ID "b11m3edeviceid"//Device ID mentioned in ibm watson IOTPlatform#define
 TOKEN "-&EMtr7l-v-Gz2G))e"
                                                                          //TokenString
 data3="";
int buzz= 13:
 //----- Customise the above values ------
 char server[] = ORG ".messaging.internetofthings.ibmcloud.com";// Server Namechar
 publishTopic[] = "iot-2/evt/Data/fmt/json";// topic name and type of event perform andformatin
 which data to be send
 char subscribetopic[] = "iot-2/cmd/command/fmt/String";// cmd REPRESENTcommandtype AND
 COMMAND IS TEST OF FORMATSTRING
 char authMethod[] = "use-token-auth";// authentication
 methodchartoken[] = TOKEN;
 char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;//client id
LiquidCrystal_I2C lcd(0x27,16,2);
                                     - WiFiClient
wifiClient; //creating the instancefor wificlient
PubSubClient client(server, 1883, callback, wifiClient); //calling thepredefined
 client id by passing parameterlike server id, portand wificredential
 void setup()// configureing the ESP32
  Serial.begin(115,
200);
dht.begin();
 pinMode (buzz,
 OUTPUT);
```


```
pinMode(LED,O
uput
 Serial.println();
wificonnect();
mqttconnect();
void loop()// RecursiveFunction
{
         if
           (!client.loop();
         mqttconnect ();
         }
}
/*..... retrieving to
Cloud....*/
       void PublishData(float temp, float
         humid) { mqttconnect();//function
         call for connecting to ibm
}
void mqttconnect() {
         if (!client.connected()) {
           Serial.print("Reconn
           ecting client to
           ");Serial.println(serv
           er);
           while (!!!client.connect(clientId, authMethod, token)) {
             serial.print
              (".");
             delay(500);
           }
```

```
initManagedDevice();
              Serial.println();
          }
}
void wificonnect() //function defination for wificonnect
{
          Serial.println();
          Serial.print("Connectin
          gto");
  \textbf{WiFi.begin("Wokwi-GUEST", "", 6);}// passing the wifi credentials to establish the
connection
          while (WiFi.status()
             !=
             WL_CONNECTE
             D) {delay(500);
             Serial.print(".");
          }
          Serial.println("")
          Serial.println("
          WiFi
          connected");
          Serial.println("IP
          address: ");
          Serial.println(Wi
          Fi.localIP());
```


```
}
void initManagedDevice() {
         if
            (client.subscribe(subscri
            betopic)) {
            Serial.println((subscribet
            opic));
            Serial.println("subscribe
            to cmd OK");
         } else {
            Serial.println("subscribe to cmd FAILED");
         }
}
void callback(char* subscribetopic, byte* payload, unsigned int payloadLength)
{
         Serial.print("callback invoked for topic: ");
         Serial.println(subscribetopic);
         for (int i = 0; i < payloadLength; i++) {</pre>
           //Serial.print((char)payload[i]
           );data3+= (char)payload[i];
         }
         Serial.println("M
         edicine Name:
         "data3);
         if(data3!= "")
```

```
| Icd.init();
| Icd.print(data3);
| digitalWrite(LED,HI
GH); tone(buzz,
| 100,1000);
| delay(2000);
| digitalWrite(LED,
LOW);
| noTone(buzz);
| delay(1000);
| }
| else
| {
| digitalWrite(LED, LOW);
| }
| data3="";
| }
```


Launch IBM Watson IoT Platformto create the virtual devices:




#### Create the Virtual Device:





Install Node-redServices to developa Web Application:






Install CloudantDB to Store the MedicineDatas:







Create a Form using Node-red to get the MedicineDetails:




Adding IBM IoT Credentials to connect with virtualdevices:



Function to Store the Medicine datas in Json format:




Compare the Present time with Stored time in cloudant:






## Splash Screen:




## Blocks for Splash Screen:




Get medicinedata from user:



Blocks for user input:



**Blocks for Remainder:** 



Display Remainder with audio in mobile:

