## Assignment-III

Date	3October2022
TeamID	PNT2022TMID19136
ProjectName	VirtualEye- LifeGuardforSwimmingPoolstoDetectAct iveDrowning
Maximummarks	2marks

```
fromtensorflow.keras.preprocessing.imageimportImageDataGenerator
train_datagen = ImageDataGenerator(rescale= 1./255,horizontal_flip = True,vertical_flip
=True,zoom range=0.2) test datagen=ImageDataGenerator(rescale=1./255)x tr
ain=
train_datagen.flow_from_directory(r"C:\Users\maris_q3mm6nk\Desktop\data_for_ibm\Flowers-
Dataset\flowers",target_size=(64,64), class_mode="categorical",batch_size=24)
Found4317imagesbelonging to5classes.
x_test=test_datagen.flow_from_directory(r"C:\Users\maris_q3mm6nk\Desktop\data for ibm\F
lowers-Dataset\flowers", target_size=(64,64),
class_mode = "categorical",batch_size =
24) Found 4317 images belonging to 5
classes.x train.class indices
{'daisy':0,'dandelion':1,'rose':2,'sunflower':3,'tulip':4}
fromtensorflow.keras.modelsimportSequentialfromte nsorflow.keras.layersimportDense
fromtensorflow.keras.layersimportConvolution2D, MaxPooling2D, Flattenmodel=Sequential()
model.add(Convolution2D(32,(3,3),input shape=(64,64,3),activation='relu'))model.add(MaxPoo
l ing2D(pool_size=(2,2))) model.add(Flatten()) model.summary()
Model: "sequential"
 Layer(type)
                              Output Shape
                                                        Param#
```

```
============= conv2d(Conv2D)
   (None, 62, 62, 32) 896
max_pooling2d(MaxPooling2D(None, 31, 31, 32)
                                       0
flatten(Flatten)
                     (None, 30752)
______
Totalparams:896
Trainableparams:896
Non-trainableparams:0
model.add(Dense(300,activation='relu'))model.add(De
nse(150,activation='relu'))
model.add(Dense(5,activation='softmax'))len(x_train
180
model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])
model.fit(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validation_steps=len(
x test),epochs=10)
Epoch1/10
0.4691-val_loss:1.1679-val_accuracy:0.5342Epoch2/10
180/180[================]-28s157ms/step-loss:1.0616 -accuracy:
0.5812-val loss:1.0829-val accuracy:0.5800Epoch3/10
180/180[================]-28s157ms/step-loss:0.9799-accuracy: 0.6185-
val loss:1.1128-val accuracy:0.5821Epoch4/10
180/180[=====================]-29s161ms/step-loss:0.9217-accuracy: 0.6366-
val loss:0.9303-val accuracy:0.6386Epoch5/10
180/180[==================]-28s158ms/step-loss:0.8893-accuracy: 0.6583-
val loss:0.8627-val accuracy:0.6650Epoch6/10
0.6755-val_loss:0.8262-val_accuracy:0.6880Epoch7/10
0.6755-val loss: 0.8372-val accuracy: 0.6796Epoch8/10
0.6965-val loss: 0.8437- val accuracy: 0.6734Epoch9/10
0.7072-val loss:0.6995val accuracy:0.7306Epoch10/10
180/180[=================]-28s158ms/step-loss:0.7363-accuracy: 0.7192-
val_loss:0.7278-val_accuracy:0.7278
```

```
<keras.callbacks.Historyat0x16061cf68f0>mo
del.save('IBM_flowers.h5')
pwd'C:\\Users\\maris_q3mm6nk\\Desktop\\data_for_ibm
importnumpyasnp
from tensorflow.keras.models import
load modelfromtensorflow.keras.preprocessingimpor
timage
model=load_model('IBM_flowers.h5')
img=image.load_img(r'C:\Users\maris_q3mm6nk\Desktop\data_for_ibm\FlowersDataset\flowers\
rose/394990940_7af082cf8d_n.jpg')
```

img



img=image.load\_img(r'C:\Users\maris\_q3mm6nk\Desktop\data\_for\_ibm\FlowersDataset\flowers\ rose/394990940\_7af082cf8d\_n.jpg',target\_size=(64,64))img



```
x=image.img_to_array(img)
Х
    array([[[4.,14.,3.],
            [4.,15.,0.],
        [7., 10., 3.],
```

```
. . . ,
          [1., 1., 1.],
          [1., 1., 1.],
          [3., 3., 3.]],
        [[21., 37., 8.],
          [7., 18., 1.],
          [5., 11., 1.],
         [1., 1., 3.],
          [1., 1., 1.],
          [2., 2., 2.]],
        [[15., 34., 4.], [5.,
          18., 0.],
          [6., 14., 3.],
         . . . ,
          [1., 2., 4.],
          [0., 0., 0.],
          [1., 1., 1.]],
        . . . ,
        [[7., 11., 10.],
         [7., 16., 15.],
         [17., 23., 21.],
         . . . ,
         [1., 1., 1.],
         [2., 2., 2.],
         [0., 0., 0.]],
        [[ 9., 18., 15.],
         [ 2., 7., 3.],
         [ 5., 11., 7.],
         . . . ,
         [ 0., 0., 0.],
         [ 1., 1., 1.],
         [ 1., 1., 1.]],
        [[18., 26., 28.],
         [0., 10., 2.],
         [8., 14., 10.],
         . . . ,
         [2.,
                 6., 9.],
                 1., 1.],
         [1.,
                 1., 1.]]], dtype=float32)
x=np.expand_dims(x,axis=0)
array([[[ 4., 14., 3.],
          [ 4., 15., 0.],
```

```
[ 7., 10., 3.],
         [ 1., 1., 1.],
         [ 1., 1., 1.],
         [ 3., 3., 3.]],
        [[21., 37., 8.],
         [7., 18., 1.],
         [5., 11., 1.],
         . . . ,
         [1., 1., 3.],
         [1., 1., 1.],
         [2., 2., 2.]],
         [[15., 34., 4.],
         [5., 18., 0.],
         [6., 14., 3.],
         . . . ,
         [1., 2., 4.],
         [0., 0., 0.],
         [1., 1., 1.]],
         . . . ,
         [[7., 11., 10.],
         [7., 16., 15.],
         [17., 23., 21.],
         . . . ,
         [1., 1., 1.],
         [2., 2., 2.],
         [0., 0., 0.]],
         [[ 9., 18., 15.],
         [ 2., 7., 3.],
         [ 5., 11., 7.],
         ...,
         [ 0., 0., 0.],
         [ 1., 1., 1.],
         [ 1., 1., 1.]],
         [[18., 26., 28.],
         [0., 10., 2.],
         [8., 14., 10.],
         [2., 6., 9.],
         [1., 1., 1.],
         [1., 1., 1.]]]], dtype=float32)
y=np.argmax(model.predict(x),axis=1)
```

У

```
1/1[===========]-0s74ms/step
array([2],dtype=int64)x
_train.class_indices
{'daisy':0,'dandelion':1,'rose':2,'sunflower':3,'tulip':4}
index=['daisy','dandelion','rose','sunflower','tulip']index[y[0]]
'rose'
```