

# AI-powered Nutrition Analyzer for Fitness Enthusiasts

A.Ganga Prasad

ECE department

Dhanalakshmi College Of  
Engineering

N.Pragathi

ECE department

Dhanalakshmi College Of  
Engineering

Yuvashree.M

ECE department

Dhanalakshmi College Of  
Engineering

T.Sujini

ECE department

Dhanalakshmi College Of  
Engineering

## ABSTRACT:

Nutritional deficiencies can be regarded as a major source of negative effects on individual growth and health in India. A proper balanced diet is essential from infancy onwards for proper growth, development, staying active, and reducing the risk of diseases. A proper diabetes diet that is based on their energy requirements is essential for those with diabetes. As a result, a need has been identified to develop educational software that will perform the routine task of analysing, optimising, and transforming diets while taking their energy

requirements and medical problems into account. Artificial Intelligence can be applied in multidisciplinary fields, including patient service and care. It enables precise and personalized medical nutrition care by assessing food and nutrient intake, nutritional evaluation. The application of AI for the provision of food services to hospitalized patients is of immense scope. This review details the various ways through which AI can be applied for the nutrition assessment. Even though commercial AI-based nutritional assessment systems are available, many do not evaluate the nutrient intake, and the data available through them were not validated. Also, the major challenge posed by such systems is the availability of locally appropriate data sets. Hence further research and validation are essential in this field.

## **KEYWORDS:**

Artificial Intelligence, food and nutrient intake, Fitness Enthusiasts.

## **INTRODUCTION:**

Artificial intelligence (AI) is defined by IBM as "any human-like intelligence demonstrated by a computer, robot, or other device machines".

Artificial intelligence allows computers to programmes for learning from datasets indicating cases and knowledge, identifying substances, and assisting in decision-making by solving problems AI has a wide range of applications. applications, such as the provision of health care and Nutritional support.

Precision medicine and personalised medicine

Nutrition is one area where AI can make a significant contribution.

Precision medicine makes use of data from previous interventions.

using advanced diagnostics and better tailoring Economically

tailored treatments Corinne and colleagues proposed that

personalised nutrition be defined as "a field in which uses human

diversity to drive nutrition strategies for disease presentation,

management, and treatment

improve health".

Patients' nutritional status can be assessed using lab tests as well as general and specific nutritional assessment tools such as the Malnutrition Screening Tool (MST),

Mini Nutritional Assessment Short Form (MNA-SF),

Nutritional Risk Screening (NRS), Short Nutritional Assessment Questionnaire (SNAQ), Simplified Nutritional Appetite Questionnaire (SNAQ), Generated Subjective Global Assessment (PG-SGA), Nutrition Risk in The Critically Ill (NUTRIC), Modified Nutrition Risk in The Critically Ill (NUTRIC) (ASPEN).

The various datasets produced as a result of the application of these nutritional assessment tools include demographic data, anthropometry and its changes, details of food and supplement intake and appetite, changes in taste and satiety, level of physical activity, metabolic demands, data concerning physical activity, Acute Physiology, Age, Chronic Health Evaluation II (APACHE II), SOFA (Sequential Organ Failure Assessment) (SOFA) Score<sup>15</sup>, and Acute

Physiology, Age, Chronic Health Evaluation II (APACHE II), SOFA. However, it has been reported that physicians' effective use of these data to address the issue of malnutrition development in hospitals is very low.

<sup>[14]</sup> In this regard, artificial intelligence can play a more significant role in personalized nutrition and the assessment of individualized nutritional recommendations and meal plans that can improve the patients' food and nutrient intake. Furthermore, it can identify patients at risk of malnutrition and can provide advice to enhance nutritional status.

### **AI-assisted assessment of food and nutrient intake**

The globally accepted methods for assessing a person's food and nutrient intake are a 24-hour recall of food intake, a food diary, and a three-day food weighment survey. These methods are timeconsuming

and necessitate the use of skilled individuals to interview patients and collect data. They primarily rely on the person being investigated's memory. As a result, the data's accuracy is minimal, especially if the person is elderly or suffering from diseases that affect memory, such as dementia and Alzheimer's disease. As nutritional adequacy is a challenge in such cases, providing proper nutrition and assessing authentic food and nutrient intake is a challenge.

## LITERATURE SURVEY:

A Survey on AI Nutrition Recommender System by Thomas Theodoridis  
Centre for Research and Technology Hellas  
Thessaloniki, Greece, The goal of this work is to provide an overview of existing approaches regarding AI nutrition recommender systems. A breakdown of such systems into task-specific components is presented, as well as methodologies concerned with each individual component. The components of an idealized AI nutrition recommender system are presented and compared to state-of-the-art approaches in the corresponding area of research. Finally, identified issues in some of these areas are also discussed.

The work done by Martin CK, Kaya S, Gunturk BK. Quantification of food intake using food image analysis produced Reliable and accurate food and nutrient intake data are essential to plan and assess the effect of therapeutic menus for a patient under medical care. Earlier studies

reported that the reliability of the data obtained through traditional methods might be biased due to incorrect estimation of the food intake data.

Yulika and Alex used face recognition or a vision-based system to recognize the food items and portions consumed to solve the issue.

The Use of Mobile Devices in Aiding Dietary Assessment and Evaluation by Zhu F, used the technique of face recognition was applied in specific user interfaces for cell phones and was used for the development of food recognition and portion estimation.

## **OBJECTIVE:**

To build a model which is used for classifying the food depends on the different characteristics like colour, shape, texture etc. Here the user can capture the images of different fruits and then the image will be sent the trained model. The model analyses the image and detect the nutrition based on the food.

## **ENERGY REQUIREMENTS AND ITS EVALUATION:**

The amount of each nutrient needed for an individual depends upon his/her age, body weight, and physiological status which can be calculated in terms of energy.

RDA recommends that energy requirement must be assessed in terms of energy expenditure rather than in terms of energy intake.

i.e: Total Energy Expenditure = Predicted Body Mass Ratio \*  
Physical activity level

Physical activity ratio values for activities performed in a day can be aggregated over that period to yield the physical activity level (PAL). A detailed table of PAR values for different activities is available in the FAO/WHO/UNU 2004 report.

## NUTRIENTS CONSIDRATION:

The primary macronutrients which are important and are considered are protein, fats, and carbohydrates which are converted into energy in different quantities, i.e., 1 g of protein contribute 17 kJ of energy, 1 g of fat constitute 37 kJ of total energy, 1 g of carbohydrates contribute 17 kJ and 1 g of dietary fiber contribute 8 kJ where 1 kJ = 0.239 kcal.

## ALGORITHM:

Step 1 – Download the Dataset.

Step 2 – Import the Image Data Generator.

Step 3 – Configure Image Data Generator Class.

Step 4 – Apply Image Data Generator functionality to trainset and testset.

Step 5 – Import the Model building libraries.

Step 6 - Initializing the model.

Step 7 – Adding CNN layers.

Step 8 – Addung dense layers.

Step 9 – Configure the learning process.

Step 10 – Train the Model.

Step 11 – Save the Model.

Step 12 – Test the Model.

Step 13 – Create HTML Pages.

Step 14 – Build Python Code.

Step 15 – Configure our Flask Application and loading our Model by using Load\_model Meathod.


Step 16 – Routing to the HTML page.

Step 17 – Run the Application.




# OUTCOME:


Choose the image to analysed



After uploading



Click on the Analyse button to the results



## CONCLUSION:

This work provided an overview of existing AI nutrition recommender systems, a field that has experienced substantial growth in the last few years. A categorization of such systems into task-specific components was presented, along with approaches concerned with each component and relevant data-sets. An assessment of the feasibility of implementing an ideal AI nutrition recommender system using current methods was also provided, with the general conclusion being that some of the required components have not reached a mature state yet.

# REFERENCES:

1. IBM. Artificial Intelligence.2021.Available from<https://www.ibm.com/cloud/learn/what-is-artificialintelligence> .Viewed on, 2021.
2. Encyclopedia.com. Artificial Intelligence, 2021. Available from: <https://www.encyclopedia.com/science-andtechnology/computersand-electricalengineering/computers-andcomputing/artificialintelligence> . Viewed on 11-02-2021.
3. Corinne L. Bush, Jeffrey B. Blumberg, Ahmed ElSohemy, Deanna M. Minich, José M. Ordovás, Dana G. Reed & Victoria A. Yunez Behm . Toward the Definition of Personalized Nutrition: A Proposal by The American Nutrition Association, Journal of the American College of Nutrition, 2020; 39(1): 5-15. doi : 10.1080/07315724.2019.1685332
4. Miyata S, Tanaka M, Ihaku D. Usefulness of the malnutritionscreening tool in patients with pulmonary tuberculosis. Nutrition, 2012; 28: 271–4. DOI : 10.1016/j.nut.2011.07.013
5. Isenring EA, Bauer JD, Banks M, Gaskill D. The malnutrition screening tool is a useful tool for identifying malnutrition risk in residential aged care. J Hum. Nutr Diet, 2009; 22: 545–50. doi: 10.1111/j.1365-277X.2009.01008.x
6. Kaiser MJ, Bauer JM, Ramsch C, Uter W, Guigoz Y, Cederholm T, et al. Validation of the mini nutritional assessment short-form (MNASF): a practical tool for identification of nutritional status. J Nutr

Health Aging, 2009; 13: 782–8. doi: 10.1007/s12603-009-0214-7

7. Bolayir B, Arik G, Yesil Y, Kuyumcu ME, Varan HD, Kara O, et al. Validation of nutritional risk screening-2002 in a hospitalized adult population. *Nutr Clin Pract*, 2019; 34: 297–303. doi: 10.1002/ncp.10082

8. Kruizenga HM, Seidell JC, de Vet HC, Wierdsma NJ, van Bokhorst-de van der Schueren MA. Development and validation of a hospital screening tool for malnutrition: the short nutritional assessment questionnaire (SNAQ). *Clin Nutr*, 2005; 24: 75–82. doi: 10.1016/j.clnu.2004.07.015

9. Wang T, Shen J. Usefulness of simplified nutritional appetite questionnaire (SNAQ) in appetite assessment in elder patients with liver cirrhosis. *J Nutr Health Aging*, 2018; 22: 911–5. doi: 10.1007/s12603-018-1086-5

10. Bauer J, Capra S, Ferguson M. Use of the scored patientgenerated subjective global assessment (PGSGA) as a nutrition assessment tool in patients with cancer. *Eur J Clin Nutr*, 2002; 56: 779–85. doi: 10.1038/sj.ejcn.1601412

11. Jeong DH, Hong SB, Lim CM, Koh Y, Seo J, Kim Y, et al. Comparison of accuracy of NUTRIC and modified NUTRIC scores in predicting 28-day mortality in patients with sepsis: a single center retrospective study. *Nutrients*, 2018; 10: 7. doi: 10.3390/nu10070911

12. Ozbilgin S, Hanc V, Omur D, OzbilginM, TosunM, Yurtlu S, et al. Morbidity and mortality predictivity of nutritional assessment tools in the postoperative care unit. *Medicine*, 2016; 95: 5038. doi: 10.1097/MD.00000000000005038

13. American Dietetic Association Evidence Analysis Library. Available online at:  
[http://www.adaevidencelibrary.com/conclusion.cfm?conclusion\\_statement\\_id=251313&highlight=prealbumin&home=1](http://www.adaevidencelibrary.com/conclusion.cfm?conclusion_statement_id=251313&highlight=prealbumin&home=1)
14. Jensen GL, Hsiao PY, Wheeler D. Adult nutrition assessment tutorial. J Parenter Enteral Nutr, 2012; 36: 267–74. doi: 10.1177/0148607112440284
15. Sharma V, Sharma V, Khan A, Wassmer DJ, Schoenholtz MD, Hontecillas R, Bassaganya-Riera J, Z and R and Abedi V. Malnutrition, Health and the Role of Machine Learning in Clinical Setting. Front. Nutr, 2020; 7: 44. doi: 10.3389/fnut.2020.00044
16. A Survey on AI Nutrition Recommender Systems April 2019. DOI: [10.1145/3316782.3322760](https://doi.org/10.1145/3316782.3322760). Conference: 12th International Conference on Pervasive Technologies Related to Assistive Environments Conference. At: Rhodes, Greece, by Thomas Theodoridis, Vassilios Solachidis, Kosmas Dimitropoulos, Lazaros Gymnopoulos, Petros Daras from Centre for Research and Technology Hellas Thessaloniki, Greece
17. Martin CK, Kaya S, Gunturk BK. Quantification of food intake using food image analysis. Annu Int Conf IEEE Eng Med Biol Soc, 2009; 2009: 6869-72. doi: 10.1109/IEMBS.2009.5333123. PMID: 19964186; PMCID: PMC2791904.
18. Yulika Eskin and Alex Mihailidis. An Intelligent Nutritional Assessment System. AAAI Technical report FS-12-010. Association for the Advancement of Artificial Intelligence, 2012; pp 2-6.

19. Zhu F, Bosch M, Woo I, Kim S, Boushey CJ, Ebert DS, Delp EJ. The Use of Mobile Devices in Aiding Dietary Assessment and Evaluation. IEEE J Sel Top Signal Process, 2010; 4(4): 756-766. doi: 10.1109/JSTSP.2010.2051471. PMID: 20862266; PMCID: PMC2941896.
20. Indian Council of Medical Research: Nutrient requirement and recommended dietary allowances for Indians. National Institute of Nutrition (2010)
21. Dietary Guidelines of Indians: National Institute of Hyderabad(2010)

Github Link:

<https://github.com/IBM-EPBL/IBM-Project-51242-1660976484>

THANK YOU