# EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

#### MODEL BUILDING

### **PREDICTIONS**

Date	04 November 2022
Team ID	PNT2022TMI18694
Project Name	Emerging Methods for Early Detection of Forest Fires

Importing The ImageDataGenerator Library import keras from keras.preprocessing.image import ImageDataGenerator Define the parameters/arguments for ImageDataGenerator class train\_datagen=ImageDataGenerator(rescale=1./255,shear\_range=0.2,rot ati on\_range=180,zoom\_range=0.2, horizontal\_flip=True) test\_datagen=ImageDataGenerator(rescale=1./255) Applying ImageDataGenerator functionality to trainset x\_train=train\_datagen.flow\_from\_directory(r'/content/drive/MyDriv e/

Dataset/train\_set',target\_size=(128,128),batch\_size=32, class\_mode='binary')

Found 436 images belonging to 2 classes.

#### Applying ImageDataGenerator functionality to testset

```
x_test=test_datagen.flow_from_directory(r'/content/drive/MyDrive / Dataset/test_set',target_size=(128,128),batch_size=32, class_mode='binary')
```

Found 121 images belonging to 2 classes.

### Import model building libraries

```
#To define Linear initialisation import Sequential
from keras.models import Sequential #To add
layers import Dense from keras.layers import
Dense
#To create Convolution kernel import Convolution2D from
keras.layers import Convolution2D
#import Maxpooling layer
from keras.layers import MaxPooling2D
#import flatten layer from
keras.layers import Flatten
import warnings
warnings.filterwarnings('ignore'
)
```

## Initializing the model

```
model=Sequential()

Add CNN Layer

model.add(Convolution2D(32,
(3,3),input_shape=(128,128,3),activation='relu'))

#add maxpooling layer
```

```
model.add(MaxPooling2D(pool_size=(2,2)))
 #add flatten layer model.add(Flatten())
Add Hidden Layer
 #add hidden layer model.add(Dense(150,activation='relu'))
 #add output layer
 model.add(Dense(1,activation='sigmoid')
 )
 Configure the learning process
 model.compile(loss='binary_crossentropy',optimizer="adam",metrics=[
 "ac curacy"]) Train the model
 model.fit_generator(x_train,steps_per_epoch=14,epochs=10,validation
 _ da ta=x_test,validation_steps=4)
 Epoch 1/10
 14/14 [=======] - 97s 7s/step - loss:
 1.3060 - accuracy: 0.7775 - val_loss: 0.5513 -
 val accuracy: 0.8512
 Epoch 2/10
 14/14 [=======] - 26s 2s/step - loss:
 0.3178 - accuracy: 0.8807 - val loss: 0.1299 -
 val_accuracy: 0.9421
 Epoch 3/10
 14/14 [========] - 26s 2s/step - loss:
 0.2226 - accuracy: 0.9106 - val_loss: 0.1311 -
 val accuracy: 0.9421
 Epoch 4/10
 14/14 [=======] - 31s 2s/step - loss:
 0.1836 - accuracy: 0.9174 - val_loss: 0.1129 -
 val_accuracy: 0.9339
 Epoch 5/10
 14/14 [=======] - 30s 2s/step - loss:
 0.1675 - accuracy: 0.9243 - val_loss: 0.0925 -
 val_accuracy: 0.9669
 Epoch 6/10
```

```
14/14 [========] - 26s 2s/step - loss:
0.1884 - accuracy: 0.9289 - val loss: 0.1287 -
val accuracy: 0.9339
Epoch 7/10
0.1724 - accuracy: 0.9335 - val_loss: 0.0926 -
val_accuracy: 0.9752
Epoch 8/10
14/14 [=======] - 26s 2s/step - loss:
0.1510 - accuracy: 0.9404 - val_loss: 0.0757 -
val accuracy: 0.9752 Epoch 9/10
14/14 [=======] - 26s
                                               0.173 -
2s/step - loss:
accuracy: 0.9174 - val_loss: 0.0537 - val_accuracy: 0.9835
          Epoch 10/10
- 26s
       0.154 -
2s/step - loss:
                                               6
accuracy: 0.9312 - val_loss: 0.0573 - val_accuracy: 0.9835
<keras.callbacks.History at 0x7f05d66a9c90>
```

Save The Model model.save("forest1.h5")

#### **Predictions**

```
#import load_model from
keras.model from keras.models import
load_model #import image class from
keras
from tensorflow.keras.preprocessing import image #import numpy
import numpy as np #import cv2 import cv2
#load the saved model model = load_model("forest1.h5")
img=image.load_img(r'/content/drive/MyDrive/Dataset/test_set/forest
```