Project Development Phase SPRINT-1

Date	07 November 2022
Team ID	PNT2022TMID24179
Project Name	Project - IOT Based Safety Gadget for Child Safety Monitoring&Notification

REGISTRATION:


HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="/css/login.css">
  <title>Sign Up</title>
  <script> if (window.location.hostname !==
    "localhost") {
      if (location.protocol !== "https:") {
         location.replace(
           `https:${location.href.substring(
             location.protocol.length
          )}`
        )
      }
    }
  </script>
  <script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
    <div class="loginContainer">
       <span>Login to Continue</span>
      <div class="traditionalLoginContainer">
         <form class="signupForm" action="/" method="post">
           <input type="text" name="firstName" placeholder="First Name" id="firstName">
           <input type="text" name="lastName" placeholder="Last Name" id="lastName">
           <input type="text" name="username" placeholder="User Name" id="username">
           <input type="email" name="email" placeholder="Email" id="email">
           <input type="password" name="password" placeholder="Password" id="password">
```

```
<input class="loginButton" type="submit" value="Sign Up">
         </form>
       </div>
       <div class="loginWithFireContainer">
         <button type="button" class="fire" title="Login with SAFETY" id="fire">Login with
SAFETY</button>
       </div>
       <a class="hyperLink" href="/login">Already have an Account? Login /-</a>
    </div>
  </div>
  <script>
    // Necessary for Fire OAuth to Function
    const fireBroadcastingChannel = new BroadcastChannel('fireOAuthChannel');
    fireBroadcastingChannel.addEventListener('message', async event => {
      let data = event.data
       * @typedef {Object<string, any>} Data
      * @property {boolean} success - Whether the login was successful
      * @property {string} token - The data returned from the login i.e. Fire Token
      // data.token is the message sent from the fireOAuthChannel after verification
      // data.success is a boolean that indicates whether the verification was successful
      // data.token is the fire token
      // What to do with the Fire Token?
      // * Fire Token is an unique token which uniquely identifies the user who authorized your login
attempt with Fire
      // * You can use this token ONLY ONCE as it will be destroyed after the first use
      // 1. Send the fire token to the Fire Server to verify the user
      // - You can do that client sided or server sided
      // - You need to send a POST Request to the Fire Server with the fire token
      // at the URL: http://localhost:3003/api/tokens/verify
      // - The Fire Server will verify the fire token and return a response
      // - If the verification was successful - CODE (200), the Fire Server will return a response with the
user's data
      // - If the verification was unsuccessful - CODE (400) or CODE (401), the Fire Server will return a
response with an error 'message'
      // - You can use the data returned from the Fire Server to create a new user in your database
      // This example will send the token to Fire Servers and console.log the response console.log("%c"
       + `Fire Token: ${data.token}`, `color: #f1c40f; font-weight: bold;`); const response = await
       fetch('https://fire.adaptable.app/api/tokens/verify', { method: 'POST', headers: {
```

```
'Content-Type': 'application/json'
         },
         body: JSON.stringify({
           token: data.token
         })
      })
       // get the response
       const responseData = await response.json()
      // console.log the response console.log(responseData)
       await localforage.setItem('userData', {...responseData, isFire: true})
      // Adding the user data to the user Database let database
       = await localforage.getItem("userDatabase") if (database
       == null) { database = []
      }
      database.push(responseData)
      await localforage.setItem("userDatabase", database)
      // redirect to the home page window.location.href
       = '/'
    })
    function popupwindow(url, title, w, h) {
       var left = (screen.width/2)-(w/2); var
      top = (screen.height/2)-(h/2);
      return window.open(url, title, 'toolbar=no, location=no, directories=no, status=no, menubar=no,
scrollbars=no, resizable=no, copyhistory=no, width='+w+', height='+h+', top='+top+', left='+left);
    }
    document.getElementById("fire").addEventListener("click", function() {
       popupwindow("/fireoauth.html", "Fire OAuth", 450, 600)
    })
  </script>
  <script>
    // this.Website's Scripts / App Logic
    document.querySelector(".signupForm").addEventListener("submit", async (e) => {
       e.preventDefault()
      let firstName = document.getElementByld("firstName").value
       let lastName = document.getElementByld("lastName").value
       let username = document.getElementByld("username").value
       let email = document.getElementByld("email").value let
       password = document.getElementById("password").value
       let profilePic = `https://avatars.dicebear.com/api/adventurer-
```

```
neutral/${firstName}${lastName}.svg?backgroundColor=variant03` let data = {
      firstName, lastName, username, email, password, profilePic } await
      localforage.setItem("userData",
                                        data)
                                                let
                                                      database
      localforage.getItem("userDatabase") if (database == null) {
         database = []
      }
      database.push(data)
      await localforage.setItem("userDatabase", database) window.location.href
       = "/"
    })
  </script>
</body>
</html>
```



CONFIRMATION EMAIL:

INDEX:

```
<!DOCTYPE html>

<html lang="en" style="height: 100%; margin: 0;">

<head>

<meta charset="UTF-8" />

<meta name="description" content="The Home Page after Logged In" />

<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>

<script src="./localforage.js"></script>

<script>
```

```
if (window.location.hostname !== "localhost") {
                                              if (location.protocol !== "https:") {
                                                        location.replace(
                                                                 `https:${location.href.substring(
                                                                           location.protocol.length
                                                                 )}`
                                                       )
                                              }
                                    }
                                    async function check() {
                 let data = localforage.getItem("userData") if
                 (data == null) {
                   window.location.href = "/login"
                 }
              }
check()
                           </script>
                 </head>
                 <body
style="
height: 100%;
margin: 0;
font-weight: 300;
                                    font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen,
                                              Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
                                              sans-serif;
                 >
                           <div
                                    class="wrapper"
                                    style="
                                              height: 90%; display:
                                                       flex-direction:
                                              flex;
                                              column; align-items:
                                              center;
                                              justify-content: center;
                 text-align: center;
```


```
<div
                                            class="details"
                                             style="
                                                      display: flex;
                                                      flex-direction: column;
                                                      align-items: center;
                                                      gap: 20px; padding:
                                                      1rem; border-radius:
                                                      5px;
                                                      box-shadow: 0 0 8px 0px #4444444;
max-width: 80%;
                                   >
                                            <h1 class="name" style="margin: 0"></h1>
                                             <div
class="imageContainer"
style="padding: 10px; height: 10rem; width: 10rem"
                                                      <img class="image" alt="profile picture" />
                                             </div>
                                             <h2 class="email" style="margin: 0"></h2>
                <a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight:</p>
       400;" href="./dashboard">Go to Dashboard /</a>
                                   </div>
                          </div>
                          <script>
                                   async function main() {
                let name = document.querySelector(".name") let
                image = document.querySelector(".image") let email
                = document.querySelector(".email") let userData =
                await localforage.getItem("userData") if(userData ==
                null) { window.location.href = "/login"
                name.innerHTML = `Welcome ${userData.firstName} ${userData.lastName}!`
                image.src = userData.profilePic
                email.innerHTML = `Your email is: <a style="text-decoration: none;color: #0072B5;"
```

href="mailto:\${userData.email}">\${userData.email}

main()

</script>

</body>



LOCALFORAGE:

```
localForage -- Offline Storage, Improved Version
          1.10.0 https://localforage.github.io/localForage
          (c) 2013-2017 Mozilla, Apache License 2.0
        */
        !function(a)
        {if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a();
        else if("function"==typeof define&&define.amd)define([],a);
        else{var b;
           b="undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof
        self?self:this,b.localforage=a()}}(function(){
         return function a(b,c,d){
function e(g,h){if(!c[g]){if(!b[g]){
           var i="function"==typeof require&require;
            if(!h&&i)return i(g,!0);if(f)return f(g,!0);
           var j=new Error("Cannot find module '"+g+"'");
           throw \ j.code="MODULE_NOT_FOUND", j\} var \ k=c[g]=\{exports:\{\}\};\\
                          b[g][0].call(k.exports,function(a){ var
                    c = b[g][1][a]; return\ e(c||a)\}, k, k. exports, a, b, c, d)\}\ return
                    c[g].exports}
          for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
          return e}({1:[function(a,b,c){(function(a){"use strict";
```

```
function c(){k=!0;for(var a,b,c=l.length;c;){ for(b=l,l=[],a=-
                                      1;++a<c;)b[a]();c=l.length}k=!1}
                                     function d(a){1!==l.push(a)||k||e()}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
f(c),i=a.document.createTextNode(""):h.observe(i,{characterData:!0}),e=function(){i.data=q=++q%2}}
                                     else if(a.setImmediate||void 0===a.MessageChannel)e="document"in
a&&"onreadystatechange"in
                                                                            a.document.createElement("script")?function(){var
b=a.document.createElement("script");b.onreadystatechange=function(){c(),b.onreadystatechange=null,b.p
rentNode.removeChild(b),b=null},a.document.documentElement.appendChild(b)}:function(){setTimeout(c,0
                                 a.MessageChannel;j.port1.onmessage=c,e=function(){j.port2.postMessage(0)}}var
k,l=[];b.exports=d}).call(this,"undefined"!=typeof global?global:"undefined"!=typeof
self?self:"undefined"!=typeof window?window:{})},{}],2:[function(a,b,c){"use strict";function d(){}function
e(a){if("function"!=typeof
                                          a)throw
                                                                            TypeError("resolver
                                                             new
                                                                                                                must
function");this.state=s,this.queue=[],this.outcome=void
                                                                                                          0,a!==d&&i(this,a)}function
f(a.b,c){this.promise=a,"function"==typeof
b&&(this.onFulfilled=b,this.callFulfilled=this.otherCallFulfilled), "function"==typeof
c\&\&(this.onRejected=c, this.callRejected=this.otherCallRejected)\} function \ g(a,b,c) \{o(function() \{varanteelected=c, this.callRejected=this.otherCallRejected)\} function \ g(a,b,c) \{o(function() \{varanteelected=c, this.callRejected=this.otherCallRejected)\} function \ g(a,b,c) \{o(function() \{varanteelected=c, this.callRejected=this.otherCallRejected)\} function \ g(a,b,c) \{o(function() \{varanteelected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.otherCallRejected=this.ot
d;try{d=b(c)}catch(b){return p.reject(a,b)}d===a?p.reject(a,new TypeError("Cannot resolve promise with
itself")):p.resolve(a,d)})}function h(a){var b=a&&a.then;if(a&&("object"==typeof a||"function"==typeof
a)&&"function"==typeof b)return function(){b.apply(a,arguments)}}function i(a,b){function
c(b)\{f||(f=!0,p.reject(a,b))\} function d(b)\{f||(f=!0,p.resolve(a,b))\} function e()\{b(d,c)\} var
f=!1,g=j(e);"error"===g.status&&c(g.value)}function j(a,b){var
c={};try{c.value=a(b),c.status="success"}catch(a){c.status="error",c.value=a}return c}function k(a){return a
instanceof this?a:p.resolve(new this(d),a)}function I(a){var b=new this(d);return p.reject(b,a)}function
m(a){function b(a,b){function
c=this;if("[object Array]"!==Object.prototype.toString.call(a))return this.reject(new TypeError("must be an
array"));var e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=new Array(e),h=0,i=-1,j=new
this(d);++i<e;)b(a[i],i);return j}function n(a){function
b(a){c.resolve(a).then(function(a){f||(f=!0,p.resolve(h,a))},function(a){f||(f=!0,p.reject(h,a))})}var
c=this:if("[object Array]"!==Object.prototype.toString.call(a))return this.reject(new TypeError("must be an
array"));var e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=-1,h=new this(d);++g<e;)b(a[g]);return h}var
o=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDING"];b.exports=e,e.prototype.catch=function(a){ret
urn this.then(null,a)},e.prototype.then=function(a,b){if("function"!=typeof
a&&this.state===r||"function"!=typeof b&&this.state===q)return this;var c=new
this.constructor(d);if(this.state!==s){q(c,this.state===r?a:b,this.outcome)}else this.queue.push(new
c},f.prototype.callFulfilled=function(a){p.resolve(this.promise,a)},f.prototype.otherCallFulfilled=function(a){g(
this.promise,this.onFulfilled,a)},f.prototype.callRejected=function(a){p.reject(this.promise,a)},f.prototype.oth
erCallRejected=function(a){g(this.promise,this.onRejected,a)},p.resolve=function(a,b){var
c=j(h,b);if("error"===c.status)return p.reject(a,c.value);var
d=c.value;if(d)i(a,d);else{a.state=r,a.outcome=b;for(var e=-
1,f=a.queue.length;++e<f;)a.queue[e].callFulfilled(b)}return
a},p.reject=function(a,b){a.state=q,a.outcome=b;for(var c=-
1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);return
a},e.resolve=k,e.reject=l,e.all=m,e.race=n},{1:1}],3:[function(a,b,c){(function(b){"use
strict";"function"!=typeof b.Promise&&(b.Promise=a(2))}).call(this,"undefined"!=typeof
global?global:"undefined"!=typeof self?self:"undefined"!=typeof
window?window:{})},{2:2}],4:[function(a,b,c){"use strict";function d(a,b){if(!(a instanceof b))throw new
TypeError("Cannot call a class as a function")}function e(){try{if("undefined"!=typeof indexedDB)return
indexedDB;if("undefined"!=typeof webkitIndexedDB)return webkitIndexedDB;if("undefined"!=typeof
mozIndexedDB)return mozIndexedDB;if("undefined"!=typeof OlndexedDB)return
OIndexedDB;if("undefined"!=typeof msIndexedDB)return
msIndexedDB}catch(a){return}}function f(){try{if(!ua||!ua.open)return!1;var a="undefined"!=typeof
openDatabase&&/(Safari|iPhone|iPad|iPod)/.test(navigator.userAgent)&&!/Chrome/.test(navigator.userAgent
) &&!/BlackBerry/.test(navigator.platform),b="function"==typeof fetch&&-
1!==fetch.toString().indexOf("[native
code");return(!a||b)&&"undefined"!=typeof indexedDB&&"undefined"!=typeof
IDBKeyRange}catch(a){return!1}}function g(a,b){a=a||[],b=b||{};try{return new
Blob(a,b)}catch(f){if("TypeError"!==f.name)throw f;for(var c="undefined"!=typeof
BlobBuilder?BlobBuilder:"undefined"!=typeof MSBlobBuilder?MSBlobBuilder:"undefined"!=typeof
MozBlobBuilder; MozBlobBuilder; WebKitBlobBuilder, d=new c,e=0; e<a.length; e+=1)d.append(a[e]); return
d.getBlob(b.type)}}function h(a,b){b&&a.then(function(a){b(null,a)},function(a){b(a)})}function
i(a,b,c){"function"==typeof b&&a.then(b),"function"==typeof c&&a.catch(c)}function
j(a){return"string"!=typeof a&&(console.warn(a+" used as a key, but it is not a
string."),a=String(a)),a}function k(){if(arguments.length&&"function"==typeof arguments[arguments.length-
```

1])return arguments[arguments.length-1]}function I(a){for(var b=a.length,c=new ArrayBuffer(b),d=new Uint8Array(c),e=0;e<b;e++)d[e]=a.charCodeAt(e);return c}function m(a){return new va(function(b){var

if(f){var g=0,h=new

else{var j=new

f(c,a,b));return

```
c=a.transaction(wa,Ba),d=g([""]);c.objectStore(wa).put(d,"key"),c.onabort=function(a){a.preventDefault(),a.st
opPropagation(),b(!1)},c.oncomplete=function(){var
a=navigator.userAgent.match(/ChromeV(\d+)/),c=navigator.userAgent.match(/EdgeV/);b(c||!a||parseInt(a[1],10
>=43)}}).catch(function(){return!1}))function n(a){return"boolean"==typeof
xa?va.resolve(xa):m(a).then(function(a){return xa=a})}function o(a){var b=ya[a.name],c={};c.promise=new
va(function(a,b){c.resolve=a,c.reject=b}),b.deferredOperations.push(c),b.dbReady?b.dbReady=b.dbReady.th
en(function(){return c.promise}):b.dbReady=c.promise}function p(a){var
b=ya[a.name],c=b.deferredOperations.pop();if(c)return c.resolve(),c.promise}function q(a,b){var
c=ya[a.name],d=c.deferredOperations.pop();if(d)return d.reject(b),d.promise}function r(a,b){return new
va(function(c,d){if(ya[a.name]=ya[a.name]||B(),a.db){if(!b)return c(a.db);o(a),a.db.close()}var
e=[a.name];b&&e.push(a.version);var f=ua.open.apply(ua,e);b&&(f.onupgradeneeded=function(b){var
c=f.result;try{c.createObjectStore(a.storeName),b.oldVersion<=1&&c.createObjectStore(wa)}catch(c){if("Con
straintError"!==c.name)throw c;console.warn('The database "'+a.name+'" has been upgraded from version
'+b.oldVersion+" to version "+b.newVersion+', but the storage "'+a.storeName+'" already
exists.')}}),f.onerror=function(a){a.preventDefault(),d(f.error)},f.onsuccess=function(){var
b=f.result;b.onversionchange=function(a){a.target.close()},c(b),p(a)}})}function s(a){return r(a,!1)}function
t(a){return r(a,!0)}function u(a,b){if(!a.db)return!0;var
\verb|c=!a.db.objectStoreNames.contains(a.storeName), \verb|d=a.version| < a.db.version, e=a.version| > a.db.version; if (d \& \& a.version|) < a.db.version| < a.db.v
(a.version!==b&&console.warn('The database "'+a.name+"\" can't be downgraded from version
  +a.db.version+" to version "+a.version+"."),a.version=a.db.version),e||c){if(c){var
f=a.db.version+1;f>a.version&&(a.version=f)}return!0}return!1}function v(a){return new va(function(b,c){var
d=new FileReader;d.onerror=c,d.onloadend=function(c){var
d=btoa(c.target.result||"");b({
local_forage_encoded_blob:!0,data:d,type:a.type})},d.readAsBinaryString(a)})}
                                                                                                                                                                  function
g([l(atob(a.data))],{type:a.type}))function x(a){return a&&a._local_forage_encoded_blob}function y(a){var
b=this,c=b._initReady().then(function(){var
                                                                                                                        a=ya[b. dblnfo.name];if(a&&a.dbReady)return
a.dbReady});return i(c,a,a),c}function z(a){o(a);for(var b=ya[a.name],c=b.forages,d=0;d<c.length;d++){var
e=c[d]; e\_dbInfo.db\&\&(e\_dbInfo.db.close(), e\_dbInfo.db=null)\} return\ a.db=null, s(a). then (function(b)\{return a.db=null, s(a).dbInfo.db\&\&(e\_dbInfo.db.close(), e\_dbInfo.db=null)\} return\ a.db=null, s(a). then (function(b)\{return a.db=null, s(a).dbInfo.db\&\&(e\_dbInfo.db.close(), e\_dbInfo.db=null)\} return\ a.db=null, s(a). then (function(b)\{return a.db=null, s(a).dbInfo.db\&\&(e\_dbInfo.db.close(), e\_dbInfo.db=null)\} return\ a.db=null, s(a). then (function(b)\{return a.db=null, s(a).dbInfo.db\&&(e\_dbInfo.db.close(), e\_dbInfo.db=null)\} return\ a.db=null, s(a). then (function(b)\{return a.db=null, s(a).dbInfo.db\&&(e\_dbInfo.db.close(), e\_dbInfo.db=null)\} return\ a.db=null, s(a). then (function(b)\{return a.db=null, s(a).dbInfo.db.close(), e\_dbInfo.db.close(), e\_dbI
a.db=b,u(a)?t(a):b}).then(function(d){a.db=b.db=d;for(var
e=0;e<c.length;e++)c[e]._dblnfo.db=d}).catch(function(b){throw q(a,b),b})}function A(a,b,c,d){void
0===d&&(d=1);try{var
e=a.db.transaction(a.storeName,b);c(null,e)}catch(e){if(d>0&&(!a.db||"InvalidStateError"===e.name||"NotFou
ndError"===e.name))return
va.resolve().then(function(){if(!a.db||"NotFoundError"===e.name&&!a.db.objectStoreNames.contains(a.store
Name)&&a.version<=a.db.version)return a.db&&(a.version=a.db.version+1),t(a)}).then(function(){return
z(a).then(function(){A(a,b,c,d-1)})}).catch(c);c(e)}}function
B(){return{forages:[],db:null,dbReady:null,deferredOperations:[]}}function C(a){function b(){return
va.resolve()}var c=this,d={db:null};if(a)for(var e in a)d[e]=a[e];var
f=ya[d.name]; f||(f=B(),ya[d.name]=f), f. for ages. push(c), c.\_initReady||(c.\_initReady=c.ready,c.ready=y); for (varange) f||(f=B(),ya[d.name]=f), f. for ages. push(c), c.\_initReady||(c.\_initReady=c.ready,c.ready=y); for (varange) f||(f=B(),ya[d.name]=f), f||(f=B(),ya
g=[],h=0;h<f.forages.length;h++){var i=f.forages[h];i!==c&&g.push(i._initReady().catch(b))}var
j=f.forages.slice(0);return va.all(g).then(function(){return d.db=f.db,s(d)}).then(function(a){return
d.db=a,u(d,c._defaultConfig.version)?t(d):a}).then(function(a){d.db=f.db=a,c._dbInfo=d;for(var
b=0;b<j.length;b++){var e=j[b];e!==c&&(e._dbInfo.db=d.db,e._dbInfo.version=d.version)}})}function
D(a,b){var c=this;a=i(a);var d=new
va(function(b,d){c.ready().then(function(){A(c._dblnfo,Aa,function(e,f){if(e)return d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=g.get(a);h.onsuccess=function(){var a=h.result;void
0===a&&(a=null),x(a)&&(a=w(a)),b(a)},h.onerror=function(){d(h.error)}}catch(a){d(a)}})}).catch(d)});return
h(d,b),d}function E(a,b){var c=this,d=new
va(function(b,d){c.ready().then(function(){A(c._dblnfo,Aa,function(e,f){if(e)return d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=g.openCursor(),i=1;h.onsuccess=function(){var c=h.result;if(c){var
d=c.value;x(d)&&(d=w(d));var e=a(d,c.key,i++);void 0!==e?b(e):c.continue()}else
b()},h.onerror=function(){d(h.error)}}catch(a){d(a)}})}).catch(d)));return h(d,b),d}function F(a,b,c){var
d=this;a=j(a);var e=new va(function(c,e){var f;d.ready().then(function(){return f=d._dblnfo,"[object
Blob]"===za.call(b)?n(f.db).then(function(a){return
a?b:v(b)}):b}).then(function(b){A(d._dbInfo,Ba,function(f,g){if(f)return e(f);try{var
h=g.objectStore(d._dblnfo.storeName);null===b&&(b=void 0);var i=h.put(b,a);g.oncomplete=function(){void
0===b&&(b=null),c(b)},g.onabort=g.onerror=function(){var
a=i.error?i.error:i.transaction.error;e(a)}}catch(a){e(a)}})).catch(e)});return h(e,c),e}function G(a,b){var
c=this;a=j(a);var d=new va(function(b,d){c.ready().then(function(){A(c._dbInfo,Ba,function(e,f){if(e)return
d(e);try{var
g=f.objectStore(c._dblnfo.storeName),h=g.delete(a);f.oncomplete=function(){b()},f.onerror=function(){d(h.err
or)},f.onabort=function(){var a=h.error?h.error:h.transaction.error;d(a)}}catch(a){d(a)}})}).catch(d)});return
h(d,b),d}function H(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b._dblnfo,Ba,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dbInfo.storeName),g=f.clear();e.oncomplete=function(){a()},e.onabort=e.onerror=function(
) {var a=g.error?g.error:g.transaction.error;c(a)}}catch(a){c(a)}})}).catch(c)});return h(c,a),c}function I(a){var
b=this,c=new va(function(a,c){b.ready().then(function(){A(b._dbInfo,Aa,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dblnfo.storeName),g=f.count();g.onsuccess=function(){a(g.result)},g.onerror=function(){c
(g.error)}}catch(a){c(a)}})}).catch(c)});return h(c,a),c}function J(a,b){var c=this,d=new
va(function(b,d){if(a<0)return void b(null);c.ready().then(function(){A(c._dbInfo,Aa,function(e,f){if(e)return
d(e);try{var g=f.objectStore(c._dblnfo.storeName),h=!1,i=g.openKeyCursor();i.onsuccess=function(){var
c=i.result;if(!c)return void
```

```
b(null);0===a?b(c.key):h?b(c.key):(h=!0,c.advance(a))},i.onerror=function(){d(i.error)}}catch(a){})}).catch
(d)});return h(d,b),d}function K(a){var b=this,c=new
 va(function(a,c){b.ready().then(function(){A(b._dblnfo,Aa,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dbInfo.storeName),g=f.openKeyCursor(),h=[];g.onsuccess=function(){var
b=g.result;if(!b)return void
a(h);h.push(b.key),b.continue()},g.onerror=function(){c(g.error)}}catch(a){c(a)}})}).catch(c)});return
h(c,a),c}function L(a,b){b=k.apply(this,arguments);var c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);var
d,e=this;if(a.name){var
f=a.name===c.name&&e._dbInfo.db,g=f?va.resolve(e._dbInfo.db):s(a).then(function(b){var
c=ya[a.name],d=c.forages;c.db=b;for(var e=0;e<d.length;e++)d[e]__dbInfo.db=b;return
b});d=a.storeName?g.then(function(b){if(b.objectStoreNames.contains(a.storeName)){var
c=b.version+1;o(a);var d=ya[a.name],e=d.forages;b.close();for(var f=0;f<e.length;f++){var
g=e[f];g._dblnfo.db=null,g._dblnfo.version=c}return new va(function(b,d){var
e=ua.open(a.name,c);e.onerror=function(a){e.result.close(),d(a)},e.onupgradeneeded=function(){e.result.dele
t eObjectStore(a.storeName)},e.onsuccess=function(){var
a=e.result;a.close(),b(a)}}).then(function(a){d.db=a;for(var b=0;b<e.length;b++){var
c=e[b];c._dblnfo.db=a,p(c._dblnfo)}}).catch(function(b){throw(q(a,b)||va.resolve()).catch(function(){}),b})}}):g.t
hen(function(b){o(a);var c=ya[a.name],d=c.forages;b.close();for(var
e=0;e<d.length;e++){d[e]._dblnfo.db=null}return new va(function(b,c){var
d=ua.deleteDatabase(a.name);d.onerror=function(){var
a=d.result;a&&a.close(),c(d.error)},d.onblocked=function(){console.warn('dropInstance blocked for database
 "'+a.name+'" until all open connections are closed')},d.onsuccess=function(){var
a=d.result;a&&a.close(),b(a)}}).then(function(a){c.db=a;for(var
b=0;b<d.length;b++)p(d[b]._dblnfo)}).catch(function(b){throw(q(a,b)||va.resolve()).catch(function(){}),b})})}el
                           d=va.reject("Invalid
                                                                                      arguments");return
                                                                                                                                                  h(d,b),d}function
                                                                                                                                                                                                        M(){return"function"==typeof
openDatabase}function N(a){var b,c,d,e,f,g=.75*a.length,h=a.length,i=0;"="===a[a.length-1]&&(g--
  ,"="==a[a.length-2]&&g--);var j=new ArrayBuffer(g),k=new
Uint8Array(j);for(b=0;b<h;b+=4)c=Da.indexOf(a[b1),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b+2]),f=Da.indexOf(
a[b+3]), \\ k[i++] = c << 2|d >> 4, \\ k[i++] = (15\&d) << 4|e >> 2, \\ k[i++] = (3\&e) << 6|63\&f; \\ return \ j) \\ function O(a) \\ \{var \ b, c = new \ constant \ constant \ b, c = new \ constant \ constan
\label{limits} \begin{tabular}{ll} Uint8Array(a), d=""; for(b=0; b<c.length; b+=3)d+=Da[c[b]>>2], d+=Da[(3&c[b])<<4|c[b+1]>>4], d+=Da[(15&c[b+1])>>4], d+=Da[(15&c[b+1])>4], d+=Da[(15
<<2|c[b+2]>>6],d+=Da[63&c[b+2]];return c.length%3==2?d=d.substring(0,d.length-c.length%3)
1)+"=":c.length%3==1&&(d=d.substring(0,d.length-2)+"=="),d}function P(a,b){var
c="";if(a&&(c=Ua.call(a)),a&&("[object ArrayBuffer]"===c||a.buffer&&"[object
ArrayBuffer]"===Ua.call(a.buffer))){var d,e=Ga;a instanceof ArrayBuffer?(d=a,e+=Ia):(d=a.buffer,"[object
Int8Array]"===c?e+=Ka:"[object Uint8Array]"===c?e+=La:"[object
 Uint8ClampedArray]"===c?e+=Ma:"[object
Int16Array]"===c?e+=Na:"[object Uint16Array]"===c?e+=Pa:"[object Int32Array]"===c?e+=Oa:"[object Int32Array]"==c?e+=Oa:"[object Int32Array]"=c.Oai:"[object Int32Array]"=c.O
Uint32Array]"===c?e+=Qa:"[object Float32Array]"===c?e+=Ra:"[object Float64Array]"===c?e+=Sa:b(new
Error("Failed to get type for BinaryArray"))),b(e+O(d))}else if("[object Blob]"===c){var f=new
FileReader;f.onIoad=function(){var c=Ea+a.type+"~"+O(this.result);b(Ga+Ja+c)},f.readAsArrayBuffer(a)}else
try{b(JSON.stringify(a))}catch(c){console.error("Couldn't convert value into a JSON string:
 ",a),b(null,c)}}function Q(a){if(a.substring(0,Ha)!==Ga)return JSON.parse(a);var
b,c=a.substring(Ta),d=a.substring(Ha,Ta);if(d===Ja&&Fa.test(c)){var
e=c.match(Fa);b=e[1],c=c.substring(e[0].length)}var f=N(c);switch(d){case la:return f;case Ja:return
g([f],{type:b});case Ka:return new Int8Array(f);case La:return new Uint8Array(f);case Ma:return new
 Uint8ClampedArray(f);case Na:return new Int16Array(f);case Pa:return new Uint16Array(f);case Oa:return
 new Int32Array(f);case Qa:return new Uint32Array(f);case Ra:return new Float32Array(f);case Sa:return new
Float64Array(f);default:throw new Error("Unkown type: "+d)}}function R(a,b,c,d){a.executeSql("CREATE
TABLE IF NOT EXISTS "+b.storeName+" (id INTEGER PRIMARY KEY, key unique, value)",[],c,d)}function
S(a){var b=this,c={db:null}:if(a)for(var d in a)c[d]="string"!=typeof a[d]?a[d].toString():a[d]:var e=new
va(function(a,d){try{c.db=openDatabase(c.name,String(c.version),c.description,c.size)}catch(a){return
d(a)}c.db.transaction(function(e){R(e,c,function(){b._dblnfo=c,a()},function(a,b){d(b)}}),d)});return
c.serializer=Va,e}function
T(a,b,c,d,e,f){a.executeSql(c,d,e,function(a,g){g.code===g.SYNTAX_ERR?a.executeSql("SELECT name
FROM sglite master WHERE type='table' AND name
ction U(a,b){var c=this;a=j(a);var d=new va(function(b,d){c.ready().then(function(){var
e=c._dblnfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName+" WHERE key = ? LIMIT
1",[a],function(a,c){var
d=c.rows.length?c.rows.item(0).value:null:d&&(d=e.serializer.deserialize(d)),b(d)},function(a,b){d(b)}})}).catc
h(d)});return h(d,b),d}function V(a,b){var c=this,d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName,[],function(c,d){for(var
f=d.rows, g=f.length, h=0; h< g; h++) \{var \ i=f.item(h), j=i.value; if (j\&\&(j=e.serializer.deserialize(j)), void \ i=f.item(h), j=i.value; if (j\&\&(j=e.serializer.deserializer)), void \ i=f.item(h), j=i.value; i=f.item(h), j=f.item(h), j=f.item(h), j=f.item(h), j=f.item(h), j=f.item(h), j=f.item(h), j=f.item(h), j=f.item(h), j=f.it
0!==(j=a(j,i.key,h+1)))return void b(j)}b()},function(a,b){d(b)})}).catch(d)});return h(d,b),d}function
W(a,b,c,d){var e=this;a=j(a);var f=new va(function(f,g){e.ready().then(function(){void 0===b&&(b=null);var
h=b, i=e.\_dbInfo; i.serializer.serialize(b, function(b, j)\{j?g(j): i.db.transaction(function(c)\{T(c, i, "INSERT \ OR \ Anti-content \ Anti-
REPLACE INTO "+i.storeName+" (key, value) VALUES
(?, ?)",[a,b],function(){f(h)},function(a,b){g(b)})},function(b){if(b.code===b.QUOTA_ERR){if(d>0)return void
f(W.apply(e,[a,h,c,d-1]));g(b)}})}).catch(g)});return h(f,c),f}function X(a,b,c){return
W.apply(this,[a,b,c,1])}function Y(a,b){var c=this;a=j(a);var d=new
```

```
va(function(b,d){c.ready().then(function(){var e=c._dblnfo;e.db.transaction(function(c){T(c,e,"DELETE FROM
"+e.storeName+" WHERE key = ?",[a],function(){b()},function(a,b){d(b)})})).catch(d)});return
Z(a){var b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"DELETE FROM
+d.storeName,[],function(){a()},function(a,b){c(b)})}}).catch(c)});return h(c,a),c}function $(a){var
b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b._dblnfo;d.db.transaction(function(b){T(b,d,"SELECT COUNT(key) as c FROM
"+d.storeName,[],function(b,c){var d=c.rows.item(0).c;a(d)},function(a,b){c(b)}}}}).catch(c)});return
h(c,a),c}function _(a,b){var c=this,d=new va(function(b,d){c.ready().then(function(){var
e=c._dblnfo;e.db.transaction(function(c){T(c,e,"SELECT key FROM "+e.storeName+" WHERE id = ? LIMIT
1",[a+1],function(a,c){var
d=c.rows.length?c.rows.item(0).key:null;b(d)},function(a,b){d(b)})})).catch(d)});return
                                                                                                                                                      h(d,b),d}function
                                               b=this,c=new
                                                                                                       va(function(a,c){b.ready().then(function(){var
 d=b.\_dbInfo; d.db.transaction(function(b) \{T(b,d,"SELECT\ key\ FROM\ "+d.storeName,[],function(b,c) \{for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(varansaction(b,c),for(va
d=[],e=0;e<c.rows.length;e++)d.push(c.rows.item(e).key);a(d)},function(a,b){c(b)}))}).catch(c)});return
h(c,a),c}function ba(a){return new va(function(b,c){a.transaction(function(d){d.executeSql("SELECT name
FROM sqlite_master WHERE type='table' AND name <>
' WebKitDatabaseInfoTable '",[],function(c,d){for(var
e=[],f=0;f<d.rows.length;f++)e.push(d.rows.item(f).name);b({db:a,storeNames:e})},function(a,b){c(b)})},functi
o n(a){c(a)})}}function ca(a,b){b=k.apply(this,arguments);var c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);var d,e=this;return
d=a.name?new va(function(b){var
d;d=a.name===c.name?e._dbInfo.db:openDatabase(a.name,"","",0),b(a.storeName?{db:d,storeNames:[a.stor
eName]}:ba(d))}).then(function(a){return new va(function(b,c){a.db.transaction(function(d){function
e(a){return new va(function(b,c){d.executeSql("DROP TABLE IF EXISTS
"+a,[],function(){b()},function(a,b){c(b)})})}for(var
f=[],q=0,h=a.storeNames.length;q<h;q++)f.push(e(a.storeNames[q]));va.all(f).then(function(){b()}).catch(functi
on(a)\{c(a)\})\}, function(a)\{c(a)\})\})\}) : va.reject("Invalid arguments"), h(d,b),d\} function
da(){try{return"undefined"!=typeof localStorage&&"setItem"in
localStorage&&!!localStorage.setItem}catch(a){return!1}}function ea(a,b){var c=a.name+"/";return
a.storeName!==b.storeName&&(c+=a.storeName+"/"),c}function fa(){var
a="_localforage_support_test";try{return
localStorage.setItem(a,!0),localStorage.removeItem(a),!1}catch(a){return!0}}function
ga(){return!fa()||localStorage.length>0}function ha(a){var b=this,c={};if(a)for(var d in a)c[d]=a[d];return
c.keyPrefix=ea(a,b._defaultConfig),ga()?(b._dbInfo=c,c.serializer=Va,va.resolve()):va.reject()}function
ia(a){var b=this,c=b.ready().then(function(){for(var a=b._dblnfo.keyPrefix,c=localStorage.length-1;c>=0;c-
- ){var d=localStorage.key(c);0===d.indexOf(a)&&localStorage.removeItem(d)}});return h(c,a),c}function
ja(a,b){var c=this;a=j(a);var d=c.ready().then(function(){var
b=c._dblnfo,d=localStorage.getItem(b.keyPrefix+a);return d&&(d=b.serializer.deserialize(d)),d});return
h(d,b),d}function ka(a,b){var c=this,d=c.ready().then(function(){for(var
b=c.\_dbInfo, d=b.keyPrefix, e=d.length, f=localStorage.length, g=1, h=0; h< f; h++) \{varallength, f=localStorage.length, g=1, h=0; h< f; h++) \}
i=localStorage.key(h);if(0===i.indexOf(d)){var
j=localStorage.getItem(i);if(j&&(j=b.serializer.deserialize(j)),void
0!==(j=a(j,i.substring(e),g++)))return j}}));return h(d,b),d}function la(a,b){var
c=this,d=c.ready().then(function(){var b,d=c._dbInfo;try{b=localStorage.key(a)}catch(a){b=null}return
b&&(b=b.substring(d.keyPrefix.length)),b});return h(d,b),d}function ma(a){var
b=this,c=b.ready().then(function(){for(var a=b._dblnfo,c=localStorage.length,d=[],e=0;e<c;e++){var
f=localStorage.key(e);0===f.indexOf(a.keyPrefix)&&d.push(f.substring(a.keyPrefix.length)))return d});return
h(c,a),c}function na(a){var b=this,c=b.keys().then(function(a){return a.length});return h(c,a),c}function
oa(a,b){var c=this;a=j(a);var d=c.ready().then(function(){var
b=c._dblnfo;localStorage.removeItem(b.keyPrefix+a)});return h(d,b),d}function pa(a,b,c){var d=this;a=j(a);var
e=d.ready().then(function(){void 0===b&&(b=null);var c=b;return new va(function(e,f){var
g=d._dbInfo;g.serializer.serialize(b,function(b,d){if(d)f(d);else
try\{localStorage.setItem(g.keyPrefix+a,b),e(c)\} catch(a) \{ "QuotaExceededError" !==a.name \&\&"NS\_ERROR\_DOaten(a) \} \} try\{localStorage.setItem(g.keyPrefix+a,b),e(c) \} catch(a) \{ "QuotaExceededError" !==a.name \&\&"NS\_ERROR\_DOaten(a) \} \} try\{localStorage.setItem(g.keyPrefix+a,b),e(c) \} catch(a) \{ "QuotaExceededError" !==a.name \&\&"NS\_ERROR\_DOaten(a) \} \} try\{localStorage.setItem(g.keyPrefix+a,b),e(c) \} catch(a) \{ "QuotaExceededError" !==a.name \&\&"NS\_ERROR\_DOaten(a) \} \} try\{localStorage.setItem(g.keyPrefix+a,b),e(c) \} catch(a) \{ "QuotaExceededError" !==a.name \&\&"NS\_ERROR\_DOaten(a) \} \} try\{localStorage.setItem(g.keyPrefix+a,b),e(c) \} catch(a) \{ "QuotaExceededError" !==a.name \&\&"NS\_ERROR\_DOaten(a) \} \} try\{localStorage.setItem(a) \} try\{localStorage.setIte
M_QUOTA_REACHED"!==a.name||f(a),f(a)}})});return h(e,c),e}function
qa(a,b){if(b=k.apply(this,arguments),a="function"!=typeof a&&a||{},!a.name){var
c=this.config();a.name=a.name||c.name,a.storeName=a.storeName||c.storeName}var d,e=this;return
d=a.name?new va(function(b){b(a.storeName?ea(a,e._defaultConfig):a.name+"/")}).then(function(a){for(var
b=localStorage.length-1;b>=0;b--){var
c=localStorage.key(b);0===c.indexOf(a)&&localStorage.removeItem(c)}}):va.reject("Invalid
arguments"),h(d,b),d}function ra(a,b){a[b]=function(){var c=arguments;return a.ready().then(function(){return
a[b].apply(a,c)})}}function sa(){for(var a=1;a<arguments.length;a++){var b=arguments[a];if(b)for(var c in
b)b.hasOwnProperty(c)&&($a(b[c])?arguments[0][c]=b[c].slice():arguments[0][c]=b[c])}return
arguments[0]]var ta="function"==typeof Symbol&&"symbol"==typeof Symbol.iterator?function(a){return
typeof a}:function(a){return a&&"function"==typeof
Symbol&&a.constructor===Symbol&&a!==Symbol.prototype?"symbol":typeof
a},ua=e();"undefined"==typeof
Promise&&a(3);var va=Promise,wa="local-forage-detect-blob-support",xa=void
0,ya={},za=Object.prototype.toString,Aa="readonly",Ba="readwrite",Ca={_driver:"asyncStorage",_initStorag
C,_support:f(),iterate:E,getItem:D,setItem:F,removeItem:G,clear:H,length:I,key:J,keys:K,dropInstance:L},Da=
```

```
"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/",Ea="~~local_forage_type
~",Fa=/^~~local_forage_type~([^~]+)~/,Ga="_lfsc_:",Ha=Ga.length,la="arbf",Ja="blob",Ka="si08",La="ui08",
Ma="uic8",Na="si16",Oa="si32",Pa="ur16",Qa="ui32",Ra="fl32",Sa="fl64",Ta=Ha+la.length,Ua=Object.protot
pe.toString, Va=\{serialize: P, deserialize: Q, stringToBuffer: N, bufferToString: O\}, Wa=\{\_driver: "webSQLStorage", and the period of the pe
 _initStorage:S,_support:M(),iterate:V,getItem:Ü,setItem:X,removeItem:Y,clear:Z,length:$,key:_,keys:aa,dropl
stance:ca},Xa={_driver:"localStorageWrapper",_initStorage:ha,_support:da(),iterate:ka,getItem:ja,setItem:pa,
removeItem:oa,clear:ia,length:na,key:la,keys:ma,dropInstance:qa},Ya=function(a,b){return
a===b||"number"==typeof a&&"number"==typeof b&&isNaN(a)&&isNaN(b)},Za=function(a,b){for(var
c=a.length,d=0;d<c;){if(Ya(a[d],b))return!0;d++}return!1},$a=Array.isArray||function(a){return"|object
Array]" === Object.prototype.toString.call(a)\}, \\ a=\{\}, ab=\{\}, bb=\{INDEXEDDB: Ca, WEBSQL: Wa, LOCALSTORAGE, about the properties of the 
Xa},cb=[bb.INDEXEDDB._driver,bb.WEBSQL._driver,bb.LOCALSTORAGE._driver],db=["dropInstance"],eb=["
clear", "getItem", "iterate", "key", "keys", "length", "removeItem", "setItem"].concat(db), fb={description: ",driver: cb.slice(),name: "localforage", size: 4980736, storeName: "keyvaluepairs", version: 1}, gb=function() {function
a(b){d(this,a);for(var c in bb)if(bb.hasOwnProperty(c)){var
 e=bb[c],f=e._driver;this[c]=f,_a[f]||this.defineDriver(e)}this._defaultConfig=sa({},fb),this._config=sa({},this._d
faultConfig,b),this._driverSet=null,this._initDriver=null,this._ready=!1,this._dblnfo=null,this._wrapLibraryMet
hods With Ready (), this.set Driver (this.\_config.driver). catch (function () \{\}) \} return
a.prototype.config=function(a){if("object"===(void 0===a?"undefined":ta(a))){if(this._ready)return new
Error("Can't call config() after localforage has been used.");for(var b in
a){if("storeName"===b&&(a[b]=a[b].replace(\(\lambda\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(\rangle\)\(
a&&a.driver)||this.setDriver(this._config.driver)}return"string"==typeof
a?this._config[a]:this._config[,a.prototype.defineDriver=function(a,b,c){var d=new va(function(b,c){try{var
d=a._driver,e=new Error("Custom driver not compliant; see
https://mozilla.github.io/localForage/#definedriver");if(!a._driver)return void c(e);for(var
f=eb.concat("_initStorage"),g=0,i=f.length;g<i;g++){var j=f[g];if((!Za(db,j)||a[j])&&"function"!=typeof
a[j])return void c(e)}(function(){for(var b=function(a){return function()}{var b=new Error("Method "+a+" is not
implemented by the current driver"),c=va.reject(b);return h(c,arguments[arguments.length-
1]),c}},c=0,d=db.length;c<d;c++){var e=db[c];a[e]||(a[e]=b(e))}})();var
k=function(c){_a[d]&&console.info("Redefining LocalForage driver: "+d),_a[d]=a,ab[d]=c,b()};"_support"in
a?a._support&&"function"==typeof
a.\_support?a.\_support().then(k,c):k(!!a.\_support):k(!0)\} catch(a)\{c(a)\}\}); return
i(d,b,c),d},a.prototype.driver=function(){return this._driver||null},a.prototype.getDriver=function(a,b,c){var
d=_a[a]?va.resolve(_a[a]):va.reject(new Error("Driver not found."));return
i(d,b,c),d},a.prototype.getSerializer=function(a){var b=va.resolve(Va);return
 i(b,a),b},a.prototype.ready=function(a){var b=this,c=b._driverSet.then(function(){return
null===b._ready&&(b._ready=b._initDriver()),b._ready});return
i(c,a,a),c},a.prototype.setDriver=function(a,b,c){function d(){g._config.driver=g.driver()}function e(a){return
 g._extend(a),d(),g._ready=g._initStorage(g._config),g._ready}function f(a){return function(){function
b(){for(;c<a.length;){var f=a[c];return c++,g._dbInfo=null,g._ready=null,g.getDriver(f).then(e).catch(b)}d();var
h=new Error("No available storage method found.");return g._driverSet=va.reject(h),g._driverSet}var
c=0;return b()}}var g=this;$a(a)||(a=[a]);var
h=this._getSupportedDrivers(a),j=null!==this._driverSet?this._driverSet.catch(function(){return
va.resolve()}):va.resolve();return this._driverSet=j.then(function(){var a=h[0];return
g._dblnfo=null,g._ready=null,g.getDriver(a).then(function(a){g._driver=a._driver,d(),g._wrapLibraryMethodsW
ithReady(),g._initDriver=f(h)})}).catch(function(){d();var a=new Error("No available storage method
found.");return
g._driverSet=va.reject(a),g._driverSet}),i(this._driverSet,b,c),this._driverSet},a.prototype.supports=function(a
{return!!ab[a]},a.prototype._extend=function(a){sa(this,a)},a.prototype._getSupportedDrivers=function(a){for
( var b=[],c=0,d=a.length;c<d;c++){var e=a[c];this.supports(e)&&b.push(e)}return
b},a.prototype._wrapLibraryMethodsWithReady=function(){for(var
a=0,b=eb.length;a<b;a++)ra(this,eb[a])},a.prototype.createInstance=function(b){return new a(b)},a}(),hb=new
gb;b.exports=hb},{3:3}]},{},[4])(4)});
       AUTHENTICATION:
```

AUTHENTICATION: FIREOAUTH:

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
         <link rel="stylesheet" href="/css/fireoauth.css">
         k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.css">
         k rel="shortcut icon" href="https://raw.githubusercontent.com/tharunoptimus-
       pd/firepwa/main/favicon.ico?token=GHSAT0AAAAABR46HVJ5M5L3QGFRZRQXOISYUJUWAA"
       type="image/x-icon">
         <style> html,
           body {
              height: 100%;
margin: 0;
              font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen,
                Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
              font-weight: 300;
           }
           a {
              text-decoration: none; color:
              #007bff;
              font-weight: 500;
font-size: 1.2rem;
           }
           h3 {
font-size: 1.4rem;
           }
           h3, h4 {
margin: 0;
padding: 0.3rem 0;
           .wrapper { display:
              flex;
                         flex-
              direction:
              column; align-
              items: center;
              justify-content:
              center; height:
              100%;
              text-align: center;
           }
```

```
.oneClickSignin { padding:
    0.5rem; border: 1px solid
    #4444444; border-radius:
    5px;
    box-shadow: 0 0 3px 0px #4444444;
    opacity: 0.2;
    pointer-events: none;
 }
 .qrcode { opacity:
    0.1;
 }
 .learnAboutFire {
    padding-top: 1.25em;
 }
  .qrHolder {
    display: none; margin-top:
    3rem;
 }
  .qrContainer {
    align-items: center; display:
    flex; justify-content: center;
    padding: 8px;
    margin: 2rem auto;
    box-shadow: 0 0px 6px 1px rgb(0 0 0 /
    16%); border: 1px solid #4444444; border-
    radius: 6px; width: 200px;
    height: 200px;
 }
</style>
<title>Fire OAuth</title>
<script>
 if (window.location.hostname !== "localhost") {
    if (location.protocol !== "https:") {
      location.replace(
```

```
`https:${location.href.substring(
             location.protocol.length
           )}`
      }
    }
  </script>
</head>
<body>
  <div class="wrapper">
    <h3 class="pageTitle">Login with SAFETY</h3>
    <div class="qrAuthorize">
      <h4 class="subTitle">Scan QR from your Fire OAuth App </h4>
      <div class="qrContainer">
         <canvas id="qr-code" class="qrcode"></canvas>
      </div>
    </div>
    <div class="oneClickSignin">
       <h4>Have Fire PWA on this device?</h4>
       <a target="_blank" id="authorizeOverLink" href="https://firepwa.netlify.app/authorize?sessionId"</p>
rel="noopener">Click to Authorize </a>
    </div>
    <div class="learnAboutFire">
       <a target="_blank" href="https://fireoauth.netlify.app" rel="noopener">Learn More about SAFETY</a>
    </div>
  </div>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.js"></script>
 <script src="https://cdnjs.cloudflare.com/ajax/libs/qrious/4.0.2/qrious.min.js"></script>
 <script src="https://cdnjs.cloudflare.com/ajax/libs/socket.io/4.2.0/socket.io.js"></script>
  <script>
    const FIRE_API_KEY = "635b790a3bcc6b59c4b772d0"
    const FIRE_ENDPOINT = "https://fire.adaptable.app/api/apis/generate"
    const
               CHANNEL_NAME
                                             "fireOAuthChannel"
    broadCastingChannel = new BroadcastChannel(CHANNEL_NAME) const
```

```
FIRE_SERVER_SOCKET_ENDPOINT = "https://fire.adaptable.app" let
socket = io(FIRE_SERVER_SOCKET_ENDPOINT)
let qr
let qrcode = document.querySelector(".qrcode")
let oneClickSignin = document.querySelector(".oneClickSignin") let
pageTitle = document.querySelector(".pageTitle")
let subTitle = document.querySelector(".subTitle")
function setOpacity(opacity) { oneClickSignin.style.opacity = opacity
  oneClickSignin.style.pointerEvents = opacity === "1" ? "auto" : "none"
  qrcode.style.opacity = opacity
}
async function getSessionID() { let
  response
  try {
    response = await fetch('${FIRE_ENDPOINT}/${FIRE_API_KEY}', {
       method: "GET",
      headers: {
         "Content-Type": "application/json",
      }
    })
  } catch (error) {
    console.log(error)
    return null
  }
  let data = await response.json()
  let { sessionId, chatRoomId } = data
  return { sessionId, chatRoomId }
}
function generateQR(value) {
  (qr = new QRious({ element:
    document.getElementById("qr-code"),
    size:
            200,
    level:
             'M',
```

```
value:
                value,
             }))
           }
           function changeHREF ({sessionId, chatRoomId}) {
let firePwaUrlHostname = "https://firepwa.netlify.app"
let originURL = encodeURIComponent(window.location.origin)
             let url =
      `${firePwaUrlHostname}/authorize.html?sessionId=${sessionId}&chatRoomId=${chatRoomId}&url=${originU
       RL}` let a = document.getElementById("authorizeOverLink")
             a.href = url
           }
           async function fire() { NProgress.set(0.4)
             let { sessionId, chatRoomId } = await getSessionID()
             if(sessionId === undefined || chatRoomId === null || chatRoomId === null ||
                { pageTitle.innerHTML = "Something went wrong " subTitle.innerHTML = "Please try again later "
                return
             }
              setOpacity("1")
             NProgress.done()
             let data = {
                sessionId,
                url: encodeURIComponent(window.location.origin)
             }
              data = JSON.stringify(data)
              generateQR(data)
              changeHREF({sessionId, chatRoomId})
              socket.emit("join room", sessionId)
           }
           fire()
           socket.on("trusted token", (token) => {
             let data = {}
```

```
data.success = true
      data.token = token
      broadCastingChannel.postMessage(data)
      window.close()
    })
  </script>
</body>
</html>
  LOGIN:
HTML:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  k rel="stylesheet" href="/css/login.css">
  <title>Sign Up</title>
  <script>
    if (window.location.hostname !== "localhost") {
      if (location.protocol !== "https:") {
         location.replace(
           `https:${location.href.substring(
             location.protocol.length
           )}`
         )
      }
    }
  </script>
  <script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
    <div class="loginContainer">
```


```
<span>SignUp To Continue</span>
       <div class="traditionalLoginContainer">
         <form class="signupForm" action="/" method="post">
           <input type="email" name="email" placeholder="Email" id="email">
           <input type="password" name="password" placeholder="Password" id="password">
           <input class="loginButton" type="submit" value="Login">
         </form>
       </div>
       <div class="loginWithFireContainer">
        <button type="button" class="fire" title="Login with Safety" id="fire">Login with Safety</button>
       </div>
       <a class="hyperLink" href="/register">Don't have an Account? Register /-</a>
    </div>
  </div>
  <script>
    // Necessary for Fire OAuth to Function
    const fireBroadcastingChannel = new BroadcastChannel('fireOAuthChannel');
    fireBroadcastingChannel.addEventListener('message', async event => {
      let data = event.data
       * @typedef {Object<string, any>} Data
       * @property {boolean} success - Whether the login was successful
       * @property {string} token - The data returned from the login i.e. Fire Token
       */
      // data.token is the message sent from the fireOAuthChannel after verification
      // data.success is a boolean that indicates whether the verification was successful
      // data.token is the fire token
      // What to do with the Fire Token?
      // * Fire Token is an unique token which uniquely identifies the user who authorized your login
attempt with Fire
      // * You can use this token ONLY ONCE as it will be destroyed after the first use
      // 1. Send the fire token to the Fire Server to verify the user
      // - You can do that client sided or server sided
      // - You need to send a POST Request to the Fire Server with the fire token
      // at the URL: http://localhost:3003/api/tokens/verify
      // - The Fire Server will verify the fire token and return a response
```

```
// - If the verification was unsuccessful - CODE (400) or CODE (401), the Fire Server will return a
       response with an error 'message'
              // - You can use the data returned from the Fire Server to create a new user in your database
              // This example will send the token to Fire Servers and console.log the response
               console.log("%c" + `Fire Token: ${data.token}`, `color: #f1c40f; font-weight:
               bold; '); const response = await fetch('https://fire.adaptable.app/api/tokens/verify', {
               method: 'POST', headers: {
                   'Content-Type': 'application/json'
                 },
                 body: JSON.stringify({
                   token: data.token
                 })
              })
              // get the response
const responseData = await response.json()
              // console.log the response console.log(responseData)
              await localforage.setItem('userData', {...responseData, isFire: true})
              // Adding the user data to the user Database
              let database = await localforage.getItem("userDatabase")
               if (database == null) {
                 database = []
database.push(responseData)
await localforage.setItem("userDatabase", database)
              // redirect to the home page window.location.href
               = '/'
            function popupwindow(url, title, w, h) { var
              left = (screen.width/2)-(w/2);
              var top = (screen.height/2)-(h/2);
              return window.open(url, title, 'toolbar=no, location=no, directories=no, status=no, menubar=no,
       scrollbars=no, resizable=no, copyhistory=no, width='+w+', height='+h+', top='+top+', left='+left);
} document.getElementById("fire").addEventListener("click", function() {
popupwindow("/fireoauth.html", "Fire OAuth", 450, 600)
            })
          </script>
          <script>
```

// - If the verification was successful - CODE (200), the Fire Server will return a response with the

user's data


```
//
                        this.Website's
                                                Scripts
                                                                             App
                                                                                            Logic
            document.querySelector(".signupForm").addEventListener("submit" , async (e) => {
            e.preventDefault()
let email = document.getElementByld("email").value
              let password = document.getElementById("password").value
              let flag = false let userData = await
               localforage.getItem("userDatabase") if(userData) {
               userData.forEach(e => { if(e.email === email) {
               if(e.password === password || e.isFire === true) {
               localforage.setItem("userData", e)
flag = true window.location.href = "/"
                   }
                 })
              } else {
alert("User Not Found")
              }
if(!flag) {
alert("Invalid Credentials")
              }
            })
          </script>
       </body>
       </html>
```



```
CSS:
       html,
       body {
                height: 100%;
margin: 0;
font-weight: 300;
                font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen, Ubuntu,
                         Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
       }
       .wrapper {
                height: 100%;
                display: flex;
                align-items: center;
justify-content: center;
       }
       .loginContainer {
display: flex;
                flex-direction: column; gap:
                1rem; min-width: 25rem;
                padding: 1rem 3rem;
                border: 1px solid
                #4444444; box-shadow:
                0px 3px 2px 1px #4444444;
                border-radius: 8px;
```

```
}
       .loginContainer span {
                text-align: center;
                font-size: 3rem;
                font-weight: 500;
                margin: 1rem 1rem 3rem;
       }
       .traditionalLoginContainer form {
                display: flex; flex-direction:
                column; align-items:
                center;
                justify-content: center;
       }
       .traditionalLoginContainer :is(input[type="text"], input[type="password"], input[type="email"])
                { margin: 0.3rem; padding: 0.3em 0.5em; border: 1px solid #4444444; border-radius:
                5px; outline: none; min-width: 200px;
                font-size: 1.3rem;
       }
       .traditionalLoginContainer .loginButton {
                background-color: #0070f3;
                font-size: 1.6rem; padding:
                0.2em 0.8em; color: white;
                margin: 0.4rem; border: none;
                border-radius: 5px;
         cursor: pointer;
margin-top: 2rem;
       }
       .traditionalLoginContainer .loginButton:hover {
         background-color: #0071f3d6;
       }
       .loginWithFireContainer {
                display: grid; display:
                 -ms-grid;
                place-items: center;
```

```
}
       .fire {
                 background-color: #f8f9fa; border:
                 1px solid #3c404321; border-
                 radius: 4px;
                 color: #3c4043;
font-family: arial, sans-serif;
                 margin: 11px 4px; padding:
                 0.4em 0.8em;
                 line-height: 27px;
                 min-width: 54px; text-
                 align: center; cursor:
                 pointer; user-select:
                 none; font-size: 1.3rem;
                 font-weight: 500;
       }
       .hyperLink {
                 text-decoration: none;
         text-align: center; font-size:
          1.2rem; color: #0070f3; font-
         weight: 400;
       }
        @media screen and (max-width: 480px) { .loginContainer { border: none; box-shadow: none;
            min-width: fit-content; min-
            width: -moz-fit-content; min-
            width: -webkit-fill-available;
            padding: 1rem;
         }
       }
```




DASHBOARD:

HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="./css/dashboard.css">
  <title>Dashboard</title>
  <script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
    <div class="header">
      <span class="heading">Dashboard</span>
      <span class="right">
        <span class="username">Hello User</span>
        <span>
```

```
<img class="profilePic" src="https://avatars.dicebear.com/api/avataaars/asdfasdfds.svg"</pre>
       alt="User Profile" height="30" width="30">
                </span>
              </span>
            </div>
            <div class="actionCenter">
              <div class="action">
                <span>Create Child Card</span>
              </div>
              <div class="action">
                <span class="logout">Log out</span>
              </div>
            </div>
            <div class="childCardContainer">
              <div class="childCard">
                <div class="childCardHeader">
                   <span>Child Name</span>
                   <span>Age 12</span>
                </div>
                <div class="actions">
                   <span>View</span>
                   <span>GeoFence</span>
                </div>
              </div>
            </div>
          </div>
          <script>
            async function main() {
              let userData = await localforage.getItem('userData')
              if(userData == null) {
                window.location.href = "/login"
              }
              document.querySelector(".username").innerHTML = `Hello ${userData.firstName}`
              document.querySelector(".profilePic").src = userData.profilePic
           }
main()
```

```
document.querySelector(".logout").addEventListener("click", async () => {
    await localforage.setItem('userData', null)
    window.location.href = "/login"
    })
    </script>
</body>
```



CSS:

```
html, body { margin:
  0;
  padding: 0;
  font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu,
Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
}
.wrapper { display: flex;
  flex-direction: column;
  height: 100vh; margin:
  0 auto;
}
.header { display: flex; justify-
  content: space-between; align-
  items: center; padding: 1rem;
  background-color: #f1f1f1;
}
```

```
.heading {
  font-size: 1.3rem;
}
.right {
  display: flex;
  align-items: center;
  gap: 0.5rem;
}
.actionCenter { display:
  flex; justify-content: flex-
  end; align-items: center;
  gap: 1rem; padding:
  0.5rem 0;
}
.actionCenter
                 .action
  padding: 0.5rem 0.8rem;
  border: 1px solid #4444444;
  border-radius: 12px;
  margin-right: 0.5rem;
  cursor: pointer;
}
.actionCenter .action:hover {
  background-color: #0070f3;
  color: white;
.childCardContainer
  display: flex; flex-
  wrap: wrap; padding:
  0.5rem 1rem;
}
.childCardContainer .childCard {
  display: flex; flex-direction:
  column; border: 1px solid
  #4444444; border-radius:
  12px; max-width: 300px; font-
  size: 1.4rem;
```

```
}
.childCardContainer .childCard .childCardHeader { display:
  flex;
  gap: 3rem;
  margin: 0.1rem 0.1rem 0.8rem;
  padding: 1rem 0.8rem 0;
}
.childCardContainer .childCard .actions {
  background-color: #0070f3; padding:
  2rem 0.5rem 1rem; color: white;
  display: flex;
  justify-content: space-around; border-radius:
  12px;
  border-top-left-radius: 0;
  border-top-right-radius: 0;
}
.childCardContainer .childCard .actions span {
  border: 1px solid #0070f3; background-
  color: white; color: #0070f3; padding: 0.3rem
  0.9rem; border-radius: 12px;
  cursor: pointer;
```

}

