

PROJECT DEVELOPMENT PHASE

SPRINT-4

Date	30 October 2022
Team ID	PNT2022TMID37847
Project Name	Project -VirtualEye - Life Guard for Swimming Pools to Detect Active Drowning

```
import cv2

import os

import numpy as np

from .utils

import download_file


initialize = True

net = None

dest_dir = os.path.expanduser('~') + os.path.sep + '.cvlib' + os.path.sep + 'object_detection' +
os.path.sep + 'yolo' + os.path.sep + 'yolov3' classes = None

#colours are BGR instead of RGB in python
COLOURS = [0,0,255], [255,0,0]


def populate_class_labels():

    #we are using a pre existent classifier which is more reliable and more efficient than one

    #we could make using only a laptop

    #The classifier should be downloaded automatically when you run this script

class_file_name = 'yolov3_classes.txt'

class_file_abs_path = dest_dir + os.path.sep + class_file_name

url = 'https://github.com/Nico31415/Drowning-Detector/raw/master/yolov3.txt'

if not os.path.exists(class_file_abs_path):
```

```
    download_file(url=url, file_name=class_file_name, dest_dir=dest_dir)

f = open(class_file_abs_path, 'r')
classes = [line.strip() for line in f.readlines()]

return classes
```

```
def get_output_layers(net):
```

```
    #the number of output layers in a neural network is the number of possible
    #things the network can detect, such as a person, a dog, a tie, a phone...
```

```
    layer_names = net.getLayerNames()
    output_layers = [layer_names[i[0] - 1] for i in net.getUnconnectedOutLayers()]
    return output_layers
```

```
def draw_bbox(img, bbox, labels, confidence, Drowning, write_conf=False):
```

```
    global COLORS
```

```
    global classes
```

```
    if classes is None:
```

```
        classes = populate_class_labels()
```

```
    for i, label in enumerate(labels):
```

```
        #if the person is drowning, the box will be drawn red instead of blue
```

```
    if label == 'person' and Drowning:
```

```
        color = COLORS[0]
```

```
    label = 'DROWNING'
```

```
    else:
```

```
        color = COLORS[1]
```

```
    if write_conf:
```

```
        label += ' ' + str(format(confidence[i] * 100, '.2f')) + '%'
```

```
    #you only need to points (the opposite corners) to draw a rectangle. These points
```

#are stored in the variable bbox

```
cv2.rectangle(img, (bbox[i][0],bbox[i][1]), (bbox[i][2],bbox[i][3]), color, 2)

    cv2.putText(img, label, (bbox[i][0],bbox[i][1]-10), cv2.FONT_HERSHEY_SIMPLEX, 0.5, color, 2)

return img
```

```
def detect_common_objects(image, confidence=0.5, nms_thresh=0.3):
```

```
    Height, Width = image.shape[:2]
```

```
    scale = 0.00392
```

```
    global classes
```

```
    global dest_dir
```

#all the weights and the neural network algorithm are already preconfigured

#as we are using YOLO

#this part of the script just downloads the YOLO files

```
config_file_name = 'yolov3.cfg'
```

```
config_file_abs_path = dest_dir + os.path.sep + config_file_name
```

```
weights_file_name = 'yolov3.weights'
```

```
weights_file_abs_path = dest_dir + os.path.sep + weights_file_name
```

```
url = 'https://github.com/Nico31415/Drowning-Detector/raw/master/yolov3.cfg'
```

```
if not os.path.exists(config_file_abs_path):
```

```
    download_file(url=url, file_name=config_file_name, dest_dir=dest_dir)
```

```
url = 'https://pjreddie.com/media/files/yolov3.weights'
```

```
if not os.path.exists(weights_file_abs_path):
```

```
    download_file(url=url, file_name=weights_file_name, dest_dir=dest_dir)
```

```
global initialize
```

global net

if initialize:

 classes = populate_class_labels()

net = cv2.dnn.readNet(weights_file_abs_path, config_file_abs_path)

 initialize = False

blob = cv2.dnn.blobFromImage(image, scale, (416,416), (0,0,0), True, crop=False)

net.setInput(blob)

outs = net.forward(get_output_layers(net))

class_ids = []

confidences = []

boxes = []

for out in outs:

 for detection in out:

 scores = detection[5:]

 class_id = np.argmax(scores)

 max_conf = scores[class_id]

 if max_conf > confidence:

 center_x = int(detection[0] * Width)

 center_y = int(detection[1] * Height)

 w = int(detection[2] * Width)

 h = int(detection[3] * Height)

 x = center_x - w / 2

 y = center_y - h / 2

 class_ids.append(class_id)

 confidences.append(float(max_conf))

 boxes.append([x, y, w, h])

 indices = cv2.dnn.NMSBoxes(boxes, confidences, confidence, nms_thresh)

 bbox = [] label = []

conf = []

```
for i in indices:
    i = i[0]
    box = boxes[i]
    x = box[0]
    y = box[1]
    w = box[2]
    h = box[3]
    bbox.append([round(x), round(y), round(x+w), round(y+h)])
    label.append(str(classes[class_ids[i]]))
    conf.append(confidences[i])

return bbox, label, conf
```