



DEPLOY ON KUBERNETES

Create a Kubernetes cluster


- Sign in to your [IBM Cloud Dashboard](#).
- Open **IBM Kubernetes Service**.




- Click **Create Cluster**.



- Select the **Region** where you want to deploy the cluster, type in a **name** for your cluster, then click **Create Cluster**.
- Select the appropriate cluster type depending on your account.
- It takes some time for the cluster to get ready (around 30 minutes).



- Once the cluster is ready, click on your cluster's name and you will be redirected to a new page with information about your cluster and worker node.



- Click on the **Worker Nodes** tab to note the cluster's Public IP.

The screenshot shows the IBM Cloud Kubernetes dashboard for a cluster named 'mycluster-free'. The 'Worker nodes' tab is selected, displaying a table of worker nodes. The table has columns: Name, Status, Worker pool, Zone, Private IP, Public IP, and Version. One worker node is listed with ID '000000b6', Status 'Provisioning', Worker pool 'default', Zone 'Milan 01', and Public IP '1.24.6.1541'. The dashboard also includes a sidebar with navigation options like Overview, Worker nodes, Worker pools, and DevOps. A top navigation bar shows the cluster name 'mycluster-free' and its status 'Preparing master, workers...'. A right sidebar contains a 'Help' section with links like 'Log in to your cluster', 'Deploy your app', and 'Troubleshoot'.

Name	Status	Worker pool	Zone	Private IP	Public IP	Version
000000b6	Provisioning	default	Milan 01		1.24.6.1541	