

## Sending Alert Message

<b>Date</b>	:	17 November 2022
<b>Team ID</b>	:	PNT2022TMID29475
<b>Project Name</b>	:	Emerging Methods For Early Detection of Forest Fires

Download the dataset

[Download Dataset](#)

## Import the necessary libraries

```
import tensorflow as tf
import numpy as np
from tensorflow import keras
import os
import cv2
from tensorflow.keras.preprocessing.image import ImageDataGenerator
from tensorflow.keras.preprocessing import image
import matplotlib.pyplot as plt
```

```
[ ] from google.colab import drive
    drive.mount('/content/drive')
```

Mounted at /content/drive

```
!unzip "/content/archive.zip"
```

```
Archive: /content/archive.zip
inflating: Dataset/Dataset/test_set/forest/0.48007200_1530881924_final_forest.jpg
inflating: Dataset/Dataset/test_set/forest/0.64133000_1519374442_forest_deep.jpg
inflating: Dataset/Dataset/test_set/forest/0.72918000_1559733279_forests1_gettyimages_.jpg
inflating: Dataset/Dataset/test_set/forest/0.98884800_1554454572_spin.jpg
inflating: Dataset/Dataset/test_set/forest/01_NeilBurnell_Mystical_photoverticall.jpg
inflating: Dataset/Dataset/test_set/forest/091318_LH_forest_loss_main_FREE.jpg
inflating: Dataset/Dataset/test_set/forest/1009821.jpg
inflating: Dataset/Dataset/test_set/forest/111188170_river_in_the_mountain_forest.jpg
inflating: Dataset/Dataset/test_set/forest/1170x500_Ireland_web.jpg
inflating: Dataset/Dataset/test_set/forest/1200px_Mountainarea.jpg
inflating: Dataset/Dataset/test_set/forest/146019.jpg
inflating: Dataset/Dataset/test_set/forest/1506697583544.jpg
inflating: Dataset/Dataset/test_set/forest/1551622076_img_5241.jpg
inflating: Dataset/Dataset/test_set/forest/1551903255_2942.jpg
inflating: Dataset/Dataset/test_set/forest/1556508284pexels_photo_1179229.jpeg
inflating: Dataset/Dataset/test_set/forest/16475617_web1_ForestHealth_VIB_190418_2.jpg
inflating: Dataset/Dataset/test_set/forest/18435324436_6a20e7fc70_k.jpg
inflating: Dataset/Dataset/test_set/forest/1_chimp.jpg
inflating: Dataset/Dataset/test_set/forest/200px_View_of_Lake_Moraine.jpg
inflating: Dataset/Dataset/test_set/forest/2017_10_12_09_01_56.jpg
inflating: Dataset/Dataset/test_set/forest/220px_The_forest_near_Blatets_Vinitsa.JPG
inflating: Dataset/Dataset/test_set/forest/23769_pcbkrdossw_1500310327.jpg
```

## Split into training and test data

```
[ ] train = ImageDataGenerator(rescale=1/255)
    test = ImageDataGenerator(rescale=1/255)

train_dataset = train.flow_from_directory("/content/Dataset/Dataset/train_set",
                                          target_size=(150,150),
                                          batch_size = 32,
                                          class_mode = 'binary')

test_dataset = test.flow_from_directory("/content/Dataset/Dataset/test_set",
                                       target_size=(150,150),
                                       batch_size=32,
                                       class_mode = 'binary')
```

```
Found 436 images belonging to 2 classes.
Found 121 images belonging to 2 classes.
```

```
[ ] test_dataset.class_indices

{'forest': 0, 'with fire': 1}
```

# Create model for CNN

```
[ ] #to define linear initialisation import sequential
    from keras.models import Sequential
    #to add layer import Dense
    from keras.layers import Dense
    #to create convolution kernel import convolution2D
    from keras.layers import Convolution2D
    #import Maxpooling layer
    from keras.layers import MaxPooling2D
    #import flatten layer
    from keras.layers import Flatten
    import warnings
    warnings.filterwarnings('ignore')
```

```
[ ] model = keras.Sequential()
    model.add(keras.layers.Conv2D(32,(3,3),activation='relu',input_shape=(150,150,3)))
    model.add(keras.layers.MaxPool2D(2,2))
    model.add(keras.layers.Conv2D(64,(3,3),activation='relu'))
    model.add(keras.layers.MaxPool2D(2,2))
    model.add(keras.layers.Conv2D(128,(3,3),activation='relu'))
    model.add(keras.layers.MaxPool2D(2,2))
    model.add(keras.layers.Conv2D(128,(3,3),activation='relu'))
    model.add(keras.layers.MaxPool2D(2,2))
    model.add(keras.layers.Flatten())
    model.add(keras.layers.Dense(512,activation='relu'))
    model.add(keras.layers.Dense(1,activation='sigmoid'))
```

## Compile the model

```
[ ] model.compile(loss = 'binary_crossentropy',
                  optimizer = "adam",
                  metrics = ["accuracy"])
```

## Fit the model

```
[ ] r = model.fit(train_dataset, epochs = 5, validation_data = test_dataset)


Epoch 1/5
14/14 [=====] - 43s 3s/step - loss: 0.5613 - accuracy: 0.6766 - val_loss: 0.2961 - val_accuracy: 0.9091
Epoch 2/5
14/14 [=====] - 40s 3s/step - loss: 0.2524 - accuracy: 0.8899 - val_loss: 0.0525 - val_accuracy: 0.9917
Epoch 3/5
14/14 [=====] - 37s 3s/step - loss: 0.1955 - accuracy: 0.9174 - val_loss: 0.1793 - val_accuracy: 0.9174
Epoch 4/5
14/14 [=====] - 37s 3s/step - loss: 0.1645 - accuracy: 0.9312 - val_loss: 0.0480 - val_accuracy: 1.0000
Epoch 5/5
14/14 [=====] - 37s 3s/step - loss: 0.1285 - accuracy: 0.9518 - val_loss: 0.0196 - val_accuracy: 1.0000
```

## Predictions

```
[ ] predictions = model.predict(test_dataset)
    predictions = np.round(predictions)
```

```
4/4 [=====] - 6s 1s/step
```

---

 predictions



```
[0.],
[1.],
[0.],
[0.],
[1.],
[0.],
[0.],
[1.],
[0.],
[1.],
[0.],
[1.],
[0.],
[0.],
[0.],
[0.],
[0.],
[1.],
[1.],
[0.],
[0.]
```

```
[ ] print(len(predictions))
```

```
121
```

## Save the model

```
[ ] model.save("/content/forest1.h5")
```

---

## Predicting the images

```
▶ #import load_model from keras.model
from keras.models import load_model
#import image class from keras
import tensorflow as tf
from tensorflow.keras.preprocessing import image
#import numpy
import numpy as np
#import cv2
import cv2
```


```
[ ] model = load_model("/content/forest1.h5")
```

```
[ ] def predictImage(filename):
    img1 = image.load_img(filename,target_size=(150,150))
    plt.imshow(img1)
    Y = image.img_to_array(img1)
    X = np.expand_dims(Y,axis=0)
    val = model.predict(X)
    print(val)
    if val == 1:
        plt.xlabel("Fire",fontsize=30)
    elif val == 0:
        plt.xlabel("No Fire",fontsize=30)
```

```
[ ] predictImage("/content/Dataset/Dataset/test_set/with fire/599857.jpg")
```

```
1/1 [=====] - 0s 96ms/step
```


```
[[1.]]
```



Fire

```
[ ] predictImage("/content/Dataset/Dataset/test_set/forest/1009821.jpg")
```


```
1/1 [=====] - 0s 34ms/step  
[[0.]]
```



No Fire

```
[ ] predictImage("/content/Dataset/Dataset/train_set/with fire/with fire (104).jpg")
```

```
1/1 [=====] - 0s 34ms/step  
[[1.]]
```




Fire



```
[ ] predictImage("/content/Dataset/Dataset/train_set/forest/with_fire (111).jpg")
```

```
1/1 [=====] - 0s 38ms/step  
[[0.]]
```



No Fire

## Pip install twilio

```
pip install twilio
```

```
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab-wheels/public/simple/  
Collecting twilio  
  Downloading twilio-7.15.2-py2.py3-none-any.whl (1.4 MB)  
    |#####| 1.4 MB 5.2 MB/s  
Requirement already satisfied: pytz in /usr/local/lib/python3.7/dist-packages (from twilio) (2022.6)  
Collecting PyJWT<3.0.0,>=2.0.0  
  Downloading PyJWT-2.6.0-py3-none-any.whl (20 kB)  
Requirement already satisfied: requests>=2.0.0 in /usr/local/lib/python3.7/dist-packages (from twilio) (2.23.0)  
Requirement already satisfied: idna<3,>=2.5 in /usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (2.10)  
Requirement already satisfied: chardet<4,>=3.0.2 in /usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (3.0.4)  
Requirement already satisfied: urllib3!=1.25.0,!>1.25.1,<1.26,>=1.21.1 in /usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (1.25.11)  
Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (2022.9.24)  
Installing collected packages: PyJWT, twilio  
Successfully installed PyJWT-2.6.0 twilio-7.15.2
```

## Pip install playsound

```
[ ] pip install playsound
```

```
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab-wheels/public/simple/  
Collecting playsound  
  Downloading playsound-1.3.0.tar.gz (7.7 kB)  
Building wheels for collected packages: playsound  
  Building wheel for playsound (setup.py) ... done  
  Created wheel for playsound: filename=playsound-1.3.0-py3-none-any.whl size=7035 sha256=1174df3785342b80c9f5b5d4a515a849acd7b795c04ec87a88c895684f8:  
  Stored in directory: /root/.cache/pip/wheels/ba/f8/bb/ea57c0146b664dca3a0ada4199b0ecb5f9dfcb7b7e22b65ba2  
Successfully built playsound  
Installing collected packages: playsound  
Successfully installed playsound-1.3.0
```

# OpenCV for video processing

```
▶ #import opencv library
import cv2
import numpy
import numpy as np
#import image function from keras
from keras.preprocessing import image
#import load_model from keras
from keras.models import load_model
#import client from twilio API
from twilio.rest import Client
#import playsound package
from playsound import playsound
```

WARNING:playsound:playsound is relying on another python subprocess. Please use `pip install pygobject` if you want playsound to run more efficiently

```
[ ] #load the saved model
model = load_model(r'/content/forest1.h5')
#define video
video = cv2.VideoCapture('/content/No fire video testing.mp4')
#define the features
name = ['forest','with forest']
```

## Sending alert message

```
▶ account_sid = 'AC2d64cab8606f25324a644047ba9cbb34'
auth_token = '615fd973852e30c1fffe52fad572d250'
client = Client(account_sid, auth_token)

message = client.messages \
    .create(
        body='Forest fire is detected , stay alert',
        from_='+13149485411',
        to='+919500269540'
    )

print(message.sid)
print('Fire Detected')
print('SMS sent!')
```

SMe5c22057e505ead1ebbae53dda624868  
Fire Detected  
SMS sent!





503501



Friday • 9:30 PM

🔗 OTP • [Change category](#)



Your Twilio verification code is:  
351849

8:16 AM

Sent from your Twilio trial account  
- Forest Fire is detected,stay alert



Sent from your Twilio trial account  
- Forest Fire is detected,stay alert



Sent from your Twilio trial account  
- Forest Fire is detected,stay alert

Sent from your Twilio trial account  
- Forest Fire is detected,stay alert

Sent from your Twilio trial account  
- Forest Fire is detected,stay alert



Sent from your Twilio trial account  
- Forest Fire is detected,stay alert



Sent from your Twilio trial account  
- Forest fire is detected , stay alert

1 min • via airtel



Text (airtel)



```
[ ] from tensorflow.keras.preprocessing import image
```

```
▶ while(1):
    success, frame=video.read()
    cv2.imread("/content/Dataset/Dataset/test_set/with fire/Wild_fires.jpg",frame)
    img=image.load_img("/content/Dataset/Dataset/test_set/forest/1551622076_img_5241.jpg",target_size=(150,150))
    test_dataset=image.img_to_array(img)
    test_dataset=np.expand_dims(test_dataset,axis=0)
    predictions=model.predict(test_dataset)
    p=predictions[0]
    print(predictions)
    #cv2.putText(frame, "predicted class = "+str(name[p], (50,50),cv2.FONT_HERSHEY_SIMPLEX, 1, (0,0,0), 1))
    if predictions[0]==1:
        #twilio account ssid
        account_sid='AC2d64cab8606f25324a644047ba9cbb34'
        #twilio account authentication token
        auth_token = '615fd973852e30c1fffe52fad572d250'
        client=Client(account_sid,auth_token)

        message=client.messages \
            .create(
                body='Forest Fire is detected,stay alert',
```

```
        #use twilio free number
        from_='+13149485411',
        #to number
        to='+919500269540')
    print(message.sid)
    print('Fire Detected')
    print('SMS sent!')
    # playsound('../tornado-siren-in-streamwood-il-35510.mp3')
else:
    print('No Danger')
    #break
cv2.imshow("image",frame)
#if cv2.waitKey(1) & 0xFF == ord('a'):
    # break
video.release()
cv2.destroyAllWindows()
```

```
1/1 [=====] - 0s 35ms/step
[[0.]]
No Danger
1/1 [=====] - 0s 43ms/step
[[0.]]
```

