

Create Node-RED Service

TEAM ID :	PNT2022TMID48141
PROJECT NAME :	PERSONAL ASSISTANCE FOR SENIORS WHO ARE SELF-RELIANT

```
node-red
Microsoft Windows [Version 10.0.22621.661]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Kemya J>node-red
15 Nov 22:02:13 - [info]

Welcome to Node-RED
=====

15 Nov 22:02:13 - [info] Node-RED version: v3.0.2
15 Nov 22:02:13 - [info] Node.js version: v18.12.1
15 Nov 22:02:13 - [info] Windows_NT 10.0.22621 x64 LE
15 Nov 22:02:15 - [info] Loading palette nodes
15 Nov 22:02:16 - [info] Settings file : C:\Users\Kemya J\.node-red\settings.js
15 Nov 22:02:16 - [info] Context store : 'default' [module=memory]
15 Nov 22:02:16 - [info] User directory : \Users\Kemya J\.node-red
15 Nov 22:02:16 - [warn] Projects disabled : editorTheme.projects.enabled=false
15 Nov 22:02:16 - [info] Flows file : \Users\Kemya J\.node-red\flows.json
15 Nov 22:02:16 - [info] Creating new flow file
15 Nov 22:02:16 - [warn]

-----
Your flow credentials file is encrypted using a system-generated key.

If the system-generated key is lost for any reason, your credentials
file will not be recoverable, you will have to delete it and re-enter
your credentials.

You should set your own key using the 'credentialSecret' option in
your settings file. Node-RED will then re-encrypt your credentials
file using your chosen key the next time you deploy a change.
-----

15 Nov 22:02:16 - [warn] Encrypted credentials not found
15 Nov 22:02:16 - [info] Server now running at http://127.0.0.1:1880/
15 Nov 22:02:16 - [info] Starting flows
15 Nov 22:02:16 - [info] Started flows
```

IBM Cloud

Search resources and products...

Catalog

Manage

Kemya J's Account

?

Catalog / Create app /

Node-RED

About

Create

App details

App name

Node RED PLXUL 2022-11-15

Accept the default name, or enter a value between 2 and 128 characters.

Resource group

Default

Tags

Examples: env:dev, version-1

Platform

☒ Node.js

ASK A QUESTION

IBM Cloud

Search resources and products...

Catalog

Manage

Kemya J's Account

?

[Resource list](#) / [App details](#) /

Node RED PLXUL 2022-11-15

Actions...

Details

App URL

You must deploy your app first

Source

Download code

Resource group

Default

Deployment target

You must deploy your app first

Created

11/15/2022

Services

Cloudant

Provisioning service credentials

Connect existing services

Create service

Deployment Automation

Configure Continuous Delivery

Continuous Delivery is not enabled for this app. Enable Continuous Delivery to automate builds, tests, and deployments through Delivery Pipeline, GitLab, and more.

Deploy your app

ASK A QUESTION

IBM Cloud

Search resources and products...

Catalog

Manage

Kemya J's Account

?

[Resource list](#) / [App details](#) /

Node RED PLXUL 2022-11-15

Select the deployment target

Configure the DevOps toolchain

Deployment Automation

Select your deployment target and configure your DevOps toolchain. After you click **Create**, the toolchain is created, and the deployment process is started automatically.

Deployment target

Kubernetes Service

IBM

Deploy, scale, and manage your containerized application workloads to highly available clusters.

Red Hat OpenShift

IBM

Deploy your apps on highly available clusters that come installed with Red Hat OpenShift on IBM Cloud.

Cloud Foundry

IBM

Deploy and run your applications without managing servers or clusters. A Lite plan is available for quick and easy deployment.

Getting started with apps

Step 1. Select the deployment target

Select your deployment target, and then provide the configuration information.

IBM Cloud Foundry

Cloud Foundry is the premier industry standard Platform-as-a-Service (PaaS) that ensures fast, easy, and reliable deployment of cloud-native apps. Cloud Foundry ensures that the build and deploy aspects of coding remain carefully coordinated with any attached services — resulting in quick, consistent and reliable iterating of applications. Cloud Foundry has a Lite plan that allows quick deployments for testing purposes.

Before you begin

- If your account doesn't have a Cloud Foundry org, you must create one.

[Create org.](#)

ASK A QUESTION

