

## Assignment -4

Assignment Date	01 november 2022
Student Name	Charan yalla
Student Roll Number	111419104123
Maximum Marks	2 Marks

### Question:

Write code and connections in wokwi for ultrasonic sensor. Whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events. Upload document with wokwi share link and images of ibm cloud.

### Solution:

The screenshot displays the Wokwi IDE interface. On the left, the code for `esp32-blink.ino` is shown, which includes the following code:

```
1 #include <WiFi.h>
2 #include <WiFiClient.h>
3 #include <PubSubClient.h>
4 const int trigPin = 5;
5 const int echoPin = 18;
6 //define sound speed in cm/uS
7 #define SOUND_SPEED 0.034
8 #define CM_TO_INCH 0.393701
9 long duration;
10 float distanceCm;
11 float distanceInch;
12
13
14 void callback(char* subscribetopic, byte* payload, unsigned int payloadLength)
15 //-----credentials of IBM Accounts-----
16
17 #define ORG "ghq3wv"//IBM ORGANITION ID
18 #define DEVICE_TYPE "Boobalani"//Device type mentioned in ibm watson IOT Platf
19 #define DEVICE_ID "2001"//Device ID mentioned in ibm watson IOT Platform
20 #define TOKEN "(hyT84+@H8rmM(SULM" //Token
21 String data3;
22
23
24
25 //----- Customise the above values -----
26 char server[] = ORG ".messaging.internetofthings.ibmcloud.com";// Server Name
27 char publishTopic[] = "iot-2/evt/Data/fmt/json";// topic name and type of even
28 char subscribetopic[] = "iot-2/cmd/test/fmt/String";// cmd REPRESENT command
29 char authMethod[] = "use-token-auth";// authentication method
```

On the right, the simulation window shows an ESP32 microcontroller connected to an HC-SR04 ultrasonic sensor. The sensor's output is displayed in the console:

```
Distance (inch): 85.41
Sending payload: {"Distance (cm)":216.94}
Publish ok
Distance (cm): 216.94
Distance (inch): 85.41
Sending payload: {"Distance (cm)":216.94}
Publish ok
```

Images of ibm cloud:

