Project Development Phase Sprint-1 Source code

Date	1 November 2022
Team ID	PNT2022TMID14173
Project Name	VirtualEye - Life Guard For Swimming Pools To Detect Active Drowning
Maximum Marks	8 Marks

Index.php

```
<?php
  session_start();
 if (isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: welcome.php");
die();
 }
 include 'config.php';
  msg = "";
 if (isset($_GET['verification'])) {
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE
code='{$_GET['verification']}'")) > 0) {
     $query = mysqli_query($conn, "UPDATE users SET code=" WHERE
code='{$_GET['verification']}'");
     if ($query) {
       $msg = "<div class='alert alert-success'>Account verification has been successfully
completed.</div>";
     }
   } else {
     header("Location: index.php");
   }
 }
 if (isset($_POST['submit'])) {
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));
    $sql = "SELECT * FROM users WHERE email='{$email}' AND password='{$password}'";
    $result = mysqli_query($conn, $sql);
```

```
if (mysqli_num_rows($result) === 1) {
     $row = mysqli_fetch_assoc($result);
     if (empty($row['code'])) {
       $_SESSION['SESSION_EMAIL'] = $email;
header("Location: welcome.php");
    } else {
       $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
   } else {
     $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";
 }
<!DOCTYPE html>
<html lang="zxx">
<head>
 <title>Login Form - SWIMMER</title>
 <!-- Meta tag Keywords -->
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <meta charset="UTF-8" />
<meta name="keywords"
content="Login Form" /> <!--
//Meta tag Keywords -->
 k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
 <!--/Style-CSS -->
 CSS -->
 <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
 <!-- form section start -->
 <section class="w3l-mockup-form">
   <div class="container">
     <!-- /form -->
     <div class="workinghny-form-grid">
       <div class="main-mockup">
         <div class="alert-close">
           <span class="fa fa-close"></span>
         </div>
```

```
<div class="w3l_form align-self">
           <div class="left_grid_info">
             <img src="images/image.png" alt="">
           </div>
         </div>
         <div class="content-wthree">
           <h2>Login Now</h2>
           <?php echo $msg; ?>
           <form action="" method="post">
             <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>
             <input type="password" class="password" name="password" placeholder="Enter
Your Password" style="margin-bottom: 2px;" required>
             <a href="forgot-password.php" style="margin-bottom: 15px; display: block;</p>
textalign: right;">Forgot Password?</a>
             <button name="submit" name="submit" class="btn" type="submit">Login</button>
           </form>
           <div class="social-icons">
             Create Account! <a href="register.php">Register</a>.
           </div>
         </div>
       </div>
     </div>
     <!-- //form -->
   </div>
 </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
   $(document).ready(function(c){
     $('.alert-close').on('click', function (c) {
       $('.main-mockup').fadeOut('slow', function (c) {
         $('.main-mockup').remove();
       });
     });
   });
 </script>
</body>
</html>
Register.php
<!-- Code by Brave Coder - https://youtube.com/BraveCoder -->
<?php
 //Import PHPMailer classes into the global namespace
 //These must be at the top of your script, not inside a function
```

```
use PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
 use PHPMailer\PHPMailer\Exception;
 session_start();
 if (isset($_SESSION['SESSION_EMAIL'])) {
   header("Location: welcome.php");
die();
 }
 //Load Composer's autoloader
 require 'vendor/autoload.php';
 include 'config.php';
 $msg = "";
 if (isset($_POST['submit'])) {
   $name = mysqli_real_escape_string($conn, $_POST['name']);
   $email = mysqli_real_escape_string($conn, $_POST['email']);
   $password = mysqli_real_escape_string($conn, md5($_POST['password']));
   $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
   $code = mysqli_real_escape_string($conn, md5(rand()));
   if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{$email}'")) >
0){
     $msg = "<div class='alert alert-danger'>{$email} - This email address has been already
exists.</div>";
   } else {
     if ($password === $confirm_password) {
       $sql = "INSERT INTO users (name, email, password, code) VALUES ('{$name}', '{$email}',
'{$password}', '{$code}')";
       $result = mysqli_query($conn, $sql);
       if ($result) {
         echo "<div style='display: none;'>";
         //Create an instance; passing `true` enables exceptions
         $mail = new PHPMailer(true);
         try {
           //Server settings
           $mail->SMTPDebug = SMTP::DEBUG_SERVER;
                                                                  //Enable verbose debug
output
                                                 //Send using SMTP
           $mail->isSMTP();
           $mail->Host
                          = 'smtp.gmail.com';
                                                       //Set the SMTP server to send through
                                                     //Enable SMTP authentication
           $mail->SMTPAuth = true;
           $mail->Username = 'lifeguardswimmer09@gmail.com';
                                                                          //SMTP username
           $mail->Password = 'hzkmubwirgaohyyr';
                                                                  //SMTP password
           $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
                                                                       //Enable implicit TLS
encryption
```

```
//TCP port to connect to; use 587 if you have
           mail->Port = 465;
set `SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`
           //Recipients
           $mail->setFrom('lifeguardswimmer09@gmail.com');
           $mail->addAddress($email);
           //Content
           $mail->isHTML(true);
                                                  //Set email format to HTML
           $mail->Subject = 'no reply';
           $mail->Body = 'Here is the verification link <b><a</pre>
href="http://localhost/login/?verification='.$code.'">LINK</a></b>';
           $mail->send();
           echo 'Message has been sent';
         } catch (Exception $e) {
           echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
         echo "</div>";
         $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
       } else {
         $msg = "<div class='alert alert-danger'>Something wrong went.</div>";
       }
     } else {
       $msg = "<div class='alert alert-danger'>Password and Confirm Password do not
match</div>";
     }
 }
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - swimmer</title>
 <!-- Meta tag Keywords -->
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <meta charset="UTF-8"/>
<meta name="keywords"
content="Login Form" /> <!--
//Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
 <!--/Style-CSS -->
 k rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//Style-</pre>
CSS -->
```

```
<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
 <!-- form section start -->
 <section class="w3l-mockup-form">
   <div class="container">
     <!-- /form -->
     <div class="workinghny-form-grid">
       <div class="main-mockup">
         <div class="alert-close">
           <span class="fa fa-close"></span>
         </div>
         <div class="w3l_form align-self">
           <div class="left_grid_info">
             <img src="images/image.png" alt="">
           </div>
         </div>
         <div class="content-wthree">
           <h2>Register Now</h>
           <?php echo $msg; ?>
           <form action="" method="post">
             <input type="text" class="name" name="name" placeholder="Enter Your Name"
value="<?php if (isset($_POST['submit'])) { echo $name; } ?>" required>
             <input type="email" class="email" name="email" placeholder="Enter Your Email"
value="<?php if (isset($_POST['submit'])) { echo $email; } ?>" required>
             <input type="password" class="password" name="password" placeholder="Enter
Your Password" required>
             <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
             <button name="submit" class="btn" type="submit">Register</button>
           </form>
           <div class="social-icons">
             Have an account! <a href="index.php">Login</a>.
           </div>
         </div>
       </div>
     </div>
     <!-- //form -->
   </div>
 </section>
 <!-- //form section start -->
 <script src="js/jquery.min.js"></script>
 <script>
   $(document).ready(function (c) {
     $('.alert-close').on('click', function (c) {
```

```
$('.main-mockup').fadeOut('slow', function (c) {
         $('.main-mockup').remove();
       });
     });
   });
  </script>
</body>
</html>
Logout.php
<?php
session_start(); session_unset();
session_destroy();
header("Location: index.php");
Welcome.php
<?php
 session_start();
  if (!isset($_SESSION['SESSION_EMAIL'])) {
header("Location: index.php");
                                  die();
 }
 include 'config.php';
 $query = mysqli_query($conn, "SELECT * FROM users WHERE
email='{$_SESSION['SESSION_EMAIL']}'");
  if (mysqli_num_rows($query) > 0) {
$row = mysqli_fetch_assoc($query);
   echo "Welcome". $row['name']." <a href='logout.php'>Logout</a>";
?>
Forgotpassword.php
<!-- Code by Brave Coder - https://youtube.com/BraveCoder -->
<?php
```

```
session_start(); if
(isset($_SESSION['SESSION_EMAIL'])) {
 header("Location: welcome.php");
die();
}
//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function
use PHPMailer\PHPMailer; use
PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;
//Load Composer's autoloader
require 'vendor/autoload.php';
include 'config.php';
$msg = "";
if (isset($_POST['submit'])) {
 $email = mysqli_real_escape_string($conn, $_POST['email']);
 $code = mysqli_real_escape_string($conn, md5(rand()));
 if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{$email}'")) > 0)
{
   $query = mysqli_query($conn, "UPDATE users SET code='{$code}' WHERE email='{$email}'");
   if ($query) {
     echo "<div style='display: none;'>";
     //Create an instance; passing `true` enables exceptions
     $mail = new PHPMailer(true);
     try {
       //Server settings
       $mail->SMTPDebug = SMTP::DEBUG_SERVER;
                                                             //Enable verbose debug output
       $mail->isSMTP();
                                            //Send using SMTP
       $mail->Host
                    = 'smtp.gmail.com';
                                                  //Set the SMTP server to send through
                                                 //Enable SMTP authentication
       $mail->SMTPAuth = true;
       $mail->Username = 'lifeguardswimmer09@gmail.com';
                                                                      //SMTP username
       $mail->Password = 'hzkmubwirgaohyyr';
                                                                     //SMTP password
$mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
                                                                 //Enable implicit TLS
encryption
                                             //TCP port to connect to; use 587 if you have set
       mail->Port = 465;
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`
       //Recipients
       $mail->setFrom('lifeguardswimmer09@gmail.com');
       $mail->addAddress($email);
       //Content
       $mail->isHTML(true);
                                            //Set email format to HTML
```

```
$mail->Subject = 'no reply';
       $mail->Body = 'Here is the verification link <b><a</pre>
href="http://localhost/login/changepassword.php?reset='.$code.'">reset password</a></b>';
       $mail->send();
       echo 'Message has been sent';
     } catch (Exception $e) {
       echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
     echo "</div>";
     $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
 } else {
   $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";
}
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - SWIMMER</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8" />
          name="keywords"
<meta
content="Login Form" />
<!-- //Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  </pre
CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
   <div class="container">
     <!-- /form -->
     <div class="workinghny-form-grid">
       <div class="main-mockup">
```

```
<div class="alert-close">
            <span class="fa fa-close"></span>
          </div>
         <div class="w3l_form align-self">
           <div class="left_grid_info">
              <img src="images/image.png" alt="">
           </div>
         </div>
          <div class="content-wthree">
            <h2>Forgot Password</h2>
           <?php echo $msg; ?>
           <form action="" method="post">
              <input type="email" class="email" name="email" placeholder="Enter Your Email"</pre>
required>
              <button name="submit" class="btn" type="submit">Send Reset Link</button>
           </form>
            <div class="social-icons">
              Back to! <a href="index.php">Login</a>.
           </div>
          </div>
        </div>
      </div>
      <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
     $('.alert-close').on('click', function (c) {
        $('.main-mockup').fadeOut('slow', function (c) {
         $('.main-mockup').remove();
       });
     });
   });
  </script>
</body>
</html>
Changepassword.php
```

<?php

\$msg = "";

```
include 'config.php';
if (isset($_GET['reset'])) {
  if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE
code='{$_GET['reset']}'")) > 0) { if (isset($_POST['submit'])) {
      $password = mysqli_real_escape_string($conn, md5($_POST['password']));
      $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
     if ($password === $confirm_password) {
        $query = mysqli query($conn, "UPDATE users SET password='{$password}', code=" WHERE
code='{$_GET['reset']}'");
       if ($query) {
         header("Location: index.php");
       }
     } else {
        $msg = "<div class='alert alert-danger'>Password and Confirm Password do not
match.</div>";
     }
   }
 } else {
    $msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";
} else {
 header("Location: forgot-password.php");
}
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - SWIMMER</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8" />
<meta name="keywords"
content="Login Form" /> <!--
//Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//Style-</pre>
CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
```

```
</head>
<body>
 <!-- form section start -->
 <section class="w3l-mockup-form">
   <div class="container">
     <!-- /form -->
     <div class="workinghny-form-grid">
       <div class="main-mockup">
         <div class="alert-close">
           <span class="fa fa-close"></span>
         </div>
         <div class="w3l_form align-self">
           <div class="left_grid_info">
             <img src="images/image.png" alt="">
           </div>
         </div>
         <div class="content-wthree">
           <h2>Change Password</h2>
           <?php echo $msg; ?>
           <form action="" method="post">
             <input type="password" class="password" name="password" placeholder="Enter
Your Password" required>
             <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
             <button name="submit" class="btn" type="submit">Change Password</button>
           </form>
           <div class="social-icons">
             Back to! <a href="index.php">Login</a>.
           </div>
         </div>
       </div>
     </div>
     <!-- //form -->
   </div>
 </section>
  <!-- //form section start -->
 <script src="js/jquery.min.js"></script>
 <script>
   $(document).ready(function (c) {
     $('.alert-close').on('click', function (c) {
       $('.main-mockup').fadeOut('slow', function (c) {
         $('.main-mockup').remove();
       });
     });
   });
 </script>
```

```
</body>
</html>
Style.css
html {
  scroll-behavior: smooth;
}
body, html
{margin: 0;
padding: 0;
  font-family: 'Poppins', sans-serif;
}
  box-sizing: border-box;
}
.d-grid
{ display:
grid;
}
.d-flex
{ display:
flex;
  display: -webkit-flex;
}
.text-center { text-
align: center;
}
.text-left { text-
align: left;
.text-right {
              text-
align: right;
}
button,
input, select
{
  -webkit-appearance: none;
outline: none; font-family:
'Poppins', sans-serif;
```

```
button, .btn,
select { cursor:
pointer;
a { text-decoration:
none;
}
img {
  max-width: 100%;
}
ul
{ margin:
0;
padding: 0
}
h1, h2, h3,
h4, h5, h6, p
{ margin:
0;
  padding: 0
p { color: #666;
font-size: 16px;
line-height: 25px;
opacity: .6;
}
.p-relative
{ position:
relative;
}
.p-absolute
{ position:
absolute;
}
.p-fixed
  \{ \ position:
  fixed;
}
.p-sticky
{ position:
sticky;
```

.btn, button, .actionbg, input {border-radius: 4px; webkit-border-radius: 4px; -moz-border-radius: 4px;

```
-o-border-radius: 4px;
  -ms-border-radius: 4px;
}
.btn:hover, button:hover
{ transition: 0.5s ease; -
webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}
/*-- wrapper start --*/
.wrapper { width:
100%; padding-
right: 15px;
padding-left: 15px;
margin-right: auto;
  margin-left: auto;
}
@media (min-width: 576px) {
  .wrapper {
                 max-
width: 540px;
  }
}
@media (min-width: 768px) {
  .wrapper {
                 max-
width: 720px;
  }
}
@media (min-width: 992px) {
  .wrapper {
                 max-
width: 960px;
  }
}
@media (min-width: 1200px) {
  .wrapper {
                 max-
width: 1140px;
  }
}
.wrapper-full
{ width: 100%;
padding-right: 15px;
padding-left: 15px;
margin-right: auto;
  margin-left: auto;
```

```
}
/*-- //wrapper start --*/
/*-- form styling --*/ .w3l-mockup-form
  position: relative; min-
height: 100vh;
  z-index: 0;
  background: rgba(99, 194, 110, 0.1);
padding: 40px 40px;
}
.container { max-
width: 890px;
  margin: 0 auto;
}
.w3l_form { padding:
0px;
                flex-
basis: 50%;
  -webkit-flex-basis: 50%;
background: #42c4fea6; padding:
100px 50px; border-top-left-
radius: 8px; border-bottom-left-
radius: 8px;
  display: flex; justify-
content: center;
  align-items: center;
}
.content-wthree { flex-
basis: 60%; -webkit-flex-
basis: 60%; box-sizing:
border-box; padding:
3em 3.5em; background:
#fff;
  box-shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1); border-top-right-
radius: 8px;
  border-bottom-right-radius: 8px;
.w3l-workinghny-form.logo { text-
align: center;
}
.w3l-mockup-form.main-mockup
  {position: relative;
display: -webkit-box;
display: -moz-box;
display: -ms-flexbox;
```

```
display: -webkit-flex;
display: flex; margin:
40px 0;
.w3l-mockup-form .alert-close
{cursor: pointer; height: 35px;
width: 35px; line-height:
35px; position: absolute;
right: -5px; top: -5px;
background: #42c4fea6;
border-radius: 50px; color:
#fff; text-align: center;
}
.w3l-mockup-form form { margin-
top: 30px;
  margin-bottom: 30px;
.social-icons { text-
align: center;
}
.w3l-mockup-form h1 {
text-align: center; font-size:
40px; font-weight: 500;
  color: #3b3663;
}
.w3l-mockup-form h2
{ display: inline-block; font-
size: 25px; line-height:
35px; margin-bottom: 5px;
font-weight: 600;
  color: #3b3663;
}
 .w3l-mockup-form input
  {outline: none; margin-
bottom: 15px; font-size:
16px; color: #999; text-
align: left; padding: 14px
20px; width: 100%;
display: inline-block; box-
sizing: border-box; border:
none; outline: none;
background: transparent;
border: 1px solid #e5e5e5;
transition: 0.3s all ease;
}
```

```
.w3l-mockup-form input:focus
  {border-color: #42c4fea6;
.w3l-mockup-form button
{ font-size: 18px;
                       color:
#fff; width: 100%;
       background:
#42c4fea6; border: none;
padding: 14px 15px; font-
weight: 500; transition: .3s
ease; -webkit-transition:.3s
ease;
  -moz-transition: .3s ease;
  -ms-transition: .3s ease;
  -o-transition: .3s ease;
}
.w3l-mockup-form button:hover
{background: #42c4fea6;
}
.w3l-mockup-form .social-icons ul li
  {list-style: none;
  display: inline-block;
}
.w3l-mockup-form .social-icons ul li a
  {padding: 8px;
}
.w3l-mockup-form .social-icons ul li a:hover
  {opacity: 0.8; transition:
0.5s ease; -webkit-
transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}
.w3l-mockup-form .social-icons ul span.fa
{color: #696687; font-size: 18px;
opacity: .8;
.w3l-mockup-form .social-icons ul li a.facebook span
{color: #3b5998;
}
.w3l-mockup-form .social-icons ul li a.twitter span
  {color: #1da1f2;
```

```
}
.w3l-mockup-form .social-icons ul li a.pinterest span
{color: #e60023;
}
.copyright p {text-
align: center; font-
size: 17px; line-
height: 26px; color:
#607863; opacity: 1;
p.copy-footer-29 a
  {color: #517856;
p.copy-footer-29 a:hover
{ color: #42c4fea6; transition:
0.5s ease; -webkit-
transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}
.alert {
  padding: 1rem; border-
radius: 5px; color: white;
  margin: 1rem 0;
}
.alert-success { background-
color: #42c4fea6;
.alert-danger { background-
color: #fc5555;
.alert-info { background-
color: #2E9AFE;
}
.alert-warning {
                 background-
color: #ff9966;
}
/*-- responsive design --*/
```

```
@media (max-width:736px) { .w3l-
mockup-form .main-mockup { flex-
direction: column;
 }
  .w3l_form {
                 order: 2;
padding: 50px;
                  border-radius:
0;
      border-bottom-left-radius:
8px;
    border-bottom-right-radius: 8px;
 }
  .content-wthree {
                       order:
1;
      border-radius: 0;
border-top-left-radius: 8px;
    border-top-right-radius: 8px;
 }
}
@media (max-width:568px) {
.w3l-mockup-form
                     {font-
size: 30px;
  .w3l-mockup-form.main-mockup
{margin: 30px 0;
 }
  .content-wthree
    { padding:
    2.5em;
 }
}
@media (max-width: 415px) { .w3l-mockup-
form {
    padding: 40px 30px;
 }
}
@media (max-width:384px) { .w3l-mockup-
form {
    padding: 30px 15px;
  }
  .content-wthree
    {padding: 2em;
  }
  .w3l-mockup-form h1 {
                            font-
```

```
size: 28px;
```

```
.w3l-mockup-form h2 {
                           font-
size: 22px;
   line-height: 32px;
  }
  .copyright p
    { font-size:
    16px;
}
/*-- //responsive design --*/
/*-- //form styling --*/
Login.sql
-- phpMyAdmin SQL Dump
-- version 5.1.1
-- https://www.phpmyadmin.net/
-- Host: 127.0.0.1
-- Generation Time: Aug 14, 2021 at 07:07 PM
-- Server version: 10.4.20-MariaDB
-- PHP Version: 8.0.9
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS*/;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
-- Database: `login`
-- Table structure for table 'users'
CREATE TABLE `users` (
 'id' int(11) NOT NULL,
 'name' varchar(255) NOT NULL,
 'email' varchar(255) NOT NULL,
 'password' varchar(255) NOT NULL,
```

`code` text NOT NULL

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

--
-- Indexes for dumped tables
--
-- Indexes for table `users`
--
-- ALTER TABLE `users`
ADD PRIMARY KEY (`id`);

--
-- AUTO_INCREMENT for dumped tables
--
--
-- AUTO_INCREMENT for table `users`
--
-- ALTER TABLE `users`
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT*/;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS*/;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION*/;
```