

Smart Waste Management System For Metropolitan Cities

Team Id:PNT2022TMID50389

CREATE NODE-RED SERVICE

The screenshot shows the IBM Cloud Developer console interface. The browser address bar displays the URL: `cloud.ibm.com/developer/appservice/apps/3c9b58ab-3352-4457-8278-feb73c353e37`. The page title is "Node RED BTZCV 2022-11-05". The navigation bar includes "IBM Cloud", a search bar, and links for "Catalog", "Manage", and "Aruna devi A's Account". The main content area shows a progress bar with two steps: "Select the deployment target" (completed) and "Configure the DevOps toolchain" (active). Below the progress bar, the heading "Configure the DevOps toolchain" is followed by the instruction: "Give your toolchain a name and select the region to create your toolchain in." There are two input fields: "DevOps toolchain name" with the value "NodeREDBTZCV2022-11-05" and "Region" with the value "Dallas". A "Back" button and a "Create" button are at the bottom left. A "Getting started with apps" card is on the right, and an "ASK A QUESTION" button is at the bottom right.

cloud.ibm.com/developer/appservice/apps/3c9b58ab-3352-4457-8278-feb73c353e37

IBM Cloud Search resources and products... Catalog Manage Aruna devi A's Account

Resource list / App details /

Node RED BTZCV 2022-11-05

Select the deployment target Configure the DevOps toolchain

Configure the DevOps toolchain

Give your toolchain a name and select the region to create your toolchain in.

DevOps toolchain name

NodeREDBTZCV2022-11-05

Accept the default name, or enter a value up to 100 characters.

Region

Dallas

Back Create

Getting started with apps

ASK A QUESTION

IBM Cloud Developer Portal interface showing details for a Node-RED instance.

Details

App URL	https://node-red-ttzc-2022-11-05.au-syd.mybluemix.net
Source	https://au-syd.git.cloud.ibm.com/952319106004/NodeRED...
Resource group	Default
Deployment target	Node RED 0TZCV 2022-11-05
Created	11/5/2022

Services

Cloudant

[Open dashboard](#) [Documentation](#) [API reference](#)

[Credentials](#)

[Connect existing services](#) [Create service](#)

Deployment Automation

Name	NodeRED6TZCV2022-11-05
Location	Sydney
Tool integrations	

Delivery Pipelines



Name	ci-pipeline
Status	Success
Name	pr-pipeline
Status	No stages detected

Node-RED instance landing page on IBM Cloud.

Welcome to your new Node-RED instance on IBM Cloud

We know you're eager to start wiring up your flows, but first there are a couple of tasks you should do:

- Secure your Node-RED editor
- Learn how to install additional nodes



cloud.ibm.com/developer/appservice/apps/3c9b58ab-3352-4457-8278-feb73c353e37

IBM Cloud

Search resources and products...

Catalog

Manage

Aruna devi A's Account

Update

Resource list / App details /

Node RED BTZCV 2022-11-05

Select the deployment target

Configure the DevOps toolchain

Configure the DevOps toolchain

Give your toolchain a name and select the region to create your toolchain in.

DevOps toolchain name

NodeREDBTZCV2022-11-05

Accept the default name, or enter a value up to 100 characters.

Region

Dallas


Back

Create

Getting started with apps

ASK A QUESTION





Customising your instance of Node-RED

This instance of Node-RED is enough to get you started creating flows.

You may want to customise it for your needs, for example replacing this introduction page with your own, adding http authentication to the flow editor or adding new nodes to the palette.

