


PERQUISITE

Team Id: PNT2022TMID50380

IBM – CLOUD ACCOUNT CREATION:



PYTHON INSTALLATION:

```
C:\Users\HP>pip install ibm-cos-sdk
Collecting ibm-cos-sdk
  Using cached ibm-cos-sdk-2.12.0.tar.gz (55 kB)
  Preparing metadata (setup.py) ... done
Collecting ibm-cos-sdk-core==2.12.0
  Downloading ibm-cos-sdk-core-2.12.0.tar.gz (956 kB)
    ----- 956.8/956.8 kB 46.9 kB/s eta 0:00:00
  Preparing metadata (setup.py) ... done
Collecting ibm-cos-sdk-s3transfer==2.12.0
  Downloading ibm-cos-sdk-s3transfer-2.12.0.tar.gz (135 kB)
    ----- 135.7/135.7 kB 47.8 kB/s eta 0:00:00
  Preparing metadata (setup.py) ... done
Collecting jmespath<1.0.0,>=0.10.0
  Downloading jmespath-0.10.0-py2.py3-none-any.whl (24 kB)
Collecting python-dateutil<3.0.0,>=2.8.2
  Downloading python_dateutil-2.8.2-py3-none-any.whl (247 kB)
    ----- 247.7/247.7 kB 65.0 kB/s eta 0:00:00
Collecting requests<3.0.0,>=2.27.1
  Downloading requests-2.28.1-py3-none-any.whl (62 kB)
    ----- 62.8/62.8 kB 26.1 kB/s eta 0:00:00
Collecting urllib3<1.27,>=1.26.9
  Downloading urllib3-1.26.12-py2.py3-none-any.whl (140 kB)
    ----- 140.4/140.4 kB 54.1 kB/s eta 0:00:00
Collecting six>=1.5
  Downloading six-1.16.0-py2.py3-none-any.whl (11 kB)
Collecting charset-normalizer<3,>=2
  Downloading charset-normalizer-2.1.1-py3-none-any.whl (39 kB)
Collecting certifi<2022.9.24-py3-none-any.whl (161 kB)
    ----- 161.1/161.1 kB 94.7 kB/s eta 0:00:00
Collecting idna<4,>=2.5
  Downloading idna-3.4-py3-none-any.whl (61 kB)
    ----- 61.5/61.5 kB 84.2 kB/s eta 0:00:00
Building wheels for collected packages: ibm-cos-sdk, ibm-cos-sdk-core, ibm-cos-sdk-s3transfer
  Building wheel for ibm-cos-sdk (setup.py) ... done
  Created wheel for ibm-cos-sdk: filename=ibm_cos_sdk-2.12.0-py3-none-any.whl size=73910 sha256=9c7e1265f10b1b44986ba3445d1a6d7b1a431f54f857ec00b6b8fa7ffcc6b0f
  Stored in directory: c:\users\hp\appdata\local\pip\cache\wheels\53\89\fd\ef16b3874af57e2253ee18a43804db6879c3aa22c58d91b82
  Building wheel for ibm-cos-sdk-core (setup.py) ... done
  Created wheel for ibm-cos-sdk-core: filename=ibm_cos_sdk_core-2.12.0-py3-none-any.whl size=562947 sha256=cbf907d52e34a11c96ed9787ad487f3d2dc45fc5876684e425bbfca9e0be9680
  Stored in directory: c:\users\hp\appdata\local\pip\cache\wheels\72\24\c4\b930b91571fe120c206726f2055a26c95ae9fa323763d42b63
  Building wheel for ibm-cos-sdk-s3transfer (setup.py) ... done
  Created wheel for ibm-cos-sdk-s3transfer: filename=ibm_cos_sdk_s3transfer-2.12.0-py3-none-any.whl size=89765 sha256=7b3a7a9c204f507a329289d5560a6626bc3e991b7e6a850a61eab3455e265365
  Stored in directory: c:\users\hp\appdata\local\pip\cache\wheels\3f\bf\b6\4c1886ed276886342eab42be15f0c0ac136d2dd9fb86b6aa8
Successfully built ibm-cos-sdk ibm-cos-sdk-core ibm-cos-sdk-s3transfer
Installing collected packages: urllib3, six, jmespath, idna, charset-normalizer, certifi, requests, python-dateutil, ibm-cos-sdk-core, ibm-cos-sdk-s3transfer, ibm-cos-sdk
Successfully installed certifi-2022.9.24 charset-normalizer-2.1.1 ibm-cos-sdk-2.12.0 ibm-cos-sdk-core-2.12.0 ibm-cos-sdk-s3transfer-2.12.0 idna-3.4 jmespath-0.10.0 python-dateutil-2.8.2 requests-2.28.1 six-1.16.0 urllib3-1.26.12
C:\Users\HP>
```

```
C:\Users\HP>pip install resources
Collecting resources
  Downloading resources-0.0.1.tar.gz (3.7 kB)
  Preparing metadata (setup.py) ... done
Building wheels for collected packages: resources
  Building wheel for resources (setup.py) ... done
  Created wheel for resources: filename=resources-0.0.1-py3-none-any.whl size=4349 sha256=432fa8af2f440f4ed44723d1c26659eae96f6e6013940f81a432203322fccce0
  Stored in directory: c:\users\hp\appdata\local\pip\cache\wheels\47\ab\06\76a30850b09cfa89a39a89f2b736ef6891d5d5a5fb53e3ab2f
Successfully built resources
Installing collected packages: resources
Successfully installed resources-0.0.1
```

```
C:\Users\HP>pip install cloudant
Collecting cloudant
  Downloading cloudant-2.15.0-py3-none-any.whl (80 kB)
----- 80.5/80.5 kB 33.8 kB/s eta 0:00:00
Requirement already satisfied: requests<3.0.0,>=2.7.0 in c:\python310\lib\site-packages (from cloudant) (2.28.1)
Requirement already satisfied: charset-normalizer<3,>=2 in c:\python310\lib\site-packages (from requests<3.0.0,>=2.7.0->cloudant) (2.1.1)
Requirement already satisfied: idna<4,>=2.5 in c:\python310\lib\site-packages (from requests<3.0.0,>=2.7.0->cloudant) (3.4)
Requirement already satisfied: urllib3<1.27,>=1.21.1 in c:\python310\lib\site-packages (from requests<3.0.0,>=2.7.0->cloudant) (1.26.12)
Requirement already satisfied: certifi>=2017.4.17 in c:\python310\lib\site-packages (from requests<3.0.0,>=2.7.0->cloudant) (2022.9.24)
Installing collected packages: cloudant
Successfully installed cloudant-2.15.0
```

C:\Users\HP>


C:\Windows\system32\cmd.exe

```
C:\Users\HP>pip install boto3
Collecting boto3
  Using cached boto3-1.26.0-py3-none-any.whl (132 kB)
Requirement already satisfied: jmespath<2.0.0,>=0.7.1 in c:\python310\lib\site-packages (from boto3) (0.10.0)
Collecting s3transfer<0.7.0,>=0.6.0
  Using cached s3transfer-0.6.0-py3-none-any.whl (79 kB)
Collecting botocore<1.30.0,>=1.29.0
  Downloading botocore-1.29.0-py3-none-any.whl (9.8 MB)
----- 9.8/9.8 MB 111.5 kB/s eta 0:00:00
Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in c:\python310\lib\site-packages (from botocore<1.30.0,>=1.29.0->boto3) (2.8.2)
Requirement already satisfied: urllib3<1.27,>=1.25.4 in c:\python310\lib\site-packages (from botocore<1.30.0,>=1.29.0->boto3) (1.26.12)
Requirement already satisfied: six>=1.5 in c:\python310\lib\site-packages (from python-dateutil<3.0.0,>=2.1->botocore<1.30.0,>=1.29.0->boto3) (1.16.0)
Installing collected packages: botocore, s3transfer, boto3
Successfully installed boto3-1.26.0 botocore-1.29.0 s3transfer-0.6.0
```

C:\Users\HP>

```
C:\Users\HP>pip install -U ibm-cos-sdk
Requirement already satisfied: ibm-cos-sdk in c:\python310\lib\site-packages (2.12.0)
Requirement already satisfied: ibm-cos-sdk-core==2.12.0 in c:\python310\lib\site-packages (from ibm-cos-sdk) (2.12.0)
Requirement already satisfied: jmespath<1.0.0,>=0.10.0 in c:\python310\lib\site-packages (from ibm-cos-sdk) (0.10.0)
Requirement already satisfied: ibm-cos-sdk-s3transfer==2.12.0 in c:\python310\lib\site-packages (from ibm-cos-sdk) (2.12.0)
Requirement already satisfied: python-dateutil<3.0.0,>=2.8.2 in c:\python310\lib\site-packages (from ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (2.8.2)
Requirement already satisfied: requests<3.0,>=2.27.1 in c:\python310\lib\site-packages (from ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (2.28.1)
Requirement already satisfied: urllib3<1.27,>=1.26.9 in c:\python310\lib\site-packages (from ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (1.26.12)
Requirement already satisfied: six>=1.5 in c:\python310\lib\site-packages (from python-dateutil<3.0.0,>=2.8.2->ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (1.16.0)
Requirement already satisfied: certifi>=2017.4.17 in c:\python310\lib\site-packages (from requests<3.0,>=2.27.1->ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (2022.9.24)
Requirement already satisfied: charset-normalizer<3,>=2 in c:\python310\lib\site-packages (from requests<3.0,>=2.27.1->ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (2.1.1)
Requirement already satisfied: idna<4,>=2.5 in c:\python310\lib\site-packages (from requests<3.0,>=2.27.1->ibm-cos-sdk-core==2.12.0->ibm-cos-sdk) (3.4)
```

ACCOUNT CREATION IN CLARIF:



The image shows the Clarifai account creation page. On the left, a blue sidebar contains a network diagram with nodes for 'Share models with members', 'Browse 1000s of pretrained models', and 'Best AI resources in one place'. Below the diagram, it says 'Keep exploring!' and 'Be sure to continue to browse Clarifai Community for new models and workflows added daily.' with an 'Explore now' button. The main area is white and titled 'Get Started with a Free Account'. It contains a form with fields for 'First Name' (Abirami), 'Last Name' (Pavisya S), 'Email' (abiramipavisya@gmail.com), and 'Password' (abirami12@). Below the form is a checkbox for 'I agree to Clarifai Terms of Service and have read and acknowledge the Privacy Policy' and a reCAPTCHA 'I'm not a robot' widget. A blue 'Sign up for free' button is at the bottom.

portal.clarifai.com/signup

clarifai

Get Started with a Free Account

First Name: Abirami

Last Name: Pavisya S


Email: abiramipavisya@gmail.com

Password: abirami12@

☒ I agree to [Clarifai Terms of Service](#) and have read and acknowledge the [Privacy Policy](#).

☒ I'm not a robot

[Sign up for free](#)



The image shows the Clarifai Applications page. The left sidebar has a 'CREATE APPLICATION' button and a list of applications. The main area shows a list of applications, with the first one being 'my-first-application' (ID: 6eab23a6b04f4552b0afcd54de2e879) created on November 2, 2022. A red banner at the top says 'Important: Please check your email inbox and verify your email address before continuing to use our services, including the API and operations.' The right sidebar has a 'What's New' section with three items: 'Marketplace Model: ASR model of noisy telephone data: Wav2Vec2-Large-Robust fine-tuned on Switchboard', 'Marketplace Model: ASR models of less common languages', and 'Platform-Object Model: Added'.

portal.clarifai.com/users/ki0f9vbb8uom/apps

CREATE APPLICATION

Applications 1

Important: Please check your email inbox and verify your email address before continuing to use our services, including the API and operations.

ID: 6eab23a6b04f4552b0afcd54de2e879

my-first-application

Created at: November 2, 2022

What's New

NOVEMBER 30, 2021

Marketplace Model: ASR model of noisy telephone data: Wav2Vec2-Large-Robust fine-tuned on Switchboard

Facebook's Wav2Vec2 is a fine-tuned version of the wav2vec2-large-robust model.

NOVEMBER 30, 2021

Marketplace Model: ASR models of less common languages

The base model was pre-trained on 16kHz sampled speech audio. When using the model, make sure that your speech input is also sampled at 16Khz. Note that you should fine-tune this model on a downstream task, like Automatic Speech Recognition.

NOVEMBER 30, 2021

Platform-Object Model: Added