



Setting Up Application Environment Create Sendgrid Account

Team ID	PNT2022TMID43847
Project Name	Customer Care Registry

Step 1: Open Sendgrid account and Create API



Step 2: Set Environmental Variable using "API KEY" and pip install sendgrid in cmd



```
Command Prompt
Microsoft Windows [Version 10.0.19044.2251]
(c) Microsoft Corporation. All rights reserved.

C:\Users\PRANAV CHANTH>setx SENDGRID_API_KEY "SG.fyr7eZkFTMemkuOKxbTXQ.CYv6loujnyYIbGfclyMAAZQ5_FPDkcUVJnK0UHz0ZBB"

SUCCESS: Specified value was saved.

C:\Users\PRANAV CHANTH>pip install sendgrid
Defaulting to user installation because normal site-packages is not writeable
Collecting sendgrid
  Downloading sendgrid-6.9.7-py3-none-any.whl (181 kB)
    ..... 181.1/181.1 kB 648.7 kB/s eta 0:00:00
Collecting python-http-client>=3.2.1
  Downloading python_http_client-3.3.7-py3-none-any.whl (8.4 kB)
Collecting starkbank-ecdsa>=2.0.1
  Downloading starkbank-ecdsa-2.2.0.tar.gz (14 kB)
  Preparing metadata (setup.py) ... done
Installing collected packages: starkbank-ecdsa, python-http-client, sendgrid
  WARNING: starkbank-ecdsa is being installed using the legacy 'setup.py install' method, because it does not have a 'pyproject.toml' and the 'wheel' package is not installed. pip 23.1 will enforce this behaviour change. A possible replacement is to enable the '--use-pep517' option. Discussion can be found at https://github.com/pypa/pip/issues/8559
  Running setup.py install for starkbank-ecdsa ... done
Successfully installed python-http-client-3.3.7 sendgrid-6.9.7 starkbank-ecdsa-2.2.0

[notice] A new release of pip available: 22.3 -> 22.3.1
[notice] To update, run: python.exe -m pip install --upgrade pip


C:\Users\PRANAV CHANTH>
```

Step 3: Integrate Sendgrid using Python code and Test with mail ids and run in cmd

```
SendGridIntegration.py - C:\Users\PRANAV CHANTH\Downloads\SendGridIntegration.py (3.11.0)
File Edit Format Run Options Window Help


import sendgrid
import os
from sendgrid.helpers.mail import *

sg = sendgrid.SendGridAPIClient(api_key=os.environ.get('SENDGRID_API_KEY'))
from_email = Email("anusteebs40@gmail.com")
to_email = To("anusteebs40@gmail.com")
subject = "Sending with SendGrid"
content = Content("text/plain", "SendGrid Integrated With Python Successfully!")
mail = Mail(from_email, to_email, subject, content)
response = sg.client.mail.send_post(request_body=mail.get())
print(response.status_code)
print(response.body)
print(response.headers)
```



```
Python 3.11.0 (main, Oct 24 2022, 19:26:48) [MSC v.1933 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: C:\Users\FRAHAV\Downloads\SendGridIntegration.py =====
202
b''
Server: nginx
Date: Tue, 15 Nov 2022 15:09:59 GMT
Content-Length: 0
Connection: close
X-Message-Id: WJUTEIXPQgKntknhvH2TA
Access-Control-Allow-Origin: https://sendgrid.api-docs.io
Access-Control-Allow-Methods: POST
Access-Control-Allow-Headers: Authorization, Content-Type, On-behalf-of, x-sg-elas-acl
Access-Control-Max-Age: 400
X-No-CORS-Reason: https://sendgrid.com/docs/classroom/basics/API/coxa.html
Strict-Transport-Security: max-age=600; includeSubDomains
>>>
```

Output:



Sendgrid email API integrated with python Successfully

