## **Built HTML Code**

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="utf-8">
 <meta content="width=device-width, initial-scale=1.0"</pre>
name="viewport">
 <title>Banking Bot</title>
 <meta content="" name="description">
 <meta content="" name="keywords">
 <!-- Favicons -->
 <link href="assets/img/favicon.png" rel="icon">
 <link href="assets/img/apple-touch-icon.png" rel="apple-</pre>
touch-icon">
 <!-- Google Fonts -->
 k
href="https://fonts.googleapis.com/css?family=Open+Sans:3"
```

00,300i,400,400i,600,600i,700,700i|Raleway:300,300i,400,40 0i,500,500i,600,600i,700,700i|Poppins:300,300i,400,400i,50 0,500i,600,600i,700,700i" rel="stylesheet">

```
<!-- Vendor CSS Files -->
 <link href="static/assets/vendor/aos/aos.css"</pre>
rel="stylesheet">
 k
href="static/assets/vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
 <link href="static/assets/vendor/bootstrap-icons/bootstrap-</pre>
icons.css" rel="stylesheet">
 k
href="static/assets/vendor/boxicons/css/boxicons.min.css"
rel="stylesheet">
 k
href="static/assets/vendor/glightbox/css/glightbox.min.css"
rel="stylesheet">
 <link href="static/assets/vendor/remixicon/remixicon.css"</pre>
rel="stylesheet">
 <link href="static/assets/vendor/swiper/swiper-</pre>
bundle.min.css" rel="stylesheet">
 <!-- Template Main CSS File -->
```

```
<link rel="stylesheet" href="{{ url_for('static',</pre>
filename='css/style.css') }}">
</head>
<script>
 window.watsonAssistantChatOptions = {
  integrationID: "9fb52c3c-6dd7-4dcf-8503-68aac771b519",
// The ID of this integration.
  region: "us-south", // The region your integration is hosted
in.
  serviceInstanceID: "18e4734c-3629-48a6-bd30-
76ef4e2dbe86", // The ID of your service instance.
  onLoad: function(instance) { instance.render(); }
 };
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | |
'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
 });
```

```
</script>
 <!-- ===== Header ===== -->
 <header id="header" class="fixed-top ">
  <div class="container d-flex align-items-center justify-
content-lg-between">
   <h1 class="logo me-auto me-lg-0"><a
href="index.html">Bot<span>.</span></a></h1>
   <!-- Uncomment below if you prefer to use an image logo
-->
   <nav id="navbar" class="navbar order-last order-lg-0">
    ul>
     <a class="nav-link scrollto active"</li>
href="#hero">Home</a>
     <a class="nav-link scrollto"
href="#about">About</a>
     <a class="nav-link scrollto"
href="#services">Services</a>
     <a class="nav-link scrollto"
href="#team">Team</a>
     <a class="nav-link scrollto"
href="#contact">Contact</a>
```

```
<i class="bi bi-list mobile-nav-toggle"></i>
   </nav><!-- .navbar -->
   <nav id="navbar2" class="navbar order-last order-lg-0">
    ul>
     <a class="nav-link scrollto"
href="#hero">Loan</a>
     <a class="nav-link scrollto"
href="#about">24/7</a>
     <a class="nav-link scrollto" href="#services">Net</a>
Banking</a>
     <a class="nav-link scrollto"
href="#team">Transactions</a>
     <a class="nav-link scrollto"
href="#contact">Queries</a>
    <i class="bi bi-list mobile-nav-toggle"></i>
   </nav>
   <a href="#about" class="get-started-btn scrollto">Sign
up</a>
   <a href="#about" class="get-started-btn scrollto">Sign
in</a>
```

```
</div>
 </header><!-- End Header -->
 <!-- ===== Hero Section ====== -->
 <section id="hero" class="d-flex align-items-center justify-</pre>
content-center">
  <div class="container" data-aos="fade-up">
   <div class="row justify-content-center" data-aos="fade-</pre>
up" data-aos-delay="150">
    <div class="col-xl-6 col-lg-8">
     <h1>AI Based Discourse for Banking
Industry<span>.</span></h1> </br>
     <h2>An integrated chatbot
                  Click icon to open Chatbot </h2></div>
     </br>
    </div>
   </div>
    </div>
```

```
<!--<div class="row gy-4 mt-5 justify-content-center"
data-aos="zoom-in" data-aos-delay="250">
    <div class="col-xl-2 col-md-4">
     <div class="icon-box">
      <i class="ri-store-line"></i>
      <h3><a href="">Loan</a></h3>
     </div>
    </div>
    <div class="col-xl-2 col-md-4">
     <div class="icon-box">
      <i class="ri-bar-chart-box-line"></i>
      <h3><a href="">Net-Banking</a></h3>
     </div>
    </div>
    <div class="col-xl-2 col-md-4">
     <div class="icon-box">
      <i class="ri-calendar-todo-line"></i>
      <h3><a href="">24*7 </a></h3>
     </div>
    </div>
    <div class="col-xl-2 col-md-4">
     <div class="icon-box">
```

```
<i class="ri-paint-brush-line"></i>
      <h3><a href="">Locker</a></h3>
     </div>
    </div>
    <div class="col-xl-2 col-md-4">
     <div class="icon-box">
      <i class="ri-database-2-line"></i>
      <h3><a href="">Data Security</a></h3>
     </div>
    </div>
   </div>
  </div>-->
 </section><!-- End Hero -->
 <div id="preloader"></div>
 <a href="#" class="back-to-top d-flex align-items-center"
justify-content-center"><i class="bi bi-arrow-up-
short"></i></a>
 <!--Vendor JS Files -->
```

```
<script
src="static/assets/vendor/purecounter/purecounter vanilla.j
s"></script>
 <script src="static/assets/vendor/aos/aos.js"></script>
 <script
src="static/assets/vendor/bootstrap/js/bootstrap.bundle.min
.js"></script>
 <script
src="static/assets/vendor/glightbox/js/glightbox.min.js"></sc</pre>
ript>
 <script src="static/assets/vendor/isotope-</pre>
layout/isotope.pkgd.min.js"></script>
 <script src="static/assets/vendor/swiper/swiper-</pre>
bundle.min.js"></script>
 <script src="static/assets/vendor/php-email-</pre>
form/validate.js"></script>
 <!-- Template Main JS File -->
 <script src="static/assets/js/main.js"></script>
</body>
</html>
```