


ASSIGNMENT 3

NAME	JAMUNA
Team ID	PNT2022TMID44777
Project NAME	NUTRITIONASSISTANTAPPLICATION


1. Create a bucket in IBM object storage



The screenshot shows the IBM Cloud Object Storage 'Buckets' page. The left sidebar contains navigation links: Cloud Object Storage, Storage instances, Cloud Object Storage-yp, Buckets (selected), Integrations, Endpoints, Usage details, Service credentials, Connections, and Plan. The main content area is titled 'Buckets' and includes a description: 'Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.' Below this is a table with columns: Name, Public access, Location, Storage class, and Created. A 'Create bucket' button is in the top right. The table lists two buckets: 'cloud-object-storage-yp-cos-standard-mfp' (Public access: No, Location: jp-tok, Storage class: Smart Tier, Created: 2022-10-28 3:50 PM) and 'cloudobj007' (Public access: No, Location: jp-tok, Storage class: Smart Tier, Created: 2022-11-07 11:00 AM). A blue chat icon is in the bottom right corner.

Name	Public access	Location	Storage class	Created
cloud-object-storage-yp-cos-standard-mfp	No	jp-tok	Smart Tier	2022-10-28 3:50 PM
cloudobj007	No	jp-tok	Smart Tier	2022-11-07 11:00 AM

2. Upload 5 images to IBM object storage and make it public. write html code to displaying all the 5 images.




This screenshot is similar to the previous one, but the 'Public access' for the 'cloudobj007' bucket has been updated to 'Yes'. The 'Create bucket' button is still present in the top right. The table now shows: 'cloud-object-storage-yp-cos-standard-mfp' (Public access: No) and 'cloudobj007' (Public access: Yes, Location: jp-tok, Storage class: Smart Tier, Created: 2022-11-07 11:00 AM). The blue chat icon remains in the bottom right corner.

Name	Public access	Location	Storage class	Created
cloud-object-storage-yp-cos-standard-mfp	No	jp-tok	Smart Tier	2022-10-28 3:50 PM
cloudobj007	Yes	jp-tok	Smart Tier	2022-11-07 11:00 AM

```

1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>Assignment 3</title>
5  </head>
6  <body>
7      <h1>Assignment 3</h1>
8      
9      <br>
10     
11     <br>
12     
13     <br>
14     
15     <br>
16     
17     <br>
18 </body>
19 </html>

```



3.Upload a CSS page to the object storage and use the same page in your HTML code.

```


1  body{
2      background-color:#15940b;
3  }
4  h1{
5      background-color: lightblue;
6      color: black;
7      padding: 20px;
8      text-align: center;
9  }

```

```

1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>Assignment 3</title>
5      <link rel="stylesheet" type="text/css" href="https://cloudobj007.s3.jp-tok.cloud-object-storage.appdomain.cloud/template.css">
6  </head>
7  <body>
8      <h1 id="Header">Assignment 3</h1>
9      
10     <br>
11     
12     <br>
13     
14     <br>
15     
16     <br>
17     
18     <br>
19
20 </body>
21 </html>

```



4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment. & Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

