Project Development Phase Project Development Delivery of Sprint 3

Date	16 November 2022
Team ID	PNT2022TMID44776
Project Name	Project - Signs with smart connectivity for Better road safety
Marks	8 Marks

Signs with smart connectivity for Better road safety

Objective:

- >> Write a python code for print the random temperature, Road signs, Speed limit, Message
- >> Simulate and Generate the data
- >> Display the published data in IBM Watson IOT Platform

Code for print the random temperature, Road signs, Speed limit, Message:

(RandomValues.py)

```
import wiotp.sdk.device
import time
import random
import ibmiotf.application
import ibmiotf.device
import requests, json
myConfig = {
    #Configuration
    "identity": {
        "orgId": "dh6erm",
        "typeId": "NodeMCU",
        "deviceId":"09876"
    },
    #API Key
    "auth": {
        "token": "12345678"
    }
}
#Receiving callbacks from IBM IOT platform
def myCommandCallback(cmd):
    print("Message received from IBM IoT Platform: %s" % cmd.data['command'])
    m=cmd.data['command']
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
#OpenWeatherMap Credentials
BASE_URL = "https://api.openweathermap.org/data/2.5/weather?"
CITY = "Salem, IN"
URL = BASE_URL + "q=" + CITY + "&units=metric"+"&appid=" + "f58e4720c739a54c439aba9b05176839"
while True:
```

```
response = requests.get(URL)
   if response.status_code == 200:
      data = response.json()
      main = data['main']
      temperature = main['temp']
      humidity = main['humidity']
      pressure = main['pressure']
      report = data['visibility']
      #messge part
      msg=random.randint(0,5)
      if msg==1:
          message="GO SLOW, SCHOOL / COLLEGE ZONE AHEAD"
      elif msg==2:
          message="NEED HELP, POLICE STATION AHEAD"
      elif msg==3:
          message="EMERGENCY, HOSPITAL NEARBY"
      elif msg==4:
         message="DINE IN, RESTAURENT AVAILABLE"
      elif msg==5:
         message="PETROL BUNK NEARBY"
      else:
         message=""
      #Speed Limit part
      speed=random.randint(0,150)
      if speed>=100:
          speedMsg=" Limit Exceeded"
      elif speed>=60 and speed<100:
          speedMsg="Moderate"else:
           speedMsg="Slow"
      #Diversion part
      sign=random.randint(0,5)
      if sign==1:
          signMsg="Right Diversion"
      elif sign==2:
          signMsg="Speed Breaker"
      elif sign==3:
          signMsg="Left Diversion"
      elif sign==4:
          signmsg="U Turn"
      else:
            signMsg=""
       #Visibility
       if temperature < 24:
           visibility="Fog Ahead, Drive Slow"
       elif temperature < 20:
          visibility="Bad Weather"
      else:
           visibility="Clear Weather"
   else:
       print("Error in the HTTP request")
   myData={'Temperature':temperature, 'Message':message, 'Sign':signMsg, 'Speed':speedMsg,
'Visibility':visibility}
    client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPublish=None)
#PUBLISHING TO IOT WATSON
    print("Published data Successfully: ", myData)
```

```
print("
client.commandCallback = myCommandCallback
    time.sleep(5)
client.disconnect()
```

Python Simulation:

```
RandomValues.py - E:/IBM/Others/Project Development Phase/Sprint 3/RandomValues.py (3.6.5
File Edit Format Run Options Window Help
import wiotp.sdk.device
import time
import random
import ibmiotf.application
import ibmiotf.device
import requests, json
myConfig = {
   #Configuration
   "identity": {
     "orgid": "n6ri9n",
     "typeId": "NodeMCU",
     "deviceId":"621319106312"
   },
   #API Key
   "auth": {
      "token": "9876543210"
 #Receiving callbacks from IBM IOT platform
 def myCommandCallback(cmd):
   print("Message received from IBM IoT Platform: %s" % cmd.data['command'])
   m=cmd.data['command']
```

Import wiotp-sdk & ibmiotf:

```
C:\Users\DHILEEP>pip install wiotp-sdk
MARNING: pip is being invoked by an old script wrapper. This will fail in a future version of pip.
Please see https://github.com/pypa/pyfissues/5599 for advice on fixing the underlying issue.
To avoid this problem you can invoke Python with '-m pip' instead of running pip directly.
Defaulting to user installation because normal site-packages is not writeable
Collecting wiotp-sdk
Downloading wiotp-sdk-0.1.0.epy3-none-any.whl (9.9 kB)
Requirement already satisfied: pytz>-2018.9 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from wiotp-sdk) (2021.3)
Collecting pyyaml>-3.13
Downloading PyYANL-6.8-cp36-cp36m-win amd64.whl (153 kB)
153 kB 2.2 MB/S
Requirement already satisfied: paho-mqtt>-1.5.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from wiotp-sdk) (2.27.1)
Collecting requests toolbelt-0.18.1-py2.py3-none-any.whl (54 kB)
Downloading requests toolbelt-0.18.1-py2.py3-none-any.whl (54 kB)
Requirement already satisfied: charset-normalizer-m2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.21.0->wiotp-sdk) (2.0.12)
Requirement already satisfied: charset-normalizer-m2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.21.0->wiotp-sdk) (2.0.12)
Requirement already satisfied: charset-normalizer-m2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.21.0->wiotp-sdk) (2.0.12)
Requirement already satisfied: charset-normalizer-m2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.21.0->wiotp-sdk) (2.0.12)
Requirement already satisfied: charset-normalizer-m2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.21.0->wiotp-sdk) (2.0.12)
Requirement already satisfied: charset-normalizer-m2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.21.0->wiotp-sdk) (2022.9.24)
Requirement already satisfied: charset-normalizer-m2.0.0 in c
```

```
C:\Users\DHILEEP>pip install ibmiotf

ARRNING: pip is being invoked by an old script wrapper. This will fail in a future version of pip.

Please see https://github.com/ppya/pip/issues/5599 for advice on fixing the underlying issue.

To avoid this problem you can invoke Python with '-m pip' instead of running pip directly.

Defaulting to user installation because normal site-packages is not writeable

Collecting Ibmiotf

Downloading ibmiotf-04.0.tar.gz (71 kB)

Preparing metadata (setup.py) ... done

Requirement already satisfied: jos0601>-0.1.12 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (2021.3)

Requirement already satisfied: paho-mqtt>-1.3.1 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (2.021.3)

Requirement already satisfied: paho-mqtt>-1.3.1 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (2.07.1)

Requirement already satisfied: requests>>2.18.4 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (2.07.1)

Requirement already satisfied: requests toolbelt>-0.8.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (2.07.1)

Requirement already satisfied: charlis-2017.4.17 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (2.07.1)

Requirement already satisfied: charlis-2017.4.17 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>>2.18.4->ibmiotf) (2.0.12)

Requirement already satisfied: dhac4,>>2.5 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>>2.18.4->ibmiotf) (2.0.12)

Requirement already satisfied: dhac4,>>2.5 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>>2.18.4->ibmiotf) (2.0.12)

Requirement already satisfied: dhac4,>>2.5 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>>2.18.4->ibmiotf) (2.0.12)

Requirement already satisfied: dhac4,>>2.5 in c:\users\dhileep\appdata\roaming\pytho
```

Python IDLE Output:



