

```
<!DOCTYPE html>

<html>

<head>

  <title>Reset</title>

  <meta charset="utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

  <link href="style.css" rel="stylesheet" type="text/css">

  <link rel="stylesheet" href=https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css>

  <link href=https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css rel="stylesheet">

  <script src=https://code.jquery.com/jquery-3.5.1.slim.min.js></script>

</head>

<body>

  <div class="container-fluid">

    <div class="row">

      <!-- IMAGE CONTAINER BEGIN -->

      <div class="col-lg-6 col-md-6 d-none d-md-block infinity-image-container"></div>

      <!-- IMAGE CONTAINER END -->


      <!-- FORM CONTAINER BEGIN -->

      <div class="col-lg-6 col-md-6 infinity-form-container">

        <div class="col-lg-8 col-md-12 col-sm-8 col-xs-12 infinity-form">

          <div class="text-center mb-3 mt-5">

            

          </div>

        <div class="reset-form d-block">

          <form class="reset-password-form px-3">
```

```

<h4 class="mb-3" style="color:#fa6903">Reset Your password</h4>

    <p class="mb-3 text-black">

        Please enter your email address and we will send you a password reset link.

    </p>

    <div class="form-input">

        <span><i class="fa fa-envelope"></i></span>

        <input type="email" name="" placeholder="Email Address" tabinde
x="10"required>

    </div>

    <div class="mb-3">

        <button type="submit" class="btn" >Send Reset Link</button>

    </div>

</form>

</div>

<div class="reset-confirmation d-none px-3">

    <div class="mb-4">

        <h4 class="mb-3">Link was sent</h4>

        <h6 class="text-
white">Please, check your inbox for a password reset link.</h6>

    </div>

    <a href="login.html">

        <button type="submit" class="btn">Login Now</button>

    </a>

    <div>

</div>

</div>

<!--FORM CONTAINER END -->

```

</div>

</div>

<script type="text/javascript">

Function PasswordReset() {

\$(‘form.reset-password-form’).on(‘submit’, function€ {

e.preventDefault();

\$(‘.reset-form’)

.removeClass(‘d-block’)

.addClass(‘d-none’);

\$(‘.reset-confirmation’).addClass(‘d-block’);

});

}

Window.addEventListener(‘load’, function() {

PasswordReset();

});

</script>

</body>

</html>