STEPS TO CREATE IBM DB2 AND CONNECTION WITH PYTHON

Date	2 Nov 2022
Team ID	PNT2022TMID40669
Project Name	Skill/Job Recommender Application

STEP 1: Import the ibm_db Python library:

```
!pip install --force-reinstall ibm_db==3.1.0 ibm_db_sa==0.3.7 import ibm_db
```

STEP 2: Identify the database connection credentials:

STEP 3: Create the DB2 database connection:

```
dsn = (

"DRIVER={0};"

"DATABASE={1};"

"HOSTNAME={2};"

"PORT={3};"

"PROTOCOL={4};"

"UID={5};"

"PWD={6};"

"SECURITY={7};").format(dsn_driver, dsn_database, dsn_hostname, dsn_port, dsn_protocol, dsn_uid, dsn_pwd,dsn_security) print(dsn)

Now establish the connection to the database try:
```

", dsn_	uid, "on host: ", d	sn_hostname)			
except	:				
prin	: ("Unable to conn	ect: ", ibm_db.conr	n_errormsg())		

```
server = ibm_db.server_info(conn)

print ("DBMS_NAME: ", server.DBMS_NAME)

print ("DBMS_VER: ", server.DBMS_VER)

print ("DB_NAME: ", server.DB_NAME)

client = ibm_db.client_info(conn)

print ("DRIVER_NAME: ", client.DRIVER_NAME) print

("DRIVER_VER: ", client.DRIVER_VER) print

("DATA_SOURCE_NAME: ", client.DATA_SOURCE_NAME) print

("DRIVER_ODBC_VER: ", client.DRIVER_ODBC_VER) print

("ODBC_VER: ", client.ODBC_VER)

print ("ODBC_SQL_CONFORMANCE: ", client.ODBC_SQL_CONFORMANCE)

print ("APPL_CODEPAGE: ", client.APPL_CODEPAGE) print

("CONN_CODEPAGE: ", client.CONN_CODEPAGE)
```

STEP 4: Close the Connection:

ibm_db.close(conn)