Python code to publish and subscribe to IBM IOT platform:

```
import wiotp.sdk.device
import time
import os
import datetime
import random
myConfig = {
    "identity": {
       "orgId" :"xcjqgo",
       "typeId":"ESP32",
       "deviceId":"IBM17"
       },
       "auth": {
          "token":"12345678"
          }
   }
client=wiotp.sdk.device.DeviceClient(config=myConfig,logHandlers=None)
client.connect()
def myCommandCallback(cmd):
   print("Message received from IBM IoT platform: %s" % cmd.data ['command'])
```

```
    m=cmd.data['command']
    if(m=="motoron"):
      print("motor is switched on")
    elif(m=="motoroff"):
      print("motor is switched off")
    print(" ")
while True:
    soil=random.randint(0,100)
    temp=random.randint(-20,125)
    hum=random.randint(0,100)

myData={'soil_moisture':soil,'temperature':temp,'humidity':h
um}
    client.publishEvent(eventId="status",msgFormat="json"
,data=myData,qos=0,onPublish=None)
    print("published data successfully: %s",myData)
    time.sleep(2)
    client.commandCallback=myCommandCallback
client.disconnect()
```



```
import wiotp.sdk.device
import time
import os
import datetime
import random
myConfig = {
    "identity": {
        "orgId" :"xcjqgo",
        "typeId":"ESP32",
        "deviceId":"IBM17",
        },
        "auth": {
            "token":"12345678"
            }
    }
client=wiotp.sdk.device.DeviceClient(config=myConfig,logHandlers=None)
client.connect()
def myCommandCallback(cmd):
    print("Message received from IBM IoT platform: %s" % cmd.data ['command'])
    m=cmd.data['command']
    if(m=="motoron"):
        print("motor is switched on")
    elif(m=="motoroff"):
        print("motor is switched off")
    print(" ")
while True:
    soil=random.randint(0,100)
    temp=random.randint(-20,125)
    hum=random.randint(0,100)
    myData={'soil_moisture':soil,'temperature':temp,'humidity':hum}
    client.publishEvent(eventId="status",msgFormat="json" ,data=myData,qos=0,onPublish=None)
    print("published data successfully: %s",myData)
    time.sleep(2)
    client.commandCallback=myCommandCallback
client.disconnect()
```