


### ASSIGNMENT-3

Team Id	PNT2022TMID29528
Student Name	A.Praveena
Project Name	Customer care registry

## QUESTION:1


### 1.Create a Bucket in IBM object storage



## Question-2:

2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images

## ASSIGNMENT-3





The screenshot displays the IBM Cloud Object Storage console interface. The left sidebar shows the navigation menu with options like Cloud Object Storage, Storage instances, Buckets, and Integrations. The main content area shows the details for a bucket named 'customer.1'. A warning message states: 'Warning: All objects in this bucket have public view access.' Below this, a table lists the objects in the bucket:

Object name	Archived	Size	Last modified
215378_Tai Chi.jpg		182.6 KB	2022-11-15 3:48 PM
239490....and.jpg		2.0 MB	2022-11-16 4:59 PM
239962_Lam... d passion.jpg		1.1 MB	2022-11-16 5:02 PM
481606_Cars 10.jpg		1.9 MB	2022-11-16 5:02 PM

The bottom of the image shows the Windows taskbar with various application icons and the system clock indicating 5:46 PM on 11/16/2022.

OUTPUT:

## ASSIGNMENT-3



index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width,
initialscale=1.0">
  <title>customer care registry</title>
```

```

</head>
  <link rel="stylesheet"
href="https://assignment3121.s3.jptok.cloud-
objectstorage.appdomain.cloud/style.css">
  <!-- <script
src="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/
js/materialize.min.js"></script>
-->
  <!-- <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0
/css/materialize.min.css"> -->
  <body>
<style>
img{
  height: 25rem !important;
}
.col{
  height: 25rem !important;
}
</style>
<div class="wrapper">
  <h1>IBM ASSIGNMENT 3</h1>
  <p><center>customer care registry</center></p>
  <div class="img-area">

  
  
  
  
  </div>
<script>
  window.watsonAssistantChatOptions = {

```

```


    integrationID: "cdfd03c8-a733-4b80-91cb-f2f1e34bda17", // The
ID of this integration.  region: "au-syd", // The region your
integration is hosted in.  serviceInstanceID: "ab9b9683-d04e-
4af9-92ed-50ce38ac0c8c", //
The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest')
+ "/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
  });
</script>
</body>
</html>

```

### Question-3:

Upload a css page to the object storage and use the same page in your HTML code

## ASSIGNMENT-3



### CUSTOMER CARE REGISTRY.HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width,
initialscale=1.0">
  <title>customer care registry</title>
</head>
  <link rel="stylesheet"
href="https://assignment3121.s3.jptok.cloud-
objectstorage.appdomain.cloud/style.css">
  <!-- <script
src="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/
js/materialize.min.js"></script>
-->
  <!-- <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0
```

```

/css/materialize.min.css"> -->
  <body>
<style>
img{
  height: 25rem !important;
}
.col{
  height: 25rem !important;
}
</style>
<div class="wrapper">
  <h1>IBM ASSIGNMENT 3</h1>
  <p><center>customer care registry</center></p>
  <div class="img-area">
     

     
  </div> <script>
    window.watsonAssistantChatOptions = {
      integrationID: "cdfd03c8-a733-4b80-91cb-f2f1e34bda17", // The
ID of this integration.
      region: "au-syd", // The region your integration is hosted
in.
      serviceInstanceID: "ab9b9683-d04e-4af9-92ed-50ce38ac0c8c", //
The ID of your service instance.
      onLoad:
function(instance) { instance.render(); }
    };
    setTimeout(function(){

```

```

    const t=document.createElement('script');
    t.src="https://webchat.global.assistant.watson.appdomain.cloud/versions/" +
    (window.watsonAssistantChatOptions.clientVersion || 'latest')
    + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
</body>
</html>

```

### Styles.css:

```

body{
    background-color: rgb(125, 222, 241);

    }      img{
margin:20px;
    border-color: rgb(175, 244, 254);
border-style: solid;      width:300px;
height:250px;
}

```

### QUESTION:4

Chat Bot - Ginger

([https://webchat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageUrl=https %3A%2F% 2Fus-south.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx37ac1e13- ba05-43649892- 9f93f5d59696%3A%3A3e09fc9c-e564-4527bbba16f77749aa43&integrationID=fb6fc2359aa8-428bb2d5-932576f8933a&region=ussouth&serviceInstanceID=37ac1e13-ba05-4364-98929f93f5d59696](https://webchat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageUrl=https%3A%2F%2Fus-south.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx37ac1e13-ba05-43649892-9f93f5d59696%3A%3A3e09fc9c-e564-4527bbba16f77749aa43&integrationID=fb6fc2359aa8-428bb2d5-932576f8933a&region=ussouth&serviceInstanceID=37ac1e13-ba05-4364-98929f93f5d59696))



## ASSIGNMENT-3



### QUESTION: 5

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge"> <meta
name="viewport"                                content="width=device-width,
initialscale=1.0">
```

```

    <title>Sathya Ass-3</title>
</head>
    <link rel="stylesheet"
href="https://assignment3121.s3.jp-tok.cloud-object-
storage.appdomain.cloud/style.css">
    <!-- <script
    src="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.
    0/js/materialize.min.js"></script>
-->
    <!-- <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0
/css/materialize.min.css"> -->
    <body>
    <sty
    le>
    img
    { height: 25rem
    !important;
    }
    .col{ height: 25rem
    !important;
    }
</style>
<div class="wrapper">
    <h1>IBM ASSIGNMENT 3</h1>
    <p><center>Sathya</center></p>
    <div class="img-area">

                            "
        
    
     </div>

```



```

<script>
window.watsonAssistant
ChatOptions = {
  integrationID: "cdfd03c8-a733-4b80-91cbf2f1e34bda17",
  // The ID of this integration.
  region: "au-syd", // The region your integration is
  hosted in. serviceInstanceID: "ab9b9683-d04e-4af9-92ed-
  50ce38ac0c8c", // The ID of your service instance.
  onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest')
+ "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});
</script>
</body>
</html>

```

## ASSIGNMENT-3

### OUTPUT:





## Assignment -3

