SETTING UP APPLICATION ENVIRONMENT

Team ID	PNT2022TMID29528
Project Name	Customer Care Registry

TASK

- 1. Create Flask Project
- 2. Create IBM Cloud Account
- 3. Install IBM Cloud CLI
- 4. Docker CLI Installation
- 5. Create An Account in SendGrid

1.CREATE FLASK PROJECT

```
Ricrosoft Windows [Version 10.0:19044.2130]
(c) Microsoft Corporation. All rights reserved.

C:\WINDOWS\system322ppt-oversion
Python 3.10.0

C:\WINDOWS\system322ppi --version
plp 22.2.2 from c:\Program files\Python310\lib\site-packages\pip (python 3.10)

C:\WINDOWS\system322pp -m pip --version
plp 22.2.2 from c:\Program files\Python310\lib\site-packages\pip (python 3.10)

C:\WINDOWS\system322pp m pip --version
plp 22.2.2 from c:\Program files\Python310\lib\site-packages\pip (python 3.10)

C:\WINDOWS\system322pp m files\Python310\python.exe: No module named flash


C:\WINDOWS\system32pp m flask --version
Python 3.10

C:\WINDOWS\system32pp m flask --version
Python 3.10


C:\WINDOWS\system32pp

C:\WINDOWS\system322

C:\WINDOWS\system322
```



2.CREATE IBM CLOUD ACCOUNT



```
| MSI (c) (DC:18) [18:03:39:233]: Font created. Charset: Req-0, Ret-0, Font: Req-MS Shell Dig, Ret-MS Shell Dig
| MSI (c) (DC:18) [18:03:39:233]: Font created. Charset: Req-0, Ret-0, Font: Req-MS Shell Dig, Ret-MS Shell Dig
| MSI (c) (DC:18) [18:03:39:233]: Font created. Charset: Req-0, Ret-0, Font: Req-MS Shell Dig, Ret-MS Shell Dig
| MSI (c) (DC:18) [18:03:39:233]: Font created. Charset: Req-0, Ret-0, Font: Req-MS Shell Dig, Ret-MS Shell Dig
| MSI (c) (DC:18) [18:03:39:233]: Font created. Charset: Req-0, Ret-0, Font: Req-MS Shell Dig, Ret-MS Shell Dig
| MSI (c) (DC:18) [18:03:39:247]: Resetting cached policy value: Pobug' is 0
| MSI (c) (DC:18) [18:03:39:247]: Resetting cached policy value: Pobug' is 0
| MSI (c) (DC:18) [18:03:39:247]: Resetting cached policy value: Pobug' is 0
| MSI (c) (DC:18) [18:03:39:39:47]: Resetting cached policy value: Pobug' is 0
| MSI (c) (DC:18) [18:03:39:39:47]: Resetting cached policy value: Pobug' is 0
| MSI (c) (DC:18) [18:03:39:39:48]: Cloaking enabled.
| MSI (c) (DC:18) [18:03:39:38:48]: Actempting to enable all disabled privileges before calling Install on Server
| MSI (c) (DC:18) [18:03:39:38:48]: Actempting to enable all disabled privileges before calling Install on Server
| MSI (c) (DC:18) [18:03:39:38:48]: Actempting to enable all disabled privileges before calling Install on Server
| MSI (c) (DC:18) [18:03:39:38:48]: Actempting to enable all disabled privileges before calling Install on Server
| MSI (c) (DC:18) [18:03:39:38:48]: Actempting to enable all disabled privileges before calling Install on Server
| MSI (c) (DC:18) [18:03:39:38:48]: Actempting to enable all disabled privileges before calling Install on Server
| MSI (c) (DC:18) [18:03:39:38:48]: Actempting to enabled |
| MSI (c) (DC:18) [18:03:39:38:48]: Archive plackage - C: (Ulsers VICTOR AppData\Local\Temp\((186AEC&C-8AB1-4111-A148-5435E814BD3F\)\TBM_Cloud_CLI.msi
| MSI (c) (DC:18) [18:03:39:38:48]: APPCOMPAT: Uninstall ProductCode found.
| MSI (c) (DC:18) [18:03:39:38:48]: APPCOMPAT: Uninstall ProductCode fou
```

3.INSTALL IBM CLOUD


```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS D:\IBM project> iex (New-Object Net.WebClient).DownloadString('https://clis.cloud.ibm.com/install/powershell')
Current platform is Win64. Downloading corresponding IBM Cloud CLI...
Download complete. Executing installer...
Install complete. Please restart to make the modification effective.

PS D:\IBM project>
```

4.DOCKER CLI INSTALLATION



5.CREATE AN ACCOUNT IN SENDGRID

