


# Training Machine Learning Model on IBM Watson Studio

TEAM ID: PNT2022TMID40714

## Project - Trip Based Modelling of Fuel Consumption in Modern Fleet Vehicles Using Machine Learning

### 1.Setting up Watson Studio for running Jupyternotebook




The screenshot displays the IBM Watson Studio web interface. The browser address bar shows the URL: `datapatform.cloud.ibm.com/projects/37333529-0c99-480d-9e13-27888b7510b0/assets?context=cpdaas`. The interface includes a top navigation bar with the IBM Watson Studio logo, a search bar, and user account information (Alfiya A's Account, Dallas). Below the navigation bar, the 'Assets' tab is selected, showing a list of assets. The left sidebar indicates '2 assets' and lists 'All assets' and 'Asset types' (Data, Notebooks). The main content area displays a table of assets.

Name	Last modified
CarFuelConsumption Notebook	2 hours ago Modified by you
measurements2.xlsx XLSX	2 hours ago Modified by you

At the bottom of the table, there is a pagination bar showing 'Items per page: 20' and '1-2 of 2 items'.

## 2. Training and saving the model in IBM Watson Machine LearningService



The screenshot displays the IBM Watson Studio interface. The top navigation bar shows the project name 'CarFuelConsumption' and the user 'Alfiya A's Account'. The main workspace contains a Jupyter notebook with the following content:

```
pytorch-onnx_1.1-py3.6 50f95b2a-bc16-43bb-bc94-b0bed208c60b base
autoai-ts_3.9-py3.8 52c57136-80fa-572e-8728-a5e7cbb42cde base
spark-mllib_2.4-scala_2.11 55a70f99-7320-4be5-9fb9-9edb5a443af5 base
spark-mllib_3.0 5c1b0ca2-4977-5c2e-9439-ffd44ea8ffe9 base
autoai-obm_2.0 5c2e37fa-80b8-5e77-840f-d912469614ee base
spss-modeler_18.1 5c3cad7e-507f-4b2a-a9a3-ab53a21dee8b base
cuda-py3.8 5d3232bf-c86b-5df4-a2cd-7bb870a1cd4e base
autoai-kb_3.1-py3.7 632d4b22-10aa-5180-88f0-f52dfb6444d7 base
pytorch-onnx_1.7-py3.8 634d3cdc-b562-5bf9-a2d4-ea90a478456b base
```

Note: Only first 50 records were displayed. To display more use 'limit' parameter.

```
In [80]: #Set Python Version
software_spec_uid = client.software_specifications.get_uid_by_name("runtime-22.1-py3.9")
software_spec_uid

Out[80]: '12b83a17-24d8-5082-900f-0ab31bfd3cb'
```

```
In [81]: model_details = client.repository.store_model(model = linear_reg, meta_props={
    client.repository.ModelMetaNames.NAME: "Fuel_Consumption_Predictor",
    client.repository.ModelMetaNames.TYPE: "scikit-learn_1.0",
    client.repository.ModelMetaNames.SOFTWARE_SPEC_UID: software_spec_uid
})

model_id = client.repository.get_model_id(model_details)

In [82]: model_id

Out[82]: 'fcb1c6ac-70ef-4328-99e0-08ff8383f248'
```

```
In [83]: x_train
```

```
Out[83]:
```

	distance	speed	temp_inside	temp_outside	AC	rain	sun	gas_types
24	12.3	62	21.500000		6	0	0	0
379	16.7	44	24.500000	23	0	0	1	1
339	15.4	45	22.000000	24	0	0	0	0
272	101.9	75	22.000000	18	0	0	0	0
286	37.2	45	22.000000	20	0	0	1	1

### 3.Deployed the model in IBM Watson Machine LearningService

Service Details - IBM Cloud

IBM Watson Studio

←

→

↺

dataplatfom.cloud.ibm.com/ml-runtime/spaces/85add7e-eec2-40e5-b535-55e72db5f0d5/deployments?context=cpdaas

🔗

☆

⚙

🖨

🔴A

⋮

☰

IBM Watson Studio

🔍 Search in your workspaces

Buy

?

🔔

Alfiya A's Account

▼

Dallas

▼

AA

Deployments

/

📶

ⓘ

🔑

🕒

💬

⛶

models

Overview

Assets


Deployments

Jobs

Manage

🔍 Search

🔄

Name	Type	Status	Asset	Last modified	⌵	
 FuelConsumptionPredictor	Online	🟢 Deployed	Fuel_Consumption_Predictor	1 hour ago Alfiya A (You)		⋮

Items per page: 20


1-1 of 1 items

1 of 1 pages

◀

▶

## 4. Testing the created model using the API created for the deployed model



The screenshot displays the IBM Watson Studio web interface. The browser address bar shows the URL: `dataplatfrom.cloud.ibm.com/analytics/notebooks/v2/2f2b3318-6897-4a46-b25b-94959e26337b/view?projectId=37333529-0c99-480d-9e13-27888b7510b0&co...`. The page header includes the IBM Watson Studio logo, a search bar, and user information for 'Alfiya A's Account' in the 'Dallas' region. The breadcrumb navigation shows the path: 'Projects / CarFuelConsumption / CarFuelConsumption'. The main content area contains a Jupyter notebook with the following code:

```
In [86]: import requests

# NOTE: you must manually set API_KEY below using information retrieved from your IBM Cloud account.
API_KEY = "xVdI6anKi0QLaGLS5_lHeYmwqILV5zsq4ASwc8J62Sc"
token_response = requests.post('https://iam.cloud.ibm.com/identity/token', data={"apikey":
    API_KEY, "grant_type": 'urn:ibm:params:oauth:grant-type:apikey'})
mltoken = token_response.json()["access_token"]

header = {'Content-Type': 'application/json', 'Authorization': 'Bearer ' + mltoken}

# NOTE: manually define and pass the array(s) of values to be scored in the next line
payload_scoring = {"input_data": [{"field": ["distance", "speed", "temp_inside", "temp_outside", "AC", "rain", "sun", "gas_types"], "values": [[28.0, 26, 21.5, 12, 0, 0, 0, 0]]}]

response_scoring = requests.post('https://us-south.ml.cloud.ibm.com/ml/v4/deployments/3539e00f-b9bc-4d3f-9ad1-6778d1ad0121/predictions?version=2022-11-14', json=payload_scoring, headers=header)
print("Scoring response")
print(response_scoring.json())

Scoring response
{'predictions': [{'fields': ['prediction'], 'values': [[5.364372012135133]]}]}
```

Below the code cell, the prompt 'In [ ]:' is visible, indicating the next step in the notebook.

