DEPLOYMENT OF APP IN IBM CLOUD

DEPLOY IN KUBERNETES CLUSTER

1. Target the IBM Cloud Kubernetes Service region where you wantto work.

ibmcloud cs region-set us-south

2. Set the context for the cluster in your CLI.

a. Get the command to set the environment variable and downloadthe Kubernetes configuration files.

ibmcloud cs cluster-config cluster_kunal

b. Set the KUBECONFIG environment variable. Copy the output fromthe previous command and paste it in your terminal. The command output should look similar to the following.

> export KUBECONFIG=/Users/$USER/.bluemix/plugins/container-service/clusters/< cluster_name >/< cluster_configuration_file.yaml>

3. Verify that you can connect to your cluster by listing your workernodes.

kubectl get nodes

4. Create the deployment.

kubectl create -f deployment.yaml

5. Create the service.

kubectl create -f service.yaml

6. Look at the Kubernetes dashboard from the IBM KubernetesService overview page.



7. Finally, go to your browser and ping the Public IP of your workernode



SAMPLE:

```
$ kubectl apply -f ./deploys/k8s-deployment/deployment.yaml
deployment.apps/k8s-nginx-deployment created
```

RUN THE APPLICATION

```
$ kubectl port-forward svc/k8s-nginx-deployment 8080:80
```

VERIFY THE APPLICATION RUNNING IN THE CLUSTER

```
$ kubectl get pods
NAME                                READY   STATUS    RESTARTS   AGE
k8s-nginx-deployment-68d8f8f8f4-f4x6x   1/1     Running   0          30s

```

```
$ curl localhost:8080
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
    body {
        width: 35em; margin: 0
        auto;
        font-family: Tahoma, Verdana, Arial
```