## **IoT Enabled Smart Farming Application**

## Source Code (Python):

print ("motor is on")

import time

```
import sys
import ibmiotf.application
import ibmiotf.device
import random
#Provide your IBM Watson Device Credentials
organization = "157uf3"
deviceType = "abcd"
deviceId = "7654321"
authMethod = "token"
authToken = "87654321"
# Initialize GPIO
def myCommandCallback(cmd):
  print("Command received: %s" % cmd.data['command'])
  status=cmd.data['command']
  if status=="motoron":
```

```
elif status == "motoroff":
    print ("motor is off")
  else:
    print ("please send proper command")
try:
      deviceOptions = {"org": organization, "type": deviceType, "id": deviceId,
"auth-method": authMethod, "auth-token": authToken}
      deviceCli = ibmiotf.device.Client(deviceOptions)
      #.....
except Exception as e:
      print("Caught exception connecting device: %s" % str(e))
      sys.exit()
# Connect and send a datapoint "hello" with value "world" into the cloud as an
event of type "greeting" 10 times
deviceCli.connect()
while True:
    #Get Sensor Data from DHT11
    temp=random.randint(90,110)
    Humid=random.randint(60,100)
```

```
Mois=random.randint(20,120)
    data = { 'temp' : temp, 'Humid': Humid, 'Mois' :Mois}
    #print data
    def myOnPublishCallback():
      print ("Published Temperature = %s C" % temp, "Humidity = %s %%" %
Humid, "Moisture =%s deg c" %Mois, "to IBM Watson")
    success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0,
on publish=myOnPublishCallback)
    if not success:
      print("Not connected to IoTF")
    time.sleep(10)
    deviceCli.commandCallback = myCommandCallback
# Disconnect the device and application from the cloud
deviceCli.disconnect()
```