



Home Page(Product):




View Product:



Cart Page:


Styles Ware



Logout

back

Cart List




Casual Shirt

~~₹500~~ ₹400

Color : yellow

Buy Now



Destiny Fashion


~~₹450~~ ₹350

Color : Dark Green

Buy Now

Ordered page:


Styles Ware



Logout

back

Order List




Destiny Fashion

₹450

Color : Dark Green

UserName : Sai Email : sai@gmail.com

Delivery now



Destiny Fashion

₹450

Color : Pink

UserName : Sai Email : sai@gmail.com

Delivery now

Home page Source code:

```
<!DOCTYPE html>

<html>

<head>

    <meta charset="utf-8">

    <meta name="viewport" content="width=device-width, initial-scale=1">

    <title>Ecommerce Website Design</title>

    <!--Custom css link-->

    <link rel="stylesheet" href="{{ url_for('static', filename='home.css') }}" />

    <link rel="stylesheet"href="https://unpkg.com/boxicons@latest/css/boxicons.min.css">

    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

    <link rel="preconnect" href="https://fonts.googleapis.com">

    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

    <link
href="https://fonts.googleapis.com/css2?family=Montserrat:wght@100;200;300;400;500;600;700;800;
900&display=swap" rel="stylesheet">

</head>

<body>

    <!--header start-->

    <div class="header">

        <p style="color: rgb(0, 0, 0); text-align: center; font-size: 28px; font-weight: 600;"><span
style="color:blueviolet;">Styles</span> Ware</p>
```

```

        <div>

            <a href="/viewCart" style="color: black;"><i class='bx bxs-shopping-bag'
></i></a>

            <!-- <span class="badge bg-primary " style="font-size: 14px;"></span> -->

            <div class="btn-group">

                <button type="button" class="btn btn-primary dropdown-toggle" data-
bs-toggle="dropdown" aria-expanded="false">

                    Account

                </button>

                <ul class="dropdown-menu">

                    <li><a class="dropdown-item"
href="#">{{name}}{{role}}</a></li>

                    <li><a class="dropdown-item" href="/addProductpage">Add
Product</a></li>

                    <li><a class="dropdown-item" href="/orderpage">View
Orders</a></li>

                </ul>

            </div>

            <a href="/logout" style="font-size: 18px;" class="btn btn-danger">Logout</a>

        </div>

    </div>

    <div class="message">

        {% if msg %}

        <div class="alert alert-success alert-dismissible fade show" role="alert">

            {{msg}}

            <button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>

        </div>

        {% endif %}

    </div>

```

```

<div id="carouselExampleIndicators" class="carousel slide" data-bs-ride="carousel">

  <div class="carousel-indicators">

    <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-
to="0" class="active" aria-current="true" aria-label="Slide 1"></button>

    <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-
to="1" aria-label="Slide 2"></button>

    <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-
to="2" aria-label="Slide 3"></button>

  </div>

  <div class="carousel-inner">

    <div class="carousel-item active">

    </div>

    <div class="carousel-item">

    </div>

    <div class="carousel-item">

    </div>

  </div>

  <button class="carousel-control-prev" type="button" data-bs-target="#carouselExampleIndicators"
data-bs-slide="prev">

    <span class="carousel-control-prev-icon" aria-hidden="true"></span>

    <span class="visually-hidden">Previous</span>

  </button>

```

```

<button class="carousel-control-next" type="button" data-bs-target="#carouselExampleIndicators"
data-bs-slide="next">

    <span class="carousel-control-next-icon" aria-hidden="true"></span>

    <span class="visually-hidden">Next</span>

</button>
</div>

```

Register Page source code:

```

<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
    <meta charset="UTF-8">

    <title> Registration</title>

    <link rel="stylesheet" href="{{ url_for('static', filename='register.css') }}" />

    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

</head>
<body>

    {% if msg %}

    <div class="alert alert-primary alert-dismissible fade show" role="alert">

        {{msg}}

        <button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>

    </div>

    {% endif %}

```

```
<div class="contains">

  <p style="color: rgb(0, 0, 0); text-align: center; font-size: 25px; font-weight: 600;"><span
style="color:blueviolet;">Styles</span> Ware</p>

  <div class="titles">Registration</div>

  <div class="content">

    <form action="/addUser" method="post">

      <div class="user-details">

        <div class="input-box">

          <span class="details">First Name</span>

          <input type="text" name="fname" required>

        </div>

        <div class="input-box">

          <span class="details">Last Name</span>

          <input type="text" name="lname" required>

        </div>

        <div class="input-box">

          <span class="details">Email</span>

          <input type="text" name="email" required>

        </div>

        <div class="input-box">

          <span class="details">Phone Number</span>

          <input type="text" name="mobile" required>

        </div>

        <div class="input-box">

          <span class="details">Password</span>

          <input type="text" name="password" required>

        </div>

        <div class="input-box">
```

```
<span class="details">Confirm Password</span>
<input type="text" name="confirm_password" required>
</div>
</div>
<a href="/">Already have an Account ?</a>
<div class="button">
  <input type="submit" value="Register">
</div>
</form>
</div>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

</body>
</html>
```

View Product Page source code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>View Product</title>
  <link rel="stylesheet" href="{{ url_for('static', filename='viewProduct.css') }}" />
```



```

<link rel="stylesheet" href="https://unpkg.com/boxicons@latest/css/boxicons.min.css">

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgplJlIm9Nao0Yz1ztcQTWfSpd3yD65VohhpUuCOmLASjC"
crossorigin="anonymous">

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link
href="https://fonts.googleapis.com/css2?family=Montserrat:wght@100;200;300;400;500;600;700;800;
900&display=swap" rel="stylesheet">

</head>

<body>

  <div class="header">

    <p style="color: rgb(0, 0, 0); text-align: center; font-size: 28px; font-weight: 600;"><span
style="color:blueviolet;">Styles</span> Ware</p>

    <div>

      <a href="/viewCart" style="color: black;"><i class='bx bxs-shopping-bag'
></i></a>

      <span class="badge bg-primary " style="font-size: 14px;">{{role}}</span>

      <a href="/logout" style="font-size: 18px;" class="btn btn-danger">Logout</a>

    </div>

  </div>

  <div>

    <a href="/back" class="btn btn-dark" style="margin:10px 0px 0px 20px ;">back</a>

    <div class="message">

      {% if msg %}

        <div class="alert alert-success alert-dismissible fade show" role="alert">

          {{msg}}

          <button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>

        </div>

      </div>

```

```
{% endif %}
```

```
</div>
```

```
<div class="viewBody">
```

```
  <div class="product_img">
```

```
    
```

```
  </div>
```

```
  <div class="product_details">
```

```
    <h3>{{product['NAME']}}</h3>
```

```
    <div class="price-part">
```

```
      <span>₹{{product['PRICE']}}</span>
```

```
      <p>₹{{product['OFFPRICE']}}</p>
```

```
    </div>
```

```
    <P>Color : <span class="badge bg-secondary " style="font-size: 14px;">{{product['COLOR']}}</span></P>
```

```
    <div class="catagory">
```

```
      <P>Catagory : <span class="badge bg-primary " style="font-size: 14px;">{{product['CATAGORY']}}</span></P>
```

```
      <P>Rating : <span class="badge bg-danger " style="font-size: 14px;">{{product['RATING']}}</span></P>
```

```
    </div>
```

```
    <p style="width:600px ;">{{product['ABOUT']}}</p>
```

```
    <div class="btn">
```

```
      <a class="btn" href="/addtocart/{{product['SUB1']}}">Add to Cart</a>
```

```
      <a class="btn" href="/directBuy/{{product['SUB1']}}">Buy Now</a>
```

```
    </div>
```

```
  </div>
```

```
</div>
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBOOLRN5q+8nbTov4+1p"
crossorigin="anonymous"></script>
```

```
</body>
```

```
</html>
```

Logiin Page Source code:

```
<!DOCTYPE html>
```

```
<!-- Created By CodingNepal -->
```

```
<html lang="en" dir="ltr">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<title>Login</title>
```

```
<link rel="stylesheet" href="{{ url_for('static', filename='login.css') }}" />
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuaCOmLASjC"
crossorigin="anonymous">
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@5.15.3/css/all.min.css"/>
```

```
</head>
```

```
<body>
```

```
{% if msg %}
```

```
<div class="alert alert-primary alert-dismissible fade show" role="alert">
```

```
  {{msg}}
```

```
<button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>
```

```
</div>
```

```
{% endif %}
```

```
<div class="container">

  <p style="color: rgb(0, 0, 0); text-align: center; font-size: 25px; font-weight: 600;"><span
style="color:blueviolet;">Styles</span> Ware</p>

  <div class="titles">Login</div>

  <div class="content">

    <form action="/main" method="post">

      <div class="user-details">

        <div class="input-box">

          <span class="details">Email</span>

          <input type="text" name="email" required>

        </div>

        <div class="input-box">

          <span class="details">Password</span>

          <input type="text" name="password" required>

        </div>

      </div>

      <a href="{{ url_for('register_Page') }}">Don't have Account ?</a>

      <div class="button">

        <input type="submit" value="Login">

      </div>

    </form>

  </div>

</div>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

</body>

</html>
```