## **Sprint 3**

Date	18 November 2022
Team ID	PNT2022TMID46236
Project Name	IoT Based Safety Gadget for Child Safety Monitoring and notification
Maximum Marks	8 Marks

## **LOCAL FORAGE:**

```
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a(); else
if("function"==typeof define&&define.amd)define([],a); else{var b; b="undefined"!=typeof
window?window:"undefined"!=typeof global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}}(function(){
  return function a(b,c,d){
  function e(g,h){if(!c[g]){if(!b[g]){
    var i="function"==typeof require&&require;
    if(!h&&i)return i(g,!0);if(f)return f(g,!0); var
    j=new Error("Cannot find module ""+g+"");
    throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
    b[g][0].call(k.exports,function(a){
```

```
var c=b[g][1][a];return e(c||a)},k,k.exports,a,b,c,d)}
                       c[g].exports}
                                          for(var
                                                    f="function"==typeof
           return
   require&&require,g=0;g<d.length;g++)e(d[g]);
                                                                     return
  e}({1:[function(a,b,c){(function(a){"use strict"; function c(){k=!0;for(var
  a,b,c=l.length;c;){
                          for(b=I,I=[],a=-1;++a<c;)b[a]();c=I.length}k=!1} function
                         d(a){1!==l.push(a)||k||e()}var
e,f=a.MutationObserver||a.WebKitMutationObserver; if(f){var
                        g=0,h=new
f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i.data=g=++g%2}} else
if(a.setImmediate void ea.MessageChannel)e="document"in all"onreadystatechange in
a.document.createElement("script") function(){var b=a.
document.createElement("script");b.onreadystatechange-function()(c(),b.
onreadystatechange=null,b.parentNode.removeChild
(b),b=null),a.document.documentElement.appendChild(b)}:function() (setTimeout(c,8));else{var i-new
a.MessageChannel;j.port1.onmessage=c,e-function(){j.port2.postMessage(0)}}var k,1-[];b.exports-
d)).call(this, "undefined"!=typeof global?global: "undefined"!=typeof self?self: "undefined"!=typeof
window?window: {})},{}],2: [function(a,b,c){"use strict"; function d()() function e(a){if("function" I-typeof
a) throw new TypeError("resolver must be a function"); this.states, this.queue=[], this.outcome vald
0,aldi(this,a)} function f(a,b,c){this.promise-a, "function"==typeof b&&(this.onFulfilled-b, this.callFulfilled-
this.otherCallFulfilled), "function"typeof c&&(this.onRejected=c,
```

```
<html lang="en" style="height: 100%; margin: 0;">
    <head>
          <meta charset="UTF-8" />
          <meta name="description" content="The Home Page after Logged In" />
          <meta name="viewport" content="width=device-width, initial-scale=1.0" />
          <title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title> <script
    src="./localforage.js"></script>
          <script> if (window.location.hostname !==
                "localhost") { if (location.protocol !== "https:")
                { location.replace(
                                 `https:${location.href.substring(location.protocol.length
                                 )}`
                async function check() {
        let data = localforage.getItem("userData")
        if (data == null) {
          window.location.href = "/login"
      check()
          </script>
     </head>
```

```
<body><br/>tyle=" height:
     100%; margin: 0;
           font-weight: 300;
font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto,
                                                                          Oxygen,
              Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
                 sans-serif;
     п
>
              class="wrapper" style="
     <div
           height: 90%; display: flex;
           flex-direction: column; align-
           items:
                     center;
                                justify-
           content: center;
   text-align: center;
     >
                     class="details"
           <div
                                      style="
                 display: flex; flex-direction:
                 column; align-items: center;
                 gap: 20px; padding: 1rem;
                 border-radius: 5px;
                      box-shadow: 0 0 8px 0px #44444444;
     max-width: 80%;
                 11
           >
                 <h1 class="name" style="margin: 0"></h1>
```

```
<div class="imageContainer"</pre>
                           style="padding: 10px; height: 10rem; width: 10rem"
                      >
                           <img class="image" alt="profile picture" />
                      </div>
                      <h2 class="email" style="margin: 0"></h2>
        <a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight:</p>
400;" href="./dashboard">Go to Dashboard ?</a>
                </div>
          </div>
          <script>
                              function
                     async
                main() {
        let name = document.guerySelector(".name") let
        image = document.querySelector(".image") let email
        = document.querySelector(".email") let userData =
        await localforage.getItem("userData") if(userData
        == null) {
          window.location.href = "/login"
        name.innerHTML = `Welcome ${userData.firstName} ${userData.lastName}!` image.src
        = userData.profilePic
        email.innerHTML = `Your email is: <a style="text-decoration: none;color: #0072B5;"
href="mailto:${userData.email}">${userData.email}</a>`
      main()
```

</script>
</body> </html>