



Assignment-3

1.Create a Bucket in IBM object storage.



2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.



Source Code:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>
```

```
Images From Cloud Object Storage
```

```
</title>
```

```
<link rel="stylesheet" href="style.css">
```

```
</head>
```

```
<body>
```

```
<h2>Phone Images In Cloud Object Storage</h2>
```


```
</img>  
</img>  
</img>  
</img>  
</img>  
</body>  
</html>
```

3.Upload a CSS page to the object storage and use the same page in your HTML code.

Source code:

```
body { font-family: 'Nunito',  
sans-serif; color: #021233;  
} h2{  
text-align: center;
```

```
}  
img { border-radius: 100px;  
height: 250px; width: 250px;  
margin: 10px 100px 30px 20px;  
background-color: rgb(187,190,189)  
}
```



**4.Design a chatbot using IBM Watson assistant for hospital. Ex:
User comes with query to know the branches for that hospital in
your city. Submit the web URL of that chat bot as a assignment.**

ChatBot Link :

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-84a95c8a-f77f-4a9f-9fe2-83c6c633eb73%3A%3Ad2c33b7c-8cb8-46b7-92cb-6882346edc04&integrationID=39b44b9b-ef19-4126-bf53-86fc28c4f6c4®ion=au-syd&serviceInstanceID=84a95c8a-f77f-4a9f-9fe2-83c6c633eb73>

The IBM Watson assistant can be used to design a chatbot for a hospital. The chatbot can be used to answer questions about the hospital, such as directions, hours, and services. The chatbot can also be used to schedule appointments and provide information about the hospital.

[prompt=".Design a chatbot using IBM Watson assistant for\nhospital"]

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Source code:

```
<!DOCTYPE html>
```

```
<html>
<head>
<title>
IBM Watson ChatBot
</title>
<link rel="stylesheet" href="style.css">
<script>
window.watsonAssistantChatOptions = {
integrationID: "39b44b9b-ef19-4126-bf53-86fc28c4f6c4", //
The ID of this integration.
region: "au-syd", // The region your integration is hosted in.
serviceInstanceID: "84a95c8a-f77f-4a9f-9fe2-83c6c633eb73", //
The ID of your service instance.
onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){ const
t=document.createElement('script');
t.src="https://webchat.global.assistant.watson.appdomain.cloud/versi
ons/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
});
</script>
</head>
<body>
<h1>ChatBot Page </h1>
```

</body>

</html>

