



## CREATE NODE-RED SERVICE:

### Step 1:



### Step 2:



### Step 3:

```
node-red
npm audit fix

To address all issues (including breaking changes), run:
npm audit fix --force

Run "npm audit" for details.

C:\Users\rakes>node-red
4 Nov 21:33:46 - [info]
Welcome to Node-RED
=====
4 Nov 21:33:46 - [info] Node-RED version: v3.0.2
4 Nov 21:33:46 - [info] Node.js version: v18.12.0
4 Nov 21:33:46 - [info] Windows_NT 10.0.19044 x64 LE
4 Nov 21:33:48 - [info] Loading palette nodes
4 Nov 21:33:50 - [info] Settings file : C:\Users\rakes\.node-red\settings.js
4 Nov 21:33:50 - [info] Context store : 'default' [module=memory]
4 Nov 21:33:50 - [info] User directory : \Users\rakes\.node-red
4 Nov 21:33:50 - [warn] Projects disabled : editorTheme.projects.enabled=false
4 Nov 21:33:50 - [info] Flows file : \Users\rakes\.node-red\flows.json
4 Nov 21:33:50 - [info] Creating new flow file
4 Nov 21:33:50 - [warn]


-----
Your flow credentials file is encrypted using a system-generated key.

If the system-generated key is lost for any reason, your credentials
file will not be recoverable, you will have to delete it and re-enter
your credentials.

You should set your own key using the 'credentialSecret' option in
your settings file. Node-RED will then re-encrypt your credentials
file using your chosen key the next time you deploy a change.
-----
4 Nov 21:33:50 - [warn] Encrypted credentials not found
4 Nov 21:33:50 - [info] Server now running at http://127.0.0.1:1880/
4 Nov 21:33:50 - [info] Starting flows
4 Nov 21:33:50 - [info] Started flows

"
```

## Step 4:



## LAST STEP :

