## PROJECT DEVELOPMENT PHASE (DELIVERY OF SPRINT-2)

Date	15th November 2022
Team ID	PNT2022TMID48007
Project Name	Car Resale Value prediction
Maximum marks	4 Marks

## • Choosing Appropriate Model:

```
[ ] from sklearn.model_selection import cross_val_score, train_test_split
     #Split into train and validation
     X_train, X_test, y_train, y_test = train_test_split(X, Y, test_size=0.33, random_state = 3)
     print(X_train.shape, X_test.shape, y_train.shape, y_test.shape)
     (203769, 7) (100364, 7) (203769,) (100364,)
from sklearn.ensemble import HistGradientBoostingRegressor
     from sklearn.model selection import GridSearchCV
     hr = HistGradientBoostingRegressor()
     param_grid = { "loss" : ['squared_error']
                  , "max_leaf_nodes" : [31]
, "min_samples_leaf": [20]
                   , "max_depth": [None]
, "max_iter":[500]}
     gs = GridSearchCV(estimator=hr, param_grid=param_grid, cv=2, n_jobs=-1, verbose=1)
     gs = gs.fit(X_train, y_train)
     print('Score: %.2f' % gs.score(X_test, y_test))
Fitting 2 folds for each of 1 candidates, totalling 2 fits
    Score: 0.78
```

## **Dumping into pickle file:**

```
[ ] print(gs.best_score_)
    print(gs.best_params_)

0.7707290246596359
{'loss': 'squared_error', 'max_depth': None, 'max_iter': 500, 'max_leaf_nodes': 31, 'min_samples_leaf': 20}

[ ] import pickle
    pickle.dump(gs,open('histmodel.pkl','wb'))
```