

## Source Code

<b>Date</b>	17-11-2022
<b>Team ID</b>	PNT2022TMID26204
<b>Project Name</b>	Personal Expense Tracker application

### login.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

  <meta name="description" content="">

  <meta name="author" content="">

  <title>Login</title>

  <!-- Bootstrap core CSS -->

  <link href="css/bootstrap.min.css" rel="stylesheet">

  <style>

    .login-form {

      width: 340px;

      margin: 50px auto;

      font-size: 15px;

    }

    .login-form form {

      margin-bottom: 15px;

      background: #fff;

      box-shadow: 0px 2px 2px rgba(0, 0, 0, 0.3);

      padding: 30px;

      border: 1px solid #ddd;

    }

  </style>

</head>

<body>

  <div class="container">

    <div class="row">

      <div class="col">

        <div class="login-form">

          <div class="text-center">

            <h2>Login</h2>

          </div>

          <div>

            <input type="text" class="form-control" value="" />

            <input type="password" class="form-control" value="" />

            <input type="button" value="Login" class="btn btn-primary" />

          </div>

        </div>

      </div>

    </div>

  </div>

</body>

</html>
```

```
.login-form h2 {  
  color: #636363;  
  margin: 0 0 15px;  
  position: relative;  
  text-align: center;  
}  
.login-form h2:before,  
.login-form h2:after {  
  content: "";  
  height: 2px;  
  width: 30%;  
  background: #d4d4d4;  
  position: absolute;  
  top: 50%;  
  z-index: 2;  
}  
.login-form h2:before {  
  left: 0;  
}  
.login-form h2:after {  
  right: 0;  
}  
.login-form .hint-text {  
  color: #999;  
  margin-bottom: 30px;  
  text-align: center;  
}
```

```
.login-form a:hover {  
    text-decoration: none;  
}  
  
.form-control,  
  
.btn {  
    min-height: 38px;  
    border-radius: 2px;  
}  
  
.btn {  
    font-size: 15px;  
    font-weight: bold;  
}  
  
</style>  
</head>  
<body>  
  
<div class="login-form">  
  
<form action="" method="POST" autocomplete="off">  
  
<h2 class="text-center">PERSONAL EXPENSE TRACKER</h2>  
  
<p class="hint-text">Login Panel</p>  
  
<div class="form-group">  
  
<input type="text" name="email" class="form-control" placeholder="Email"  
required="required">  
  
</div>  
  
<div class="form-group">  
  
<input type="password" name="password" class="form-control" placeholder="Password"  
required="required">  
  
</div>  
  
<div class="form-group">  
  
<button type="submit" class="btn btn-success btn-block" style="border-  
radius:0%;">Login</button>
```

```
</div>

<div class="clearfix">

  <label class="float-left form-check-label"><input type="checkbox"> Remember me</label>

</div>

</form>

<p class="text-center">Don't have an account?<a href="register.php" class="text-danger">
Register Here</a></p>

</div>

</body>

<!-- Bootstrap core JavaScript -->

<script src="js/jquery.slim.min.js"></script>

<script src="js/bootstrap.min.js"></script>

<!-- Menu Toggle Script -->

<script>

  $("#menu-toggle").click(function(e) {

    e.preventDefault();

    $("#wrapper").toggleClass("toggled");

  });

</script>

<script>

  feather.replace()

</script>

</html>

<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
```

```
<meta name="description" content="">

<meta name="author" content="">

<title>Expense Manager - Dashboard</title>

<!-- Bootstrap core CSS -->

<link href="css/bootstrap.min.css" rel="stylesheet">

<!-- Custom styles for this template -->

<link href="css/style.css" rel="stylesheet">

<!-- Feather JS for Icons -->

<script src="js/feather.min.js"></script>

<style>

  .card a {

    color: #000;

    font-weight: 500;

  }

  .card a:hover {

    color: #28a745;

    text-decoration: dotted;

  }

</style>

</head>

<body>

  <div class="d-flex" id="wrapper">

    <!-- Sidebar -->

    <div class="border-right" id="sidebar-wrapper">

      <div class="user">

        <img class="img img-fluid rounded-circle" " width="120">

      </div>

      <div class="sidebar-heading">Management</div>

    </div>

  </div>

</body>

</html>
```

```
<div class="list-group list-group-flush">

  <a href="index.html" class="list-group-item list-group-item-action sidebar-active"><span data-
feather="home"></span> Dashboard</a>

  <a href="add_expense.html" class="list-group-item list-group-item-action "><span data-
feather="plus-square"></span> Add Expenses</a>

  <a href="manage_expense.html" class="list-group-item list-group-item-action "><span data-
feather="dollar-sign"></span> Manage Expenses</a>

</div>

<div class="sidebar-heading">Settings </div>

<div class="list-group list-group-flush">

  <a href="profile.html" class="list-group-item list-group-item-action "><span data-
feather="user"></span> Profile</a>

  <a href="logout.html" class="list-group-item list-group-item-action "><span data-
feather="power"></span> Logout</a>

</div>

</div>

<!-- /#sidebar-wrapper -->

<!-- Page Content -->

<div id="page-content-wrapper">

  <nav class="navbar navbar-expand-lg navbar-light border-bottom">

    <button class="toggler" type="button" id="menu-toggle" aria-expanded="false">

      <span data-feather="menu"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">

      <ul class="navbar-nav ml-auto mt-2 mt-lg-0">

        <li class="nav-item dropdown">

          <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">

            <img class="img img-fluid rounded-circle" width="25">

          </a>

          <div class="dropdown-menu dropdown-menu-right" aria-labelledby="navbarDropdown">
```

```
<a class="dropdown-item" href="profile.php">Your Profile</a>

<div class="dropdown-divider"></div>

<a class="dropdown-item" href="logout.php">Logout</a>

</div>

</li>

</ul>

</div>

</nav>

<div class="container-fluid">

  <h3 class="mt-4">Dashboard</h3>

  <div class="row">

    <div class="col-md">

      <div class="card">

        <div class="card-body">

          <div class="row">

            <div class="col text-center">

              <a href="add_expense.html">

              <p>Add Expenses</p>

            </a>

          </div>

          <div class="col text-center">

            <a href="manage_expense.html">

            <p>Manage Expenses</p>

          </a>

        </div>

        <div class="col text-center">

          <a href="profile.html">

          <p>User Profile</p>
```

```
        </a>

    </div>

</div>

</div>

</div>

</div>

</div>

</div>

<h3 class="mt-4">Full-Expense Report</h3>

<div class="row">

    <div class="col-md">

        <div class="card">

            <div class="card-header">

                <h5 class="card-title text-center">Yearly Expenses</h5>

            </div>

            <div class="card-body">

                <canvas id="expense_line" height="150"></canvas>

            </div>

        </div>

    </div>

    <div class="col-md">

        <div class="card">

            <div class="card-header">

                <h5 class="card-title text-center">Expense Category</h5>

            </div>

            <div class="card-body">

                <canvas id="expense_category_pie" height="150"></canvas>

            </div>

        </div>

    </div>

</div>
```



```
</div>

</div>

</div>

</div>

<!-- /#page-content-wrapper -->

</div>

<!-- /#wrapper -->

<!-- Bootstrap core JavaScript -->

<script src="js/jquery.slim.min.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/Chart.min.js"></script>

<!-- Menu Toggle Script -->

<script>

    $("#menu-toggle").click(function(e) {
        e.preventDefault();
        $("#wrapper").toggleClass("toggled");
    });

</script>

<script>

    feather.replace()

</script>

<script>

    var ctx = document.getElementById('expense_category_pie').getContext('2d');
    var myChart = new Chart(ctx, {
        type: 'bar',

        backgroundColor: [
            '#6f42c1',
```

```

        '#dc3545',
        '#28a745',
        '#007bff',
        '#ffc107',
        '#20c997',
        '#17a2b8',
        '#fd7e14',
        '#e83e8c',
        '#6610f2'
    ],
    borderWidth: 1
}]
}
});

```

```

var line = document.getElementById('expense_line').getContext('2d');
var myChart = new Chart(line, {
    type: 'line',
    data: {
        labels: [<?php while ($c = mysqli_fetch_array($exp_date_line)) {
            echo "' . $c['expensedate'] . "' ,";
        } ?>],
        datasets: [{
            label: 'Expense by Month (Whole Year)',
            data: [<?php while ($d = mysqli_fetch_array($exp_amt_line)) {
                echo "' . $d['SUM(expense)'] . "' ,";
            } ?>],
            borderColor: [

```

```
'#adb5bd'
],
backgroundColor: [
  '#6f42c1',
  '#dc3545',
  '#28a745',
  '#007bff',
  '#ffc107',
  '#20c997',
  '#17a2b8',
  '#fd7e14',
  '#e83e8c',
  '#6610f2'
],
fill: false,
borderWidth: 2
}]
}
});
</script>
</body>
</html>

register.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
```

```
<meta name="description" content="">

<meta name="author" content="">

<title>Register</title>

<!-- Bootstrap core CSS -->

<link href="css/bootstrap.min.css" rel="stylesheet">

<style>

  body {

    color: #000;

    background: #fff;

    font-family: 'Roboto', sans-serif;

  }

  .form-control {

    height: 40px;

    box-shadow: none;

    color: #969fa4;

  }

  .form-control:focus {

    border-color: #5cb85c;

  }

  .form-control,

  .btn {

    border-radius: 3px;

  }

  .signup-form {

    width: 450px;

    margin: 0 auto;

    padding: 30px 0;

    font-size: 15px;
```

```
}  
  
.signup-form h2 {  
  color: #636363;  
  margin: 0 0 15px;  
  position: relative;  
  text-align: center;  
}  
  
.signup-form h2:before,  
.signup-form h2:after {  
  content: "";  
  height: 2px;  
  width: 30%;  
  background: #d4d4d4;  
  position: absolute;  
  top: 50%;  
  z-index: 2;  
}  
  
.signup-form h2:before {  
  left: 0;  
}  
  
.signup-form h2:after {  
  right: 0;  
}  
  
.signup-form .hint-text {  
  color: #999;  
  margin-bottom: 30px;  
  text-align: center;  
}
```

```
.signup-form form {  
  color: #999;  
  border-radius: 3px;  
  margin-bottom: 15px;  
  background: #fff;  
  box-shadow: 0px 2px 2px rgba(0, 0, 0, 0.3);  
  padding: 30px;  
  border: 1px solid #ddd;  
}  
  
.signup-form .form-group {  
  margin-bottom: 20px;  
}  
  
.signup-form input[type="checkbox"] {  
  margin-top: 3px;  
}  
  
.signup-form .btn {  
  font-size: 16px;  
  font-weight: bold;  
  min-width: 140px;  
  outline: none !important;  
}  
  
.signup-form .row div:first-child {  
  padding-right: 10px;  
}  
  
.signup-form .row div:last-child {  
  padding-left: 10px;  
}
```

```
.signup-form a:hover {  
    text-decoration: none;  
}  
  
.signup-form form a {  
    color: #5cb85c;  
    text-decoration: none;  
}  
  
.signup-form form a:hover {  
    text-decoration: underline;  
}  
  
</style>  
</head>  
<body>  
  
<div class="signup-form">  
    <form action="" method="POST" autocomplete="off">  
        <h2>Register</h2>  
        <div class="form-group">  
            <div class="row">  
                <div class="col"><input type="text" class="form-control" name="firstname"  
placeholder="First Name" required="required"></div>  
                <div class="col"><input type="text" class="form-control" name="lastname" placeholder="Last  
Name" required="required"></div>  
            </div>  
        </div>  
        <div class="form-group">  
            <input type="email" class="form-control" name="email" placeholder="Email"  
required="required">  
        </div>  
        <div class="form-group">
```

```

        <input type="password" class="form-control" name="password" placeholder="Password"
required="required">

    </div>

    <div class="form-group">

        <input type="password" class="form-control" name="confirm_password" placeholder="Confirm
Password" required="required">

    </div>

    <div class="form-group">

        <label class="form-check-label"><input type="checkbox" required="required"> I accept the <a
href="#">Terms of Use</a> &amp; <a href="#">Privacy Policy</a></label>

    </div>

    <div class="form-group">

        <button type="submit" class="btn btn-danger btn-lg btn-block" style="border-
radius:0%;">Register</button>

    </div>

</form>

<div class="text-center">Already have an account? <a class="text-success"
href="login.html">Login Here</a></div>

</div>

</body>

<!-- Bootstrap core JavaScript -->

<script src="js/jquery.slim.min.js"></script>

<script src="js/bootstrap.min.js"></script>

<!-- Croppie -->

<script src="js/profile-picture.js"></script>

<!-- Menu Toggle Script -->

<script>

    $("#menu-toggle").click(function(e) {

        e.preventDefault();

        $("#wrapper").toggleClass("toggled");

```



```
});  
</script>  
<script>  
    feather.replace()  
</script>  
</html>
```

### **Index.html**

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
    <meta charset="utf-8">  
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">  
    <meta name="description" content="">  
    <meta name="author" content="">  
    <title>Expense Manager - Dashboard</title>  
    <!-- Bootstrap core CSS -->  
    <link href="css/bootstrap.min.css" rel="stylesheet">  
    <!-- Custom styles for this template -->  
    <link href="css/style.css" rel="stylesheet">  
    <!-- Feather JS for Icons -->  
    <script src="js/feather.min.js"></script>  
    <style>  
        .card a {  
            color: #000;  
            font-weight: 500;  
        }  
        .card a:hover {
```

```
    color: #28a745;

    text-decoration: dotted;

}

</style>

</head>

<body>

<div class="d-flex" id="wrapper">

    <!-- Sidebar -->

    <div class="border-right" id="sidebar-wrapper">

        <div class="user">

            <img class="img img-fluid rounded-circle" width="120">

        </div>

        <div class="sidebar-heading">Management</div>

        <div class="list-group list-group-flush">

            <a href="index.html" class="list-group-item list-group-item-action sidebar-active"><span data-
feather="home"></span> Dashboard</a>

            <a href="add_expense.html" class="list-group-item list-group-item-action "><span data-
feather="plus-square"></span> Add Expenses</a>

            <a href="manage_expense.html" class="list-group-item list-group-item-action "><span data-
feather="dollar-sign"></span> Manage Expenses</a>

        </div>

        <div class="sidebar-heading">Settings </div>

        <div class="list-group list-group-flush">

            <a href="profile.html" class="list-group-item list-group-item-action "><span data-
feather="user"></span> Profile</a>

            <a href="logout.html" class="list-group-item list-group-item-action "><span data-
feather="power"></span> Logout</a>

        </div>

    </div>

    <!-- /#sidebar-wrapper -->
```

<!-- Page Content -->

<div id="page-content-wrapper">

<nav class="navbar navbar-expand-lg navbar-light border-bottom">

<button class="toggler" type="button" id="menu-toggle" aria-expanded="false">

<span data-feather="menu"></span>

</button>

<div class="collapse navbar-collapse" id="navbarSupportedContent">

<ul class="navbar-nav ml-auto mt-2 mt-lg-0">

<li class="nav-item dropdown">

<a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">



</a>

<div class="dropdown-menu dropdown-menu-right" aria-labelledby="navbarDropdown">

<a class="dropdown-item" href="profile.html">Your Profile</a>

<div class="dropdown-divider"></div>

<a class="dropdown-item" href="logout.html">Logout</a>

</div>

</li>

</ul>

</div>

</nav>

<div class="container-fluid">

<h3 class="mt-4">Dashboard</h3>

<div class="row">

<div class="col-md">

<div class="card">

```
<div class="card-body">

  <div class="row">

    <div class="col text-center">

      <a href="add_expense.html">

        <p>Add Expenses</p>

      </a>

    </div>

    <div class="col text-center">

      <a href="manage_expense.html">

        <p>Manage Expenses</p>

      </a>

    </div>

    <div class="col text-center">

      <a href="profile.php">

        <p>User Profile</p>

      </a>

    </div>

  </div>

</div>

</div>

</div>

</div>

</div>
```

```
<h3 class="mt-4">Full-Expense Report</h3>
```

```
<div class="row">

  <div class="col-md">

    <div class="card">

      <div class="card-header">
```

```
<h5 class="card-title text-center">Yearly Expenses</h5>

</div>

<div class="card-body">

  <canvas id="expense_line" height="150"></canvas>

</div>

</div>

</div>

<div class="col-md">

  <div class="card">

    <div class="card-header">

      <h5 class="card-title text-center">Expense Category</h5>

    </div>

    <div class="card-body">

      <canvas id="expense_category_pie" height="150"></canvas>

    </div>

  </div>

</div>

</div>

</div>

</div>

</div>

<!-- /#page-content-wrapper -->

</div>

<!-- /#wrapper -->

<!-- Bootstrap core JavaScript -->

<script src="js/jquery.slim.min.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/Chart.min.js"></script>

<!-- Menu Toggle Script -->
```

```
<script>

$("#menu-toggle").click(function(e) {

    e.preventDefault();

    $("#wrapper").toggleClass("toggled");

});
```

```
</script>
```

```
<script>

feather.replace()

</script>
```

```
        backgroundColor: [

            '#6f42c1',

            '#dc3545',

            '#28a745',

            '#007bff',

            '#ffc107',

            '#20c997',

            '#17a2b8',

            '#fd7e14',

            '#e83e8c',

            '#6610f2'

        ],

        borderWidth: 1

    ]

}

});

var line = document.getElementById('expense_line').getContext('2d');

var myChart = new Chart(line, {
```

```
type: 'line',
  borderColor: [
    '#adb5bd'
  ],
  backgroundColor: [
    '#6f42c1',
    '#dc3545',
    '#28a745',
    '#007bff',
    '#ffc107',
    '#20c997',
    '#17a2b8',
    '#fd7e14',
    '#e83e8c',
    '#6610f2'
  ],
  fill: false,
  borderWidth: 2
}]
}
```

```
});
```

```
</script>
```

```
</body>
```

```
</html>
```

**addexpense.html**

```
!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<meta name="description" content="">

<meta name="author" content="">

<title>Expense Manager - Dashboard</title>

<!-- Bootstrap core CSS -->

<link href="css/bootstrap.min.css" rel="stylesheet">

<!-- Custom styles for this template -->

<link href="css/style.css" rel="stylesheet">

<!-- Feather JS for Icons -->

<script src="js/feather.min.js"></script>

</head>

<body>

  <div class="d-flex" id="wrapper">

    <!-- Sidebar -->

    <div class="border-right" id="sidebar-wrapper">

      <div class="user">

        

        <h5>username </h5>

        <p>useremail </p>

      </div>

      <div class="sidebar-heading">Management</div>

      <div class="list-group list-group-flush">

        <a href="index.html" class="list-group-item list-group-item-action"><span data-
feather="home"></span> Dashboard</a>

        <a href="add_expense.html" class="list-group-item list-group-item-action sidebar-
active"><span data-feather="plus-square"></span> Add Expenses</a>

      </div>

    </div>

  </div>

</body>

</html>
```



```
        <a href="manage_expense.html" class="list-group-item list-group-item-action"><span data-feather="dollar-sign"></span> Manage Expenses</a>
```

```
    </div>
```

```
    <div class="sidebar-heading">Settings </div>
```

```
    <div class="list-group list-group-flush">
```

```
        <a href="profile.html" class="list-group-item list-group-item-action "><span data-feather="user"></span> Profile</a>
```

```
        <a href="logout.html" class="list-group-item list-group-item-action "><span data-feather="power"></span> Logout</a>
```

```
    </div>
```

```
</div>
```

```
<!-- /#sidebar-wrapper -->
```

```
<!-- Page Content -->
```

```
<div id="page-content-wrapper">
```

```
    <nav class="navbar navbar-expand-lg navbar-light border-bottom">
```

```
        <button class="toggler" type="button" id="menu-toggle" aria-expanded="false">
```

```
            <span data-feather="menu"></span>
```

```
        </button>
```

```
        <div class="collapse navbar-collapse" id="navbarSupportedContent">
```

```
            <ul class="navbar-nav ml-auto mt-2 mt-lg-0">
```

```
                <li class="nav-item dropdown">
```

```
                    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
```

```
                        <img class="img img-fluid rounded-circle" src="" width="25">
```

```
                    </a>
```

```
                    <div class="dropdown-menu dropdown-menu-right" aria-labelledby="navbarDropdown">
```

```
                        <a class="dropdown-item" href="profile.phpcol-mdp">Your Profile</a>
```

```
                        <div class="dropdown-divider"></div>
```

```
                        <a class="dropdown-item" href="logout.php">Logout</a>
```

```
        </div>

    </li>

</ul>

</div>

</nav>

<div class="container">

    <h3 class="mt-4 text-center">Add Your Daily Expenses</h3>

    <hr>

    <div class="row ">

        <div class="col-md-3"></div>

        <div class="col-md" style="margin:0 auto;">

            <form action="" method="POST">

                <div class="form-group row">

                    <label for="expenseamount" class="col-sm-6 col-form-label"><b>Enter
Amount($)</b></label>

                    <div class="col-md-6">

                        <input type="number" class="form-control col-sm-12" <id="expenseamount"
name="expenseamount" required>

                    </div>

                </div>

            </div>

            <div class="form-group row">

                <label for="expensedate" class="col-sm-6 col-form-label"><b>Date</b></label>

                <div class="col-md-6">

                    <input type="date" class="form-control col-sm-12" " name="expensedate"
id="expensedate" required>

                </div>

            </div>

        </div>

        <fieldset class="form-group">

            <div class="row">

                <legend class="col-form-label col-sm-6 pt-0"><b>Category</b></legend>
```

```
<div class="col-md">

    <div class="form-check">

        <input class="form-check-input" type="radio" name="expensecategory"
id="expensecategory4" value="Medicine" 'checked' : " ?>>

        <label class="form-check-label" for="expensecategory4">

            Medicine

        </label>

    </div>

    <div class="form-check">

        <input class="form-check-input" type="radio" name="expensecategory"
id="expensecategory3" value="Food" >

        <label class="form-check-label" for="expensecategory3">

            Food

        </label>

    </div>

    <div class="form-check">

        <input class="form-check-input" type="radio" name="expensecategory"
id="expensecategory2" value="Bills & Recharges" <?php echo ($expensecategory == 'Bills &
Recharges') ? 'checked' : " ?>>

        <label class="form-check-label" for="expensecategory2">

            Bills and Recharges

        </label>

    </div>

    <div class="form-check">

        <input class="form-check-input" type="radio" name="expensecategory"
id="expensecategory1" value="Entertainment ">

        <label class="form-check-label" for="expensecategory1">

            Entertainment

        </label>

    </div>
```

```
<div class="form-check">

    <input class="form-check-input" type="radio" name="expensecategory"
id="expensecategory7" value="Clothings" >

    <label class="form-check-label" for="expensecategory7">

        Clothings

    </label>

</div>

<div class="form-check">

    <input class="form-check-input" type="radio" name="expensecategory"
id="expensecategory6" value="Rent" >

    <label class="form-check-label" for="expensecategory6">

        Rent

    </label>

</div>

<div class="form-check">

    <input class="form-check-input" type="radio" name="expensecategory"
id="expensecategory8" value="Household Items" >

    <label class="form-check-label" for="expensecategory8">

        Household Items

    </label>

</div>

<div class="form-check">

    <input class="form-check-input" type="radio" name="expensecategory"
id="expensecategory5" value="Others" >

    <label class="form-check-label" for="expensecategory5">

        Others

    </label>

</div>

</div>

</div>
```

```
</fieldset>
```

```
<div class="form-group row">
```

```
<div class="col-md-12 text-right">
```

```
<button class="btn btn-lg btn-block btn-warning" style="border-radius: 0%;"
type="submit" name="update">Update</button>
```

```
<button class="btn btn-lg btn-block btn-danger" style="border-radius: 0%;"
type="submit" name="delete">Delete</button>
```

```
<button type="submit" name="add" class="btn btn-lg btn-block btn-success"
style="border-radius: 0%;">Add Expense</button>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
<div class="col-md-3"></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- /#page-content-wrapper -->
```

```
</div>
```

```
<!-- /#wrapper -->
```

```
<!-- Bootstrap core JavaScript -->
```

```
<script src="js/jquery.slim.min.js"></script>
```

```
<script src="js/bootstrap.min.js"></script>
```

```
<script src="js/Chart.min.js"></script>
```

```
<!-- Menu Toggle Script -->
```

```
<script>
```

```
    $("#menu-toggle").click(function(e) {  
        e.preventDefault();  
        $("#wrapper").toggleClass("toggled");  
    });  
</script>  
<script>  
    feather.replace();  
</script>  
<script>  
</script>  
</body>  
</html>
```

### **manage\_expense.html**

```
<head>  
    <meta charset="utf-8">  
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">  
    <meta name="description" content="">  
    <meta name="author" content="">  
  
    <title>Expense Manager - Dashboard</title>  
  
    <!-- Bootstrap core CSS -->  
    <link href="css/bootstrap.min.css" rel="stylesheet">  
  
    <!-- Custom styles for this template -->  
    <link href="css/style.css" rel="stylesheet">  
  
    <!-- Feather JS for Icons -->  
    <script src="js/feather.min.js"></script>  
</head>
```

```
<body>

<div class="d-flex" id="wrapper">

  <!-- Sidebar -->

  <div class="border-right" id="sidebar-wrapper">

    <div class="user">

      <img class="img img-fluid rounded-circle" width="120">

    </div>

    <div class="sidebar-heading">Management</div>

    <div class="list-group list-group-flush">

      <a href="index.php" class="list-group-item list-group-item-action"><span data-
feather="home"></span> Dashboard</a>

      <a href="add_expense.html" class="list-group-item list-group-item-action "><span data-
feather="plus-square"></span> Add Expenses</a>

      <a href="manage_expense.html" class="list-group-item list-group-item-action sidebar-
active"><span data-feather="dollar-sign"></span> Manage Expenses</a>

    </div>

    <div class="sidebar-heading">Settings </div>

    <div class="list-group list-group-flush">

      <a href="profile.html" class="list-group-item list-group-item-action "><span data-
feather="user"></span> Profile</a>

      <a href="logout.html" class="list-group-item list-group-item-action "><span data-
feather="power"></span> Logout</a>

    </div>

  </div>

  <!-- /#sidebar-wrapper -->

  <!-- Page Content -->

  <div id="page-content-wrapper">

    <nav class="navbar navbar-expand-lg navbar-light border-bottom">

      <button class="toggler" type="button" id="menu-toggle" aria-expanded="false">

        <span data-feather="menu"></span>

      </button>

    </nav>

  </div>

</div>
```

```
</button>

<div class="collapse navbar-collapse" id="navbarSupportedContent">

  <ul class="navbar-nav ml-auto mt-2 mt-lg-0">

    <li class="nav-item dropdown">

      <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button"
data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">

        <img class="img img-fluid rounded-circle" width="25">

      </a>

      <div class="dropdown-menu dropdown-menu-right" aria-
labelledby="navbarDropdown">

        <a class="dropdown-item" href="#">Your Profile</a>

        <a class="dropdown-item" href="#">Edit Profile</a>

        <div class="dropdown-divider"></div>

        <a class="dropdown-item" href="logout.html">Logout</a>

      </div>

    </li>

  </ul>

</div>

</nav>

<div class="container-fluid">

  <h3 class="mt-4 text-center">Manage Expenses</h3>

  <hr>

  <div class="row justify-content-center">

    <div class="col-md-6">

      <table class="table table-hover table-bordered">

        <thead>

          <tr class="text-center">
```



```

        <th>#</th>

        <th>Date</th>

        <th>Amount</th>

        <th>Expense Category</th>

        <th colspan="2">Action</th>

    </tr>

</thead>

<tr>

    <td class="text-center">

        <a href="add_expense.html" class="btn btn-primary btn-sm" style="border-
radius:0%;">Edit</a>

    </td>

    <td class="text-center">

        <a href="add_expense.html" class="btn btn-danger btn-sm" style="border-
radius:0%;">Delete</a>

    </td>

</tr>

</table>

</div>

</div>

</div>

</div>

</div>

<!-- /#page-content-wrapper -->

</div>

<!-- /#wrapper -->

<!-- Bootstrap core JavaScript -->

```

```
<script src="js/jquery.slim.min.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/Chart.min.js"></script>

<!-- Menu Toggle Script -->

<script>

    $("#menu-toggle").click(function(e) {

        e.preventDefault();

        $("#wrapper").toggleClass("toggled");

    });

</script>

<script>

    feather.replace()

</script>

</body>

</html>
```