

Project Development Phase

Sprint – 4

Date	15 Nov 2022
Team ID	PNT2022TMID48001
Project Name	AI Based Discourse for Banking Industry
Maximum Marks	8 Marks

BUILD HTML:



- A Simple Bank Home page was designed using html (Ex chatbot.html)
- It is front end part of bank website

RUN Application:

- Open command prompt in project folder
- Run this command `python -m flask run`

The project is running on the localhost:5000 port

OUTPUT:



HTML & CSS File

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">

<title>Keep your money secure with our bank</title>

<link rel="stylesheet"

href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"

integrity="sha384-

Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJISAwIGgFAW/dAiS6JXm"

crossorigin="anonymous">

<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-

KJ3o2DKtlkvYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"

crossorigin="anonymous">

</script>

<script src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"

integrity="sha384-

ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"

crossorigin="anonymous"> </script>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"

integrity="sha384-

JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYI"

crossorigin="anonymous"> </script>

</head>

<style type="text/css"> .dropdown-content {

display: none; position: absolute; min-width:

200px; box-shadow: 10px 8px 16px 0px

rgba(0,0,0,0.2); z-index: 1;
```

```
}
```

```
.dropdown-content a {
```

```
float: none; color:
```

```
black; padding: 12px
```

```
16px; text-decoration:
```

```
none; display: block;
```

```
text-align: left;
```

```
}
```

```
.dropdown-content a:hover {
```

```
background-color: #ddd; color:
```

```
black;
```

```
}
```

```
.dropdown:hover .dropdown-content { display:
```

```
block;
```

```
}
```

```
.content{ background-image: "ss.png" width=100%
```

```
height=500% background-position: center;
```

```
background-repeat: no-repeat; height: 85vh; min-width:
```

```
100%; background-size: cover;
```

```
}
```

```
.info{ top: 40%; position:
```

```
absolute; background-
```

```
color: #ff9900; border: 3px
```

solid white; border-radius:

100px; border-top-left-

radius: 0px;

}

.quote{ font-size:

24px;

}

@media screen and (max-width: 600px) {

.info {

width:90%; top:

52%; position:

absolute;

}

.quote{ font-size:

15px;

}

.content{ background-image: "back.png" width=100%

height=300% background-position: center; background-

repeat: no-repeat; background-size: cover;

}

.dropdown-content { display: none; position:

absolute; min-width: 200px; box-shadow: 10px

8px 16px 0px rgba(0,0,0,0.2); z-index: 1;}

```
}  
  
</style>  
  
<body>  
  
<!--Navbar-->  
  
<div class="bg-dark text-light">  
  
<nav class="container navbar navbar-expand-lg navbar-dark bg-dark p-2">  
  
<p class="navbar-brand mt-2">  
  
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~<sup>II</sup> Bank </p>  
  
<button class="navbar-toggler" type="button" data-toggle="collapse"  
datatarget="#navbarSupportedContent" aria-controls="navbarSupportedContent"  
ariaexpanded="false" aria-label="Toggle navigation">  
  
<span class="navbar-toggler-icon"></span>  
  
</button>  
  
<div class="collapse navbar-collapse"id="navbarSupportedContent">  
  
<ul class="navbar-nav ml-auto">  
  
<div class="dropdown">  
  
<li class="nav-item p-3 mt-2 dropbtn">Explore Products</li>  
  
<div class="dropdown-content bg-light text-dark">  
  
<a href="#">Accounts</a>  
  
<a href="#">Loans</a>  
  
<a href="#">Transactions</a>  
  
<a href="#">Deposit</a>  
  
<a href="#">Cards</a>
```

</div>

</div>

<div class="dropdown">

<li class="nav-item p-3 mt-2 dropbtn">Balance Request

<div class="dropdown-content bg-light text-dark">

Balance Checking

Mini Statement

</div>

</div>

<div class="dropdown">

<li class="nav-item p-3 mt-2 dropbtn">Service Request

<div class="dropdown-content bg-light text-dark">

Update Profile

Saving and Current Account

Debit and Credit Card

</div>

</div>

<div class="dropdown">

<li class="nav-item p-3 mt-2 dropbtn">Make Payments

<div class="dropdown-content bg-light text-dark">

Money Transfer

Bill Payments

Card Payment

</div>

</div>

<li class="nav-item p-2 ml-2 bg-light" style="border-radius: 30px">

 AI Chat Bot will Help You

👇

</div>

</nav>

</div>

<body>

 </body>

<div class="content container">

<div class="col-sm-6 info p-4 p-3">

<center><b class="text-light quote">

<head>“Money is everything! It can buy anything! ”</head> </center>

<marquee behavior="slide" direction="up" scrollamount="1" class="mt-2">

<center>

<p>‘ Keep your money safe our bank ’</p>

</center>

</marquee>

</div>


```
</div> <script> window.watsonAssistantChatOptions = { integrationID:
"508444e6-3d40-4b32-a4bc-75424ab2cd1c", // The ID of this integration.
region: "au-syd", // The region your integration is hosted in.
serviceInstanceID: "6e1377cd-ed8b-4bd1-8137-5e10d7c41b74", // The ID of your service
instance.
onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
const t=document.createElement('script');
t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js"; document.head.appendChild(t);
});
</script> </body>
</html>
```