
Develop The Web Application Using Node-RED

AIM:

Develop the web application using Node-RED STEPS FOLLOWED:


• Opened a Node-RED project




Added code to get child location in python

```
import wiotp.sdk.device
import time
myConfig = {
    milg = {
  "identity": {
    "orgId": "hj5fmy",
    "typeId": "NodeMcU",
    "deviceId": "12345"
     "auth": {
         "token": "12345678"
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
While True:
        name= "Smartbridge"
         #in area location
        latitude= 17.4225176
        longitude= 78.5458842
         #out area location
         #latitude= 17.4219272
         #longitude= 78.5488783
        myData={'name': name, 'lat':latitude, 'lon':longitude}
        client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPublish=None)
        print("Data published to IBM IoT platfrom: ",myData)
         time.sleep(5)
client.disconnect()
```

• Editing the HTTP Request URL



Located the child



• Python script sending requests to IBM Cloud

```
Editor - C:\Users\HP\Desktop\child.py
                                                                                                           child.py
                                                                                                           Console 2/A 🖸
                                                                                                                Data published to IBM IoT platfrom:
   1 import json
                                                                                                                Data published to IBM IoT platfrom:
   2 import wiotp.sdk.device
                                                                                                                Data published to IBM IoT platfrom:
Data published to IBM IoT platfrom:
    3 import time
                                                                                                                Data published to IBM IoT platfrom:
   5 myConfig = {
          "identity": {
    "orgId": "hj5fmy",
    "typeId": "NodeMCU",
    "deviceId": "12345"
                                                                                                                Data published to IBM IoT platfrom:
                                                                                                                Data published to IBM IoT platfrom:
           auth": {
                                                                                                                Data published to IBM IoT platfrom:
               "token": "12345678"
                                                                                                                Data published to IBM IoT platfrom:
                                                                                                                Data published to IBM IoT platfrom:
                                                                                                                Data published to IBM IoT platfrom:
  15 client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
                                                                                                                Data published to IBM IoT platfrom:
  16 client connect()
                                                                                                                Data published to IBM IoT platfrom:
                                                                                                                Data published to IBM IoT platfrom:
Data published to IBM IoT platfrom:
  18 while True:
19 name= "Smartbridge"
                                                                                                                Data published to IBM IoT platfrom:
         #in area location
  20
                                                                                                                Data published to IBM IoT platfrom:
Data published to IBM IoT platfrom:
         #Latitude= 17.4225176
                                                                                                                Data published to IBM IoT platfrom:
  23
         #longitude= 78.5458842
                                                                                                                Data published to IBM IoT platfrom:
Data published to IBM IoT platfrom:
  24
         #out area Location
                                                                                                                Data published to IBM IoT platfrom:
  26
                                                                                                                Data published to IBM IoT platfrom:
         latitude= 17.4219272
                                                                                                                Data published to IBM IoT platfrom:
         longitude= 78.5488783
myData={'name': name, 'lat':latitude, 'lon':longitude}
client.publishEvent(eventId="status", msgFormat="json"
print("Data published to IBM IoT platfrom: ",myData)
time.sleep(5)
  28
                                                                                                                Data published to IBM IoT platfrom:
                                                                                                                Data published to IBM IoT platfrom:
                                                                            , data=myData, qos=0, onPub
                                                                                                                Data published to IBM IoT platfrom:
                                                                                                                Data published to IBM IoT platfrom:
                                                                                                                Data published to IBM IoT platfrom:
                                                                                                                Data published to IBM IoT platfrom:
  34 client.disconnect()
                                                                                                                Data published to IBM IoT platfrom:
                                                                                                                Data published to IBM IoT platfrom:
```

• After running the script, the web UI shows "Person is not in the particular area"



RESULT: Successfully developed the web application using Node-RED