

IOT BASED SMART CROP PROTECTION SYSTEM FOR AGRICULTURE

PROJECT REPORT

TEAM ID: PNT2022TMID51806

Submitted by

Ajisha K (961619205004)

Subitha S (961619205016)

Akash margin (961619205301)

in partial fulfillment for the award of the degree

of

Bachelor of Technology

In

Information Technology

MARTHANDAM COLLEGE OF ENGINEERING AND TECHNOLOGY

KUTTAKUZH, KANYAKUMARI DISTRICT-629 177



ANNA UNIVERSITY: CHENNAI 600 025

APRIL 2022

BONAFIDE CERTIFICATE

Certified that this project report “**IoT Based Smart Crop Protection System For Agriculture**” is the bonafide work of “**AJISHA K (961619205004), SUBITHA S (961619205016), AKASH MARGIN (961619205016)**” who carried out the project work under my supervision.

SIGNATURE

Mrs. ANCHANA B.S

HEAD OF THE DEPARTMENT

Dept.of Computer Science and Engg

Marthandam College of Engg&Tech

Kuttakuzhi-629 177

SIGNATURE

Mr.JUSTIN JOSE

SUPERVISOR

Dept.of Computer Science and Engg

Marthandam College of Engg&Tech

Kuttakuzhi-629 177

Submitted for project Viva-Voce held on

INTERNAL EXAMINER

EXTERNAL EXAMINER

ABSTRACT

An intelligent crop protection system helps the farmers in protecting the crop from the animals and birds which destroy the crop. This system also helps farmers to monitor the soil moisture levels in the field and also the temperature and humidity values near the field. The motors and sprinklers in the field can be controlled using the mobile application. IOT Based Crop Protection System against Birds and Wild Animal Attacks Smart crop protection system from wild animals using Arduino Smart Crop Protection System from Animals and Fire using Arduino. Crops in farms are many times ravaged by local animals like buffaloes, cows, goats, birds, and fire etc. This leads to huge losses for the farmers. It is not possible for farmers to barricade entire fields or stay on field 24 hours and guard it. So here we propose automatic crop protection system from animals and fire. This is an Arduino Uno based system using microcontroller. This system uses a motion sensor to detect wild animals approaching near the field and smoke sensor to detect the fire. In such a case the sensor signals the microcontroller to take action. The microcontroller now sounds an alarm to woo the animals away from the field as well as sends SMS to the farmer and makes call, so that farmer may know about the issue and come to the spot in case the animals don't turn away by the alarm. If there is a smoke, it immediately turns ON the motor. This ensures complete safety of crops from animals and from fire thus protecting the farmer's loss. This is an Arduino Uno based system using microcontroller. This system uses a motion sensor to detect wild animals approaching near the field and smoke sensor to detect the fire. In such a case the sensor signals the microcontroller to take action.

ACKNOWLEDGEMENT

It gives us pleasure to acknowledge our Indebtedness to all those who have helped us in completing this project.

First and fore most we would like to thank **GOD** almighty for the blessings he has showered upon us to complete this project successfully.

We wish to convey our immense gratitude and thanks to our respected Chairman **Prof. Dr. T. James Wilson, B.E., M.BA., M.I.Mar.Tech., Ph.D.**, and Vice Chairman **Er.F. Prince Vino,B.E.**, for providing us all facilities for the successful completion of the project.

We are grateful to **Dr.C.Sudhahar, M.E.,Ph.D.**, Principal for our institution for arranging the facilities for successful completion of our project.

We are deeply indebted to **Mrs.Anchana.B.S., M.E.**, Head of Computer Science and Engineering Department who gave us splendid help, valuable suggestions and support in bringing out this dissertation work successfully.

We would like to express our sincere thanks to **Mr.D.Justin Jose.,M.Tech.**, Asst.Professor ,Computer Science and Engineering Department for her valuable guidance, encouragement and immense help in making the project success.We extend our sincere thanks to all our computer science department staff members.

TABLE OF CONTENTS

CHAPTER NO	TITLE	PAGE NO
	ABSTRACT	3
	LIST OF FIGURES	7
1	INTRODUCTION	8
	1.1 Project Overview	
	1.2 Purpose	
2	LITERATURE SURVEY	9
	2.1 Existing problem	
	2.2 References	
	2.3 Problem Statement Definition	
3	IDEATION & PROPOSED SOLUTION	11
	3.1 Empathy Map Canvas	
	3.2 Ideation & Brainstorming	
	3.3 Proposed Solution	
	3.4 Problem Solution fit	
4	REQUIREMENT ANALYSIS	14
	4.1 Functional requirement	
	4.2 Non-Functional requirements	

5	PROJECT DESIGN	16
	5.1 Data Flow Diagrams	
	5.2 Solution & Technical Architecture	
	5.3 User Stories	
6	PROJECT PLANNING & SCHEDULING	18
	6.1 Sprint Planning & Estimation	
	6.2 Sprint Delivery Schedule	
	6.3 Reports from JIRA	
7	CODING & SOLUTIONING	20
	7.1 Feature 1	
	7.2 Feature 2	
8	TESTING	23
9	RESULTS	24
10	ADVANTAGES & DISADVANTAGES	24
11	CONCLUSION	25
12	FUTURE SCOPE	25
13	APPENDIX	26

LIST OF FIGURES

FIGURE NO	FIGURE NAME	PAGE NO
5.1	Data Flow Diagram	16
5.2	System Architecture	16
7.1	Screenshot 1	20
7.2	Screenshot 2	20
7.3	Screenshot 3	21
7.4	Screenshot 4	21
7.5	MIT APP inventor to design the APP	22
7.6	Customize the Appointer face to Display the Values	22

1.INTRODUCTION:

1.1 Project Overview

The Smart protection system defines that this project help to farmer for the protection of a farm. We have designed this project for the only secure from animals but we this project have the provision to secure from the human begins also. The SCPS work on the battery so that this project can be easily portable and also we are add solar panels and converter modules this can help the battery to charge from solar energy. The IOT device is used to indicate the farmer by a message while someone enter into the farm and we are used SD card module that helps to store a specified sound to fear the animals. This project is smart crop protection system for protect the farm from animals as well as unknown person. This projects contents arduino UNO, Node mcu, LCD display, PIR sensor, flame sensor, sd card module, solar panel, solar charges converter. This whole project is work on 12v dc supply from battery. We used solar panel to charge the battery. This project is based on Internet Of Things (IoT), that can measure soil moisture, Humidity and temperature conditions for agriculture and crop protection using Watson IoT services. IoT is network that connects physical objects or things embedded with electronics, software and sensors through network connectivity that collects and transfers data using cloud for communication. Data is transferred through internet without human to human or human to computer interaction. In this project we have not used any hardware. Instead of real soil moisture, Humidity and Temperature data obtained from sensors we make use of IBM IoT Simulator which can transmit these parameters as required.

2.2 . Purpose

An intelligent crop protection system helps the farmers in protecting the crop from the animals and birds which destroy the crop. This system also helps farmers to monitor the soil moisture levels in the field and also the temperature and humidity values near the field. The motors and sprinklers in the field can be controlled using the mobile application.

2. LITERATURE SURVEY:

2.1 Existing Problem

- Agriculture is a field which forms the basis of our economy. Yet it faces a lot of problems in terms of availability of resources, Irrigation, increasing rate of Pesticides, Climatic disasters, Insects which ruin the crops and makes a huge loss this sector.
- In agriculture water is needed for the crops for their growth. If the Soil gets dry it is necessary to supply water. But sometime if the farmer doesn't visit the field it is not possible to know the condition of soil.
- Sometimes over supply of water or less supply of water affects the growth of crops.
- Sometimes if the weather/temperature changes suddenly it is necessary to take certain actions.
- Specific crops grow better in specific conditions, they may get damaged due to bad weather.

2.2 References

- [https://smartinternz.com/assets/docs/Smart%20Home%20Automation%20using%20IBM%20cloud%20Services%20\(1\).pdf](https://smartinternz.com/assets/docs/Smart%20Home%20Automation%20using%20IBM%20cloud%20Services%20(1).pdf)
- [https://smartinternz.com/assets/docs/Smart%20Home%20Automation%20using%20IBM%20cloud%20Services%20\(1\).pdf](https://smartinternz.com/assets/docs/Smart%20Home%20Automation%20using%20IBM%20cloud%20Services%20(1).pdf)
- <https://openweathermap.org/>
- <https://smartinternz.com/assets/docs/Sending%20HttpRequest%20to%20Open%20weathermap%20web%20site%20to%20get%20the%20weather%20forecast.pdf>
- <https://www.youtube.com/watch?v=cicTw4SEdxk>
- [https://smartinternz.com/assets/docs/Smart%20Home%20Automation%20using%20IBM%20cloud%20Services%20\(1\).pdf](https://smartinternz.com/assets/docs/Smart%20Home%20Automation%20using%20IBM%20cloud%20Services%20(1).pdf)


- <https://github.com/rachuriharish23/ibmsubscribe>

2.3 Problem Statement Definition

- Smart Crop Protection System based on IoT can monitor soil moisture and climatic conditions to grow and yield a good crop.
- The farmer can also get the real time weather forecasting data by using external platforms like Open Weather API.
- Farmer is provided a mobile app using which he can monitor the temperature, humidity and soil moisture parameters along with weather forecasting details.
- Based on all the parameters he can water his crop by controlling the motors using the mobile application.
- Even if the farmer is not present near his crop he can water his crop by controlling the motors using the mobile application from anywhere.
- Here we are using the Online IoT simulator for getting the Temperature, Humidity and Soil Moisture values.

3.IDEATION & PROPOSED SOLUTION:

3.1 Empathy Map Canvas



3.2 Ideation & Brain Storming



3.3. Proposed Solution

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	Crops in farms are many times ravaged by local animals like buffaloes, cows, goats, birds, and fire etc. This leads to huge losses for the farmers. It is not possible for farmers to barricade entire fields or stay on field 24 hours and guard it.
2.	Idea / Solution description	Here we propose an automatic crop protection system from animals and fire. This is an arduino Uno based system using microcontroller. This system uses a motion sensor to detect wild animals approaching near the field and smoke sensor to detect the fire.
3.	Novelty / Uniqueness	Fastest alert to the farmers through SMS.
4.	Social Impact / Customer Satisfaction	Real time data and production insight. Remote monitoring.
5.	Business Model (Revenue Model)	Help farmers in protecting their orchards and fields and save them from significant financial losses and will save them from the unproductive efforts that they endure for the protection their fields. This will also help them in achieving better crop yields thus leading to their economic wellbeing.
6.	Scalability of the Solution	Alerts the farmers immediately through an SMS.

3.4 . Problem Solution Fit

Define CS, fit into CL	1. CUSTOMER SEGMENT(S) CS Farmers are the customers	6. CUSTOMER LIMITATIONS <small>EG. BUDGET, DEVICES</small> CL 1) High adoption costs , security concerns. 2) Not aware of the implementation of IoT in agriculture.	5. AVAILABLE SOLUTIONS <small>PLUSES & MINUSES</small> AS Monitor different parameters and mobile or web application make easily to farm the crop field .	Explore AS, differentiate
	2. PROBLEMS / PAINS + ITS FREQUENCY PR 1) It's difficult to monitor and control 2) Ain't known if the application doesn't work properly.	9. PROBLEM ROOT / CAUSE RC 1) If temperature ,PH level ,humidity & light intensity makes the serious cause for the environment. 2) Farmer affected by less productivity which will affect in their profit.	7. BEHAVIOR + ITS INTENSITY BE Direct related: Tries to find a solution to prevent this problem Indirect related: Located in rural where internet connectivity might not be strong enough to facilitate fast transmission speeds.	
Identify strong TR & EM	3. TRIGGERS TO ACT TR Create opportunities to lift people out of poverty in developing nations. (Over 60%)	10. YOUR SOLUTION SL <i>"IoT based Smart crop protection system for agriculture" !!</i> It help farmers grow more food on less land by protection crops from pests, diseases and weeds as well as raising productivity per hectare.	8. CHANNELS of BEHAVIOR CH ONLINE: The Data send through application for the farmers to know about the farms.	Extract online & offline CH of BE
	4. EMOTIONS <small>BEFORE / AFTER</small> EM BEFORE: Finances, Heavy work overload and conflict in relationship. AFTER: It will easier to make more yield in		OFFLINE: The control action is taken by the farmers to monitor the farms.	

4.REQUIREMENT ANALYSIS:

4.1 Functional Requirements

Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Install the app. Signing up with Gmail or phone numbers. Creating a new profile. Understand the guidelines which we given
FR-2	User Confirmation	Email or phone number verification <u>required</u> via OTP.
FR-3	Accessing datasets	The data like values of temperature, data sensor, humidity, soil moisture are received <u>by</u> alert SMS.
FR-4	Interface sensor	Connect the sensor and the application When animals enter the field, the alarm is <u>generated</u> .
FR-5	User action	The user needs to take action like detecting through crop rotation, fertilizer, strip <u>cropping</u> .

4.2 Non Functional Requirements

NFR-2	Security	It was created to protect the crops from <u>animals</u> .
NFR-3	Reliability	Farmers are able to safeguard their lands by help of this technology. They get some good benefits from higher crop <u>yields</u> .
NFR-4	Performance	When animals attempt to enter the crop field, IOT devices and sensors alert the <u>farmer</u> via message and maintain good yields.
NFR-5	Availability	Agriculture fences are quite an effective wild animal protection system.
NFR-6	Scalability	The develop system will not harmful and injurious to animals as well as human <u>beings</u> through the system.

5. PROJECT DESIGN:

5.1 Data Flow Diagram

Data Flow Diagrams:

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.




Fig:5.1

5.2. Solution & Technical Architecture




Fig:5.2

5.3. User Stories

User Type	Functional requirement(Epic)	User Story number	User Story/Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1	User can enter into the web application	I can access my account /dashboard	High	Sprint 1
		USN-2	User can register their credentials like email id and password	I can receive confirmation email & click confirm	High	Sprint 1
	Login	USN-3	User can log into the application by entering email & password	I can login to my account	High	Sprint 1
	Dashboard	USN-4	User can view the temperature	I can view the data given by the device	High	Sprint 2
		USN-5	User can view the level of sensor monitoring value	I can view the data given by the device	High	Sprint 2
Customer (Web user)	Usage	USN-1	User can view the web page and get the information	I can view the data given by the device	High	Sprint 3
Customer	Working	USN-1	User act according to the alert given by the device	I can get the data work according to it	High	Sprint 3

6. PROJECT PLANNING & SCHEDULING

6.1.Sprint Planning & Estimation

TITLE	DESCRIPTION	DATE
Literature Survey on The Selected Project and Information Gathering	A Literature Survey is a compilation summary of research done previously in the given topic. Literature survey can be taken from books, research paper online or from any source.	20 September 2022
Prepare Empathy Map	Empathy Map is a visualization tool which can be used to get a better insight of the customer	22 September 2022
Ideation-Brainstorming	Brainstorming is a group problem solving session where ideas are shared, discussed and organized among the team members.	28 September 2022
Define Problem Statement	A Problem Statement is a concise description of the problem or issues a project seeks to address. The problem statement identifies the current state, the desired future state and any gaps between the two.	20 September 2022
Problem Solution Fit	This helps us to understand the thoughts of the customer their likes, <u>behaviour</u> , emotions etc.	01 October 2022
Proposed Solution	Proposed solution shows the current solution and it helps is going towards the desired result until it is achieved.	18 October 2022
Solution Architecture	Solution Architecture is a very complex process <u>i.e</u> it has a lot of sub-processes and branches. It helps in understanding the components and features to complete our project.	18 October 2022
Customer Journey	It helps us to <u>analyse</u> from the perspective of a customer, who uses our project.	01 November 2022
Functional Requirement	Here functional and nonfunctional requirements are briefed. It has	01 November 2022
	specific features like usability, security, reliability, performance, availability and scalability.	
Data Flow Diagrams	Data Flow Diagram is a graphical or visual representation using a standardized set of symbols and notations to describe a business's operations through data movement.	03 November 2022
Technology Architecture	Technology Architecture is a <u>more well</u> defined version of solution architecture. It helps us analyze and understand various technologies that needs to be implemented in the project.	03 November 2022
Prepare Milestone & Activity List	It helps us to understand and evaluate our own progress and accuracy so far.	06 November 2022
Spring Delivery Plan	Sprint planning is an event in scrum that kicks off the sprint. The purpose of sprint planning is to define what can be delivered in the sprint and how that work will be achieved.	06 November 2022

6.2 Sprint Delivery Schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	4	High	Ajisha K
Sprint-1	Registration	USN-2	As a user, I will receive confirmation email once I have registered for the application	3	High	Subitha S
Sprint-1	Login page	USN-3	As a user, enter the username and password which is already existing	3	Medium	Akash Margin
Sprint-1	Forecasting the weather	USN-4	As a user, we can monitor the weather conditions like humidity, temperature etc...	12	High	Ajisha K
Sprint-2	Sensing moisture condition of the soil	USN-5	As a user, we can know about soil moisture condition, controlling the motor pump for water flow by using mobile application.	10	High	Akash Margin
Sprint-3	Detecting the motion in certain range	USN-6	Fencing system are helpful in providing security against animals and birds.	12	High	Subitha S
Sprint-4	Checking the crops conditions.	USN-7	Here farmer needs to update the condition of crops.	9	High	Ajisha K

6.3 Reports from JIRA

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	8	6 Days	24 Oct 2022	29 Oct 2022	22	29 Oct 2022
Sprint-2	1	6 Days	31 Oct 2022	05 Nov 2022	10	05 Nov 2022
Sprint-3	2	6 Days	07 Nov 2022	12 Nov 2022	12	12 Nov 2022
Sprint-4	1	6 Days	14 Nov 2022	19 Nov 2022	9	19 Nov 2022

Velocity:

Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

$$AV = \frac{\text{sprint duration}}{\text{velocity}} = \frac{20}{10} = 2$$

$$AV = \frac{\text{sprint duration}}{\text{velocity}}$$

$$=6/13.25$$

$$=0.45$$

7. CODING & SOLUTIONING

7.1. Feature1

Screenshot:1




Fig:7.1

Screenshot:2




Fig:7.2

Screenshot:3




Fig:7.3

Screenshot:4




Fig:7.4

7.2. Feature2

MIT APP inventor to design the APP




Fig:7.5

Customize the Appointer face to Display the Values




Fig:7.6

8. TESTING

Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	11	4	2	2	19
Duplicate	1	1	2	0	4
External	2	3	0	1	6
Fixed	10	2	3	20	35
Not Reproduced	0	0	2	0	2
Skipped	0	0	2	1	3
Won't Fix	0	5	2	1	8
Totals	24	15	13	25	77

Test Case Analysis

This report shows the number of test cases that have passed, failed, and untested

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	5	0	1	4
Client Application	47	0	2	45
Security	3	0	0	3
Outsource Shipping	2	0	0	2
Exception Reporting	11	0	2	9
Final Report Output	5	0	0	5
Version Control	3	0	1	2

9.RESULT:

We have successfully built an IOT Based Smart Crop Protection System for Agriculture and integrated all the services using Node-RED.

10. ADVANTAGES & DISADVANTAGES

a. Advantages

- All the data like climatic conditions and changes in the soil or crop conditions can be easily monitored
- Risk of crop damage can be lowered to a greater extent
- Many difficult challenges can be avoided by making the process automated and the quality of crops can be maintained
- The process included in farming can be controlled using the web application from anywhere anytime.

b.Disadvantages

- Smart Crop Protection requires internet connectivity continuously but,rural parts cannot fulfil the requirement.
- Any faults in the sensors can cause great loss in the agriculture, due to wrong record and the actions of automated processes.
- IOT devices need much money to implement.

11.CONCLUSION:

IoT based smart Crop Monitoring System for Agriculture for Live Monitoring of Temperature and Soil Moisture and to control motor and light remotely has been proposed using Node Red and IBM Cloud Platform. The System has high efficiency and accuracy in fetching the live data of temperature and soil moisture. The IOT based smart crop protection System for agriculture being proposed via this project will assist farmers in increasing the agriculture yield and take efficient care of food production as the system will always provide helping hand to farmers for getting accurate live feed of environmental temperature and soil moisture with more than 99% accurate results. Therefore, the project proposes a thought of consolidating the most recent innovation into the agrarian field to turn the customary techniques for water system to current strategies in this way making simple profitable and temperate trimming.

12. FUTURE SCOPE:

In future due to more demand of goods and more farming in less time, for betterment of the crops and reducing the usage of extra source like electricity and water IOT can be implemented in most of the places.

13.APPENDIX:

```
import random
import ibmiotf.device from time
import sleep
import sys
#IBM Watson Device Credentials.
organization = "op701j"
deviceType = "SubiAji"
deviceId = "SubiAji89"
authMethod = "token"
authToken = "1223334444"
def myCommandCallback(cmd):
    print("Command received: %s" % cmd.data['command'])
    status=cmd.data['command']
    if status=="sprinkler_on":
        print ("sprinkler is ON")
    else :
        print ("sprinkler is OFF")
    #print(cmd)

try:
    deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method":
    authMethod, "auth-token": authToken}
    deviceCli = ibmiotf.device.Client(deviceOptions)
    except Exception as e:
        print("Caught exception connecting device: %s" % str(e))
        sys.exit()
    #Connecting to IBM watson.
    deviceCli.connect()
    while True:

        #Getting values from sensors.

        temp_sensor = round( random.uniform(0,80),2)
```

```

PH_sensor = round(random.uniform(1,14),3)

camera = ["Detected","NotDetected","NotDetected","NotDetected","Not
Detected","Not Detected",]
camera_reading = random.choice(camera)
flame = ["Detected","NotDetected","NotDetected","NotDetected","Not
Detected","Not Detected",]
flame_reading = random.choice(flame)
moist_level = round(random.uniform(0,100),2)
water_level = round(random.uniform(0,30),2)

#storing the sensor data to send in json format to cloud.

temp_data = { 'Temperature' : temp_sensor }
PH_data = { 'PH Level' : PH_sensor }
camera_data = { 'Animal attack' : camera_reading}
flame_data = { 'Flame' : flame_reading }
moist_data = { 'Moisture Level' : moist_level}
water_data = { 'Water Level' : water_level}

# publishing Sensor data to IBM Watson for every 5-10 seconds. success =
deviceCli.publishEvent("Temperature sensor", "json", temp_data,
qos=0)

sleep(1)
if success:
    print (" .....publish ok..... ")
    print ("Published Temperature = %s C" % temp_sensor, "to IBM Watson")

    success = deviceCli.publishEvent("PH sensor", "json", PH_data, qos=0)
    sleep(1)

```

```

if success:
    print ("Published PH Level = %s" % PH_sensor, "to IBM Watson")

    success = deviceCli.publishEvent("camera", "json", camera_data, qos=0)
    sleep(1)
    if success:
        print ("Published Animal attack %s " % camera_reading, "to IBM Watson")
    success = deviceCli.publishEvent("Flame sensor", "json", flame_data, qos=0)
    sleep(1)
    if success:
        print ("Published Flame %s " % flame_reading, "to IBM Watson")

    success = deviceCli.publishEvent("Moisture sensor", "json", moist_data,
qos=0)
    sleep(1)
    if success:
        print ("Published Moisture Level = %s " % moist_level, "to IBM Watson")

    success = deviceCli.publishEvent("Water sensor", "json", water_data,
qos=0)
    sleep(1)
    if success:
        print ("Published Water Level = %s cm" % water_level, "to IBM Watson")
        print ("")
        #Automation to control sprinklers by present temperature an to send alert
        message to IBM Watson.

if (temp_sensor> 35):
    print("sprinkler-1 is ON")
    success = deviceCli.publishEvent("Alert1", "json",{ 'alert1' :
        "Temperature(%s) is high, sprinkerlers are turned ON" %temp_sensor } , qos=0)
    sleep(1)
    if success:

```

```

        print( 'Published alert1 : ', "Temperature(%s) is high, sprinklers are
        turned ON" %temp_sensor,"to IBM Watson")

print("")
else:
print("sprinkler-1 is OFF")
        print("")

        #To send alert message if farmer uses the unsafe fertilizer
if (PH_sensor> 7.5 or PH_sensor< 5.5):
        success = deviceCli.publishEvent("Alert2", "json",{ 'alert2' : "Fertilizer PH
        level(%s) is not safe,use other fertilizer" %PH_sensor } , qos=0)

sleep(1)
if success:
print('Published alert2 : ' ,
"Fertilizer PH level(%s) is
not safe,use other

        fertilizer" %PH_sensor,"to IBM Watson")
print("")

        #To send alert message to farmer that animal attack on crops.

if (camera_reading == "Detected"):
        success = deviceCli.publishEvent("Alert3", "json", { 'alert3' : "Animal
        attack on crops detected" }, qos=0)

sleep(1)
        if success:
                print('Published alert3 : ' , "Animal attack on crops detected","to IBM
                Watson","to IBM Watson")
print("")

        #To send alert message if flame detected on crop land and turn ON the
splinters to take immediate action.
if (flame_reading == "Detected"):

```

```

print("sprinkler-2 is ON")
        success = deviceCli.publishEvent("Alert4", "json", { 'alert4' : "Flame is
detected crops are in danger,sprinklers turned ON" }, qos=0)

sleep(1)
if success:
        print( 'Published alert4 : ' , "Flame is detected crops are in
danger,sprinklers turned ON","to IBM Watson")

        #To send alert message if Moisture level is LOW and to Turn ON Motor-1
if (moist_level< 20):
        print("Motor-1 is ON")
        success = deviceCli.publishEvent("Alert5", "json", { 'alert5' : "Moisture
level(%s) is low, Irrigation started" %moist_level }, qos=0)
sleep(1)
if success:
        print('Published alert5 : ' , "Moisture level(%s) is low, Irrigation started"
%moist_level,"to IBM Watson" )

print("")
#To send alert message if Water level is HIGH and to Turn ON Motor-2 to take water out. if
(water_level> 20):
        print("Motor-2 is ON")
        success = deviceCli.publishEvent("Alert6", "json", { 'alert6' : "Water
level(%s) is high, so motor is ON to take water out "
%water_level }, qos=0)

sleep(1)
if success:
        print('Published alert6 : ' , "water level(%s) is high, so motor is ON to take
water out " %water_level,"to IBM Watson" )

print("")
#command received by farmer deviceCli.commandCallback =
myCommandCallback
        # Disconnect the device and application from the cloud deviceCli.disconnect()

```

GitHub Link:

<https://github.com/IBM-EPBL/IBM-Project-5381-1658761312>

Demo Link:

https://drive.google.com/file/d/1T4B9_TuwokWKUxS6yXc2lrVOdGjv-tJK/view?usp=drivesdk