

Sprint 4

Date	11 November 2022
Team ID	PNT2022TMID25027
Project Name	IoT Based Safety Gadget for Child Safety Monitoring and Notification

Sprint 4 is send alert notification when entered and exited the geofence

Coding:

```
package com.example.geofence;

import
    android.content.BroadcastReceiver; import
    android.content.Context; import
    android.content.Intent; import
    android.location.Location; import
    android.os.CountDownTimer; import
    android.util.Log; import android.widget.Toast;

import com.google.android.gms.location.Geofence
; import com.google.android.gms.location.GeofencingEvent; import
java.util.List
; import android.os.Handler;

public class GeofenceBroadcastReceiver extends BroadcastReceiver {

    private static final String TAG = "GeofenceBroadcastReceiv";
    @Override    public void onReceive(Context context, Intent intent) {
        // TODO: This method is called when the BroadcastReceiver is receiving // an Intent
        broadcast
        //.
        /*Toast.makeText(context, "GEOFENCE_ENTERED",
        Toast.LENGTH_SHORT).show();

        final Toast mToastToShow;
```

```

        int toastDurationInMilliseconds = 1200000;        mToastToShow = Toast.makeText(context,
"GEOFENCE_EXITED", Toast.LENGTH_LONG);

        // Set the countdown to display the toast        CountdownTimer toastCountDown;        toastCountDown = new
CountdownTimer(toastDurationInMilliseconds,
100000) {            public void onTick(long millisUntilFinished) {
mToastToShow.show();
        }

        public void onFinish() {            mToastToShow.cancel();
    }
};

    // Show the toast and starts the countdown        mToastToShow.show();
toastCountDown.start();*/

    NotificationHelper notificationHelper = new
NotificationHelper(context);

    notificationHelper.sendHighPriorityNotification("GEOFENCE_TRANSITION_ENTER" , "", MainActivity.class);

    GeofencingEvent geofencingEvent = GeofencingEvent.fromIntent(intent);

    if (geofencingEvent.hasError()) {
        Log.d(TAG, "onReceive: Error receiving geofence event...");        return;
    }

    List<Geofence> geofenceList = geofencingEvent.getTriggeringGeofences();
for (Geofence geofence:
geofenceList) {
    Log.d(TAG, "onReceive: " + geofence.getRequestId());    }
//    Location location = geofencingEvent.getTriggeringLocation();    int transitionType =
geofencingEvent.getGeofenceTransition();
    switch (transitionType) {        case
Geofence.GEOFENCE_TRANSITION_ENTER:

```

```

        notificationHelper.sendHighPriorityNotification("Entered the Location", "", MapsActivity.class);    break;
    case Geofence.GEOFENCE_TRANSITION_EXIT:

        notificationHelper.sendHighPriorityNotification("Exited the Location", "",
MapsActivity.class);    break;
    }

}
}

```

Notification Class:

```

package com.example.geofence;

import android.app.Notification; import
android.app.NotificationChannel; import
android.app.NotificationManager; import
android.app.PendingIntent; import android.content.Context; import
android.content.ContextWrapper; import
android.content.Intent; import android.graphics.Color; import android.os.Build;

import androidx.annotation.RequiresApi; import
androidx.core.app.NotificationCompat;    import
androidx.core.app.NotificationManagerCompat;

import java.util.Random;

public class NotificationHelper extends ContextWrapper {

    private static final String TAG = "NotificationHelper";

    public NotificationHelper(Context base) {    super(base);
        if (Build.VERSION.SDK_INT >= Build.VERSION_CODES.O) {        createChannels();
        }
    }

    private String CHANNEL_NAME = "High priority channel";
    private String CHANNEL_ID = "com.example.geofence" + CHANNEL_NAME;

    @RequiresApi(api = Build.VERSION_CODES.O)    private void createChannels()

```

```

{
    NotificationChannel notificationChannel = new
NotificationChannel(CHANNEL_ID, CHANNEL_NAME, NotificationManager.IMPORTANCE_HIGH);
notificationChannel.enableLights(true);    notificationChannel.enableVibration(true);
notificationChannel.setDescription("this is the description of the channel.");
notificationChannel.setLightColor(Color.RED);

notificationChannel.setLockscreenVisibility(Notification.VISIBILITY_PUBLIC);    NotificationManager manager =
(NotificationManager) getSystemService(Context.NOTIFICATION_SERVICE);
manager.createNotificationChannel(notificationChannel);    }
    public void sendHighPriorityNotification(String title, String body, Class activityName) {

        Intent intent = new Intent(this, activityName);
        PendingIntent pendingIntent = PendingIntent.getActivity(this, 267, intent,
PendingIntent.FLAG_UPDATE_CURRENT);
        Notification notification = new NotificationCompat.Builder(this, CHANNEL_ID)
//        .setContentTitle(title)
//        .setContentText(body)
        .setSmallIcon(R.drawable.ic_launcher_background)
        .setPriority(NotificationCompat.PRIORITY_HIGH)        .setStyle(new
NotificationCompat.BigTextStyle().setSummaryText("summary").setBigContentTitle(title).bigText(body))
        .setContentIntent(pendingIntent)
        .setAutoCancel(true)
        .build();

        NotificationManagerCompat.from(this).notify(new Random().nextInt(), notification);
    }
}

```

Output :

